

Abroma

angustum

Abroma folius cordatis septangulis

Abroma fastuosa Jacq. hort. 3. p. 3. V. 1.

Theobroma angusta Kun. S. Veyt. et. 13. p. 580

¶ abrotat

5

Præmi sicut nervi uti petioli et folia seu Venella incana

Folia petiolata alterna 5-7. angulo sublobatis:

lobis ^{acutis} dentatis 5 que nervi basi sinu subcordata
nervi et venis supra villosis

^{sp} ^{int} ^{eg} ⁿⁱ ^{folia} *Abroma* foliis ovato-lanceolatis ^{sub} denticulatis integris, pedunculis oppositi-

foliis

Habitat in India Orientali Hong &

Rami obscure tetragoni, leviter tomentosi, molliter superni canescentes.

Folia petiolata, alterna remota, spithamea, att. in acumine longo
attenuata, basi remote denticulata, superne integra, uncinata
bina lata, quinque nervia utraque glabra.

Petoli sesqui-pollicares tomentosi

Stipula ~~6~~ utrinque lanceolata unguiculari.

Pedunculi oppositifolii petiolo longiori subumbellati, pedicellis inaequali-
bus inferne articulati tomentosi. Involucrum 6-7 phyllum lanceolatum
glabrum inaequale.

Flores nutantes.

Calyx pentaphyllus folioli lance ovato lanceolatis, molliter ~~vel~~ tomentosi
seniores fere nudi ~~pollicares~~ unguiculari

Petala unguiculata calyce duplo longiora

Abroma Wahlen foliis ovato lanceolatis acuminatis subdentatis

Retz. obs. 5. p. 27.