

Allionia

Specimen in herbario Kuntzei n. d. involvens plus quam 40 p. d.

1, violacea *Allionia* foliis cordatis, calycibus quinque fide L.S. V. pag. 147.

Allionia Coefl. Her. 101. *

Habitat in Pumana Americis

Caulis herbaeus, erectus, debilis ramosus. Folia opposita, cordata, acuta, integerrima, glabra, inferiora longe petiolata. Flores in panicula ramosa, terminali, bracteoli brevibus. Corolla majuscula purpureo-rosea & lacini calycis orato-acuti, parum inaequalibus, divisura unica usque ad basin factum, perspersa, flores tres includens. Corolla quinquefida Coefl. loc. cit.

incarnata Allionia foliis oblique ovatis, calycibus triphyllis L. S. V. p. 147. L'Heret. Flor. Nov.
Jesi. 4. p. 63. * Tab. 31.

Wedelia Loefl. 41. 180

Habitat in Cumana arenosis

Tota planta ~~per~~ villosa hispida. Caulis herbaceus ^{teres} diffusus ramulosus. Rami alteri
nervi, patentes. Folia pedicelata, ^{imposito folio opposito} alterna, ovata, altera ^{obliqua angustiora} latere breviora, undulata
avena crassiuscula, avenia, altera nervosa, ^{opposita} pedunculata ^{duplo} ^{op} altera minor
Pedunculi axillares filiformes solitarii, uniflori. Flores ante anthesin nutan-
tes