

Alopecurus<sup>?</sup>

bulbosus Alopecuri. Culmo geniculis inflexis, spica cylindrica  
ovata parva. Cori. antrata, radice bulbosa La Mart. V. Gen.  
pag. 168.  
Habita in Gallia anglica

an eadem cum bulboso L.  
mei synotus

*Typhodes*

Plin. l. 32. fig. 4. sed hoc figura ad *Golum punicum* citatur

caudata A. panicula pinnata caudata: flosculis aristis cernuum vullati  
Thurb. n. ad lyp. 3. p. 200.

ovalis A. panicula ovata coarctata fructu omula: petalo exteriori  
ante apicem aristato Hoff. fl. austr. p. 8

Indicum A spica Veseti, involuclis setaceis fasciculatis, bifloris, pedunculis vil-  
losi. Lin. l. v. pag. 1004

Græmen indicum alopecuroides holosericeum majus; spica longa  
pappesente Plukn. alm. 177. t. 92. fig. 5.

Panicum alopecuroides spica Veseti, involuclis setaceis basi ciliatis, fasci-  
culatis unifloris glabro quadruplo longioribus Lin. spec. pl. pag.

024

Habitat in India ~~foliis~~

Statura Panicis Italici, ~~setis callosis~~ ~~Chamaena~~ ~~lamina~~ ~~habes~~ ~~sem~~ ~~ex~~ ~~Ind.~~  
orient. quam culta glabra nisi in genicula ulmi et ore vaginam <sup>borbati</sup> ~~ca-~~  
~~tura~~ ~~ex~~ ~~hilo~~ ~~up~~ ~~stiant~~ foliis supra ~~hatis~~ ~~pelosissimi~~ ~~folia~~ ~~lata~~ ~~tra-~~  
dine digiti, utraque pelos etiam vaginis. Spica magnitudine digiti

interdum glabra ex involuclis multifido-fasciculatis villosis, scabis bifloris. Pedice-  
lis longitudine glabrorum. Flori surcula accessoria longitudine  
reliquarum. Lin

Pedunculis villosis tomentosum. seta involuclis ore latis villosis.

aliam ex Ind. orientali facie panicis diversis geniculis glabris  
glumis panicis longioribus. ut vero differant

Plukn. alm. 92. fig. 5

quomodo ab Holo spicato differat <sup>et agnoscatur</sup> ~~nam~~ ~~novi~~ ~~cum~~ ~~in~~ ~~meo~~  
specimine flor ~~totum~~ ~~modo~~ ~~maximè~~ ~~ad~~ ~~esse~~ ~~videtur~~ ~~an~~ ~~mea~~ ~~potius~~ ~~hol-~~  
~~cus~~ ~~spicatus~~

prostratis culmo striato erecto glumis villosis, corollis muticis

Scheuchgram. 133. t. 19. Less. fl. herb. tab. 2. fig. 4

Gramen phalaroides spica molli s. germanicum Bauh. pin. 4. prodr.

<sup>10</sup> Gramen myosuroides spica molli caudicante villosa Scheuch. gram. 70.

Gramen alopecuroides simile glabrum cum pilis longiusculis in spica  
onocordum Bauh. hist. 2. p. 475.

Habitat in Europa pratis

Culmus sesquipedalis glaber ad basin basi erectus 4 nodi intermediis  
vagina striata testis. Folia lineari lanceolata. Panicula  
striata bipollicari ovata cylindrica. glumis ovato compressis  
pallide villosis margine et dorso linea viridi nervoque fauce  
punctis ad basin petali calycis parum longior  
Phalaridis

corollis anfractis

omnium petalorum basi anfractum habet ~~laesi figuram ut et Desimpth. Scheuch.~~  
Hall. et omnes

hordaeiformis a racemo simplicii, flosculis antheris circumvallatis Cen. Spei

pl. pag. 904

Habitat in India

gemmula fusca  
glabra.

Pacet hordaei muniti ad Culmo sesquipedali. Culmus glaber  
Solia plano canaliculata, nervosa, culmo saepe longiori. Spica  
racemosa longa fere spithamea Pedunculus inferne e capi  
florum denticulatus villosus. Pedicelli parvi uniflori  
Calycis obvallati <sup>inferiores</sup> antheriformibus numerosi floribus tri  
plo longioribus corollam valvula gemina oblonga ac  
munita



agrosti A

culmo spicatis erecto, glumis lobatis L.V.

pl. Dan. 1. 697.

Gramen cum cauda nuda purpurascens Bauh. hist. 2. p. 473.

Gramen alopecuroides, spica longiore tenuiore Morf. hist. 3. p. 193.

f. D. t. 4. fig. 12.

Gramen thyphenum, plantagine spica, antheris geniculatis Barr. ii 699

83. 2.

Alopecurus myosuroides

Hudf. angl. Schreb. gram. 140 t. 19. fig. 2.

Gramen typhoides, spica angustiore Bauh. pin. 4. Theat. 53.

Gramen spicatum spica cylindrica tenuissima longiore Scheuchz  
gram. 69.

Habitat in Europa australi &

Culmi erecti pedales et ultra glabri inferne vaginis secti. Spica  
terminali bipollicari et ultra cylindrica parum attenuata  
antra calyce multo longior valvula obtusa basi canna pubescente  
nerviis sub flore annulato dilatati

glumis glabri

3-4 antartici Alpeianus Alpeianus  
culmo erecto, spica ovata, glumis hispida, corollis  
angustis: antheris calyce longioribus  
Habitat ad fretum Magellanicum  
Culmus pedalis, glaber.  
Colla angusta, lineari-fimbriata, bis tripolliticaria, plana.  
Panicula terminalis, spiciformis, ovata, pollicaris.  
Glomuli ovati.  
Calyces hispidissimi, fide Phalangi, apice purpureo fentes.  
Corolla ~~sub~~ ovata calyce brevior, ovata, versus basin angustata.  
Anthera purpurea, calyce duplo longior

Tenax Anundo calycibus bifloris, panicula laxa, foliis in volutis subulatis  
Leyi Teneti

~~Gramen bipedale et cibus Culmo simplici rigido, crassitie penno an  
feno glabro uti <sup>negativa e</sup> ~~negativa e~~  
Solia vaginanta superiora longitudine culmi glabra uti ~~calyx~~~~

~~Panicula bipedalis ramis parte proxima erectis dein patentibus  
alteri ut <sup>interne</sup> ~~interne~~ <sup>geminis</sup> ~~geminis~~ <sup>angustis</sup> ~~angustis~~  
pedicelli folii pedunculati ~~si ab~~ <sup>si ab</sup> pedicelli filiformes~~

+ vel terni sine  
remoti

~~Floris lanceolati & curvati gemini ut  
Calycis glumae longitudine fere glabulorum lanceolato-subulato biflori  
Floris lanceolato subulati alter sessili alter pedicellatus basilanati  
valvula interior Anolla lineari~~

Anundo mauritanica calycibus trifloris panicula elongata folia  
angustis involuto junceis Bar. A. 2. 4.

*bulbosus Alopecurus* culmo erecto, spica cylindrica, radice bulbosa Lin. Spec. pl. pag.  
1665. L. S. p. 100

Gramen cynosuroides bulbosum nodosum Rai angl. 3. p. 397. t. 20. fig. 2.

Gramen typhaceum phalaroides, pilosa spica, aquaticum bulbosum Barr. c. c.  
699. fig. 1. et 680. f. 1. 2.

Habitat in Gallia, Anglia pratis &

Culmi plures struthamoi glabri gemulis fuscis. Solum lineare angust.  
exlabra. Spica sequi pollicari. Saluta calycis mucronata ad litem canna  
subulata. Antha calycis duplo longior

an varietas *Alopecuri gemiculati* ut Hudsonio creditur vix differat nisi  
spica minus villosa

geniculatus A. culmo spicato infracto, caulis muticis

fl. ~~San~~ tab

~~fl.~~

Gramen aquaticum geniculatum spicatum Bauh. pin. 3. Scheuchz.

gram. 72.

B. Alpeius arifis gluma aequalibus fl. Lapp. pag. 30.

Habitat in Europa ulynosis &

Culmi semipedales geniculati. geniculi fere foliis vaginatus  
vagina suprema subprothaca. folia angusta vagini longiorum

petalium <sup>exteriori basi</sup> ~~exteriori~~ <sup>antra</sup> calycis duplo longior.

— petalis basi antra calycis longior

conjugendum cum bulb. uti modo ~~varietas~~ qui non nisi  
varietas

paniculatus A panicula subspicata, glumis villosis, corollis anfractis sp. pl. p. 90. Fl. Dan.  
tab. 861. P

Gramen alopecurum minus, spica longior Bauh. pin. 4. Theat. 57. Scheuchz.  
gram. 154.

Gramen alopecurum minus, spica vixente Durvill. Bavel. ii. 115. fig. 1.  
Habitat in Europa cultis arvis C

~~colyribus corollis que anfractis~~

~~Descriptio ad A. mappeli hunc~~

a Gerardo et Hudson conjungitur cum moapellense haud male  
et quidem recte ut videtur mihi haud nota

monspeliensis A panicula setpica, calycibus scabri, corollis anfractis in Spec  
pag 094  
Gramen corinithum calycibus linearibus basi subventricosi hispido  
arista capillaceis longissimis Schreb. gram. 51. t. 20. fig. 3.

Alopecurus anstatus Gouan hort.

Gramen alopecuroides anglo britannicum maximum Benth. per 4.

Alopecurus altera maxima anglica paludosa Monf. hist. 3. p. 191. f. 084  
fig. 3.

Gramen alopecurum majus, fructu virefcente divulso pelis longioribus  
Barrel. c. 115. fig. 7. Schreb. gram. 155.

Habitat in Anglia, Gallia, Barbaria humilibus ☉

Pulmi pluri adscender intendunt subgeniculati, pedales vel  
minores glabri rugini foliis recti. Folia ruginis longiora  
Ligula membranacea semiquinulari. Panicula bipollia  
nisi et ubi vidi flarescens. calycis minuti panem infra apicem  
arista calycis multoties longiore <sup>oculo armato</sup> villosa scabri anfractis  
setis

~~calycibus corollisque anfractis~~

descriptio  
ad paniculam  
amandetur

ciliatus Alopeurus panicula spicata ovata, calycibus hirsutis glumis  
paniculatis ciliatis, Culmo geniculato Thunb. fl. Cap. pag. 19.  
Habitat in cap b pui

non vidi



interrupta A. spica cylindrica interrupta flosculi angustis

Habitat in India? In Banks

gramen glabrum. Folia angusta supremum longitudine spica. flosculi  
glomerati: glomerati inferiores remotiores superiores conferti

capensis Alopecurus spica cylindrica, glumis glabris muticis Thunb. prodr  
fl. Cap. pag. 14  
Habitat in Cap. b. p. c.

non vidi