

Anacardium

Longifolium Anacardium foliis lanceolatis - oblongis extropium latioribus
subtus incanis

Anacardium minus seu indorum Linn. Cam. Fr. 15

Anacardium Longifolium Lam. Mart.

Habitat in India orientali Herb. Mus.

Rami angulati, glabri. Folia versus apices ramorum, et Grolliana, bre-
viter petiolata, basi versus sensim angustata, utrinque obtusa, integri-
mea, flavescens margine et parum ⁴crispifuncta, utrinque venofo-
reticulata, supra glabra vel discolora nigricantea vel glaucescente,
subtus villosa incana. Spica racemosa, terminalis, subspermatophy-
ta. Flores minuti, sparsi, spicati, nec intervalle aggregati. Bractea sub-
lata. Radix fere mangifera. Folia semicarpa sparsi

occidentale Anacardiū

Guayn.

Anacardi species Beak. pin 512.

Aiapou Pif. bras. 50.

Kapamaia Rheed. Mal. 3. p. 65. & 54

Paspurum Rumph. amb. 1. p. 177. & 69.

Habitata in India

Rami superne angulati glabri. Solia petiolata alterna ovalia
firma venosa utragque obtusissima interdum subemar
gnata panicula terminali patens squama ovata acuta
et basin pedunculorum et pedicellorum