

Anthospermum

Galopina A

1. Othionicum A. foliis linearibus involutis glabris, caule fruticoso
2. ciliare A. foliis linearibus lanceolatis margine carinaque ciliatis, caule fruticoso
3. lanceolatum A. foliis linearibus lanceolatis oppositis ciliatis, caule herbaceo
4. herbaceum A. foliis pinnatis lobatis glabris, caule herbaceo
5. virgatum A. foliis connatis triquetris ^{glabris} apice patulis glabris caule frutescente
ramosisimo

Scabrum A. folio convolutis canaliculato subulato scabri Theob
pindor: fl. Cap. pag. 32.
Habitat in Cap. b. p. r.

non id.

Canicولاتum A. caule herbaceo foliis ^{linear lanceolatis} oppositis ciliatis

Habitat in Cap. b. spec. Dr. ^{Wahl} var. glaber Simplex

Caulis erectus pedalis ^{interdum oppositis} raris. Rami ^{foliis cum nodis} filiformes oppositi. Folia ^{linear lanceolata} ~~plura~~ linear lanceolata, ^{per subtus pallida punctata, unguicula} cania flores ^{solitarii} sessiles axillares solitarii

Similis filam an eadem modo junior

Celaie a. foliis canina margineque ciliatis Lin Spei: pl. pag. 1572 +
 Qli no podium africanum procumbens, pphyllii foliis et capitulis
 Cum calyculo lanugine vestitis Plukh. mant. 51. t. 244. fig. 5.

Habitat ad Q. b. Spei ^{pur. purif. entibus,}
 fruticulus semipedalis ramosis ramis ^{lineari} tendiis pilis ^{per me} bifaniam
 pilosi. Rami subramosi. Folia basi ^{lineari} lanceolata vel ^{lineari} lanceolata vel ^{lineari} lanceolata
 lanceolata, ^{hisp. capulis} semiumguiculata mucronata ^{ramonibus} ^{subter} ciliata
 videtur fasciculis foliorum in axillis utraque flores ^{propleo}.

obovatis ciliatis hispida
 caule frutescente

scabrum Anthosp. foliis convolutis canaliculato-fimbriatis scabri Thunb. prod.
fl. cap. pag. 32.

Habitat in cap. b. p. ei.

Lebaceum A. foliis feni Coribus, caule herbaceo Lin Suppl. p. 440. t. 5. v
p. 919.

Habitat ad Cap. b. p. 1.

Dacrydium. Caules herbacei diffusi; teretibus; rubri. ^{oppo} ~~Coris~~. Folia ^{oppo} ~~recta~~
^{cum sub mentis foliis usque ad stellas} ~~cellata~~ linearia lanceolata, ^{inopialia} ~~coris~~, ^{puberula} ~~glabra~~ ^{puberula} ~~stipula~~ ^{puberula} ~~stipula~~
mo.

linearia lanceolata glabra caule herbaceo

varietas lanceolata

Althoeicum A. foliis lanibus Hort Cliff. 455. T. 274

Fritex africanus ambrosia purans Plukn. alm. 159. T. 103.
fig. 1. Walth. hort. 24. T. 9.

Habitat ad cap. b. p. mei ^{et inempta}

Rami ~~terres~~ oppositi ^{in ramulis} superne oblique tetragoni, caeterne teretes.
Folia et flores ad articulos congesta ^{et} linearis ^{et} revoluta glabra
acutiuscula.

foliis linearibus glabris, caute frutescente

Circoides Galopunia Thunb. Desf. nov. gen. pl. 1. pag. 3.

Habitat in Cap. b. Spei O. mes. Dr. Thunberg

1101
Caulis teres ruber glaber, simplex rarius ramosus debilis, erectus
bi vel ^{in paucis} tripedalis. Rami alterni. Folia opposita sessilia oblonga
vel ~~la~~ ^{in paucis} superiorum lanceolata, acuta glabra subtus pallida, polli-
cena, foliola minor in axillis. Panicula terminalis, laxa,
diffusa. Bractea setacea opposita

Panicula in mea axillari et terminalia axillares trinitatis
mihi an specie differ

vergatam a. caule ^{calyce 5 fido} sup frutescente ramosisque ^{lineantibus} vergato foliis apice patulis

Habitat in cap. b. p. r. t.

caulis plures semipedales ramosis ramis filiformibus glabris
articulatis ^{aliquibus cineris} foliis opposita carinato trigonata basi connata apice
patula mucronata canaliculata glabra. fere unguiculata
folia nulla in axillis. Pedunculis axillaris biseriatis uniflori alter
ni germina pentagonum calyce pentaphyllo coronato lacinis linea
ribus acutis

an p. r. t. Thep. ^{in folio enim opposita nec altera na fructu quoque} flores non vidi; fide Dahlia hinc retuli
^{quod videri videtur}