

Spargia

tarataci *Aparia* foliis linearibus dentato inaequaliter dentato - serratis
glaberrimis, scapis unifloris, solidis calycibus exterioribus margine mem-
branaceis.

Habitat ad fretum Magellanicum Commerson ~~Ex herbario~~ Jussieu

Scabum Theriacum

Habitat in monte video Commeson herb Mus.
Caulis striatus, simplex, pedalis, inferne hirsutus, scaber, superne glabror; densius in peduncu-
los. Folia parva lanceolata, remota, pollicaria, glabra. Pedunculi hirsuti, superne to-
mentosi, folio uno alterove. Calyx hirsutus. Flores medicinales

Aspera Appargia

Habitat in ungaria Nitai bel

unifloro

Caules plures, pedales erecti breves in pedunculos pedales semel
vel bis divisi. Flosculosi & pubescentis minimis apicis, lenticulato

Folia radicalia plurima, caulina petiolata, caulina, unicum
vel alterum parum in pedunculo, lanceolata, ~~sub~~ bipinnatis

canis, supra et subtus costis costis et margine glabra, supra
nitidiuscula per marginem et costam pilosa pilis fasciatis radicalibus
remota dentata, reliqua integerrima vel dente uno alterove

Peduncululus sub flore intricatus, 5 nervis una alterave
glandulis nigri

conditus non

nullis aspera

umbicatus: foliola externa ovata ^{††} attenuata ^{††} interiora linearia
omnia ore lenticulato margine albidiusculata

flexuosa 4 foliis linearibus flexuosis, caule trifloro vertice crasso, germi-
bus trigonis ~~Sunt~~ Murr. in Com. gott. 1726. p. 30. 4. 4. 1. V. p. 92.
Habitat r.

gladiolus repens eadem us. nec resumpta

gladiolus plicatus angustifolium

undulatus

versutatus

hyalinus 242

400ner Hept ~~Orthocentrus~~ ~~quid continetur~~ ~~Reenscom~~
non apparet

gott. anq. 97. l. 221.

non vid. Hughes Lonic

aspera

Aspasia foliis lanceolatis dentato-sinuatis strigosis, scapo simpliciter uni
floro calycibusque hispidis

Leontodon asperum; foliis dentato-pinnatifidis & capis setis utrinque hi-
spidis Forst. Descr. 145.

Habitat in Aegypto.

Folia radicalia, subpetiolata, bipollicaria, obtuse dentata, acuta,
& aberrantia. Scapus solitarius, foliis parvis parum longior, erectus,
canescens, sursum parum crassior, canescens. Calyx ca-
nescens. Corolla magnitudine ~~est~~ L. autumnali

Catula

Habitat in Penn herb. Musf.

Caulis herbaceus, erectus, striatus, crispis pennis cygneis, glaber, subaequaliter
superne densius. Folia radicalia petiolata, spatulosa elliptica, basi subrotunda
altero latere inferum breviora, utraque glabra, subtus venosa, obtusa,
inaequaliter acute crenata: caulina subramis florum cordato-lanceola
ta, attenuata, acuta, inferiora extrospicantia, superiora integerrima.
Pedunculi alterni, ramosi, uniflori; folium primum subramuli
Calyx polyphyllus, basi squamis nonnullis parvis: foliola lineari.
Pappus pilosus, pappus.

Spathulata *Apargia* foliis oblongis glabris remote dentatis glabris, calycibus
villosis

Taraxacum glabra, minor, spathula foliis integris, aut dentatis,
flore major Vaill. in act. par. 1721. n. 6

Patria ignota. Ex herbario Vaillantii

Radix prostrata. Folia radicalia, petiolata, vix pollicaria, re-
mote paucidentata, obtusa, venosa. Scapi plures, palmares et
ultra, striati, glabri, sub flore crassiores, glabri, apice villosuli
squama una alterare dispersi. Calyx imbricatus. Corolla
L. *Taraxaci* parum minor. Pappus sessilis, plumosus.

Eadem cum pyrenaeica ~~est~~ *Apargia* ~~minor~~ *Spathulata*

~~Tragopogon~~

~~Habitat in monte video Compton herb. Tus.~~

~~Caulis herbaceus, erectus, usque tota planta glaberrimus, glaucus, semipedalis,
ramosus: rami simpliciter. Folia inferiora subpetiolata, lanceolata, saepe pectinata
et superiora semiamplexicaulia, cordato-lanceolata, omnia coriacea
et plerumque integerrima, raro dente uno alterove. Pediculi termi-
nales ramorum solitarii, uniflori, foliolo uno alterove brevi. Pappus pini-
plex, serilis~~

tenuifolia *Apargia foliis linearibus dentatis, scapo uniflora superne calycis*
que tomentoso

Habitat ad fretum magellanicum Commaison, Thoun

Folia cespitosa radicalia, cespitosa, bi- & tripollicaria, congestissima,
inferne versus attenuata, extrosum versus dentibus utrinque duobus
vel tribus, ~~state glabra remota~~. Scapus foliis altior, simplicissimus
inferne state glaber, superne incano-tomentosus, interdum folio uno
alterove, saepe nullo. Calyx tomentosus, state incano-tomentosus
state glaber, foliis nigricantibus, margine viridibus. Corolla alba.
Stamina nigricantia

incana *Apargia villosa-incana*, foliis nunciatiss; lacinis dentato-lacinatis; scapis simplicibus unifloris

Dens Leonis Orientalis, tenuis pume divinus, tomentosus Sincanus Tournef. Cor. 35.

Habitat in Armenia. Ex herbario Tournefortii.

Folia radicalia, vix digitalia, acuta cuspidata, acuta, uti tota planta villosa-incana. Scapi foliis parum longiores; superne squamis non nullis remotis adspersi. Calycis foliola linear-

pilisque flo. lanceolato, ^{piloso} infimo patentis. Pappus pilosus
versantibus

incana *Apargia villosa-incana*

~~Nuxea~~
~~tomentosa~~

P. tomentosa in ana foliis inferioribus pennatifidis superioribus lanceolatis integerrimis

legi Neapoli

Caulis erectus ramosus uti tota planta tomento nivescente. Folia inferiora pennatifida: lacinis lanceolatis integerrimis acutis superiora ^{top attenuata} eadem et ramorum sessilibus indivisa inferiora ^{top attenuata} serrata dente utroque reliqua integerrima basi pedunculatae flores in apice ramorum solitarii basi triflori calycis foliis linearibus squamis calycis ^{obtusis} obtusis margine piano circiter, apice emarginato cum peltis