

Arundo

tenax Arundo

Arundo biflora calycibus bifloris flospulis sericibus panicula  
elongata, foliis oppositis La Mart. Tabl. Encyclop. et Method.  
Bot. pag. 196.

Anandea Calycibus trifloris, panicula corymbata

Habitat in Surinamo contra Pieduta du s. Rohr

canadensis Amendo

Habitat in Canada herb. Richardi

habes

*Airoides Arnica*

Habitat in Canada Michaux herb. Guss.

Calmus erectus, teres. Folia plana, graminea, striatissima. Panicula attenuata,  
et flores parvi. Gluma calycina lanceolata, longitudine corollae, acuta, biflora.  
Corolla subula mutica, unica longitudine calycis

Arundo

Habitat in monte rideo Comnes. Lib. 4. usq.  
Culmus ascendens, simplex, sesquipedalis, glaber. Folia graminea, plana. Panicu-  
la pyramidea, contracta, virens, flavescens. Valvula calycina subulata, acin-  
ta, dorso ovulo armato serrulato, uniflori, corolla longior. Valvula corol-  
linae basi villi longior altera angustior, altera parum longior, ambo calyce  
dimidio breviores; arista obsoleta, infra apicem.

Flavescens Anudo

Habitat in Canada. herb. 4us.

Culmi plures, erecti, pedales et ultra, simpliciter. Folia filiformia  
Panicula diffusa. Calycis valvula lanceolata, acuta, fusca, apice  
flavo anido, uniflora. Pedicelli flexuosi. Corolla calyce parum  
brevis. Antha nulla.

Amudo

Habitat in America meridionale Cominae for herb. Muspi  
Folia plana

habes



tenax Anundo <sup>Anundo</sup> calycibus bifloris, panicula laxa, foliis involutis subulatis  
Anundo mauritanica calycibus trifloris, panicula elongata, foliis angustis  
in involuto juncei Forst Des vef. germ. pag. p. 2. pag. 148.

Habitat in legi in aridis Tuneti.

Culmus tripedalis et ultra, simplex, rigidus, crispitie pennis anferno,  
glaber, uti reliqua partes

Folia vaginantia, pedalis, superiora altitudine culmi.

Panicula semipedalis: ramis primis directis dein patentibus, alterni  
interdum geminis, ternis vel quinis, remotis. Pedunculus superne  
angulis scabri. Pedicelli filiformes

Calycis glumo, longitudine fere glomerorum, canalicolato-subulato,  
bifloro.

Corolla lobis canalicolato-subulato, alter sessili alter pedicellatus, basi cana-  
to. Valvula interior lineari

retroflexus Cynosuavis <sup>secunda</sup> Spica composita, spiculis aggregatis, calycibus subulatis  
bifloris, floculis multis.

Habitat in India orientali La Mart.

Culmi teretes glabri. ~~Tolia subulata, pithame~~  
~~Tolia subulata pithamea glabra~~

Spica composita, pithamea, exsta, ~~Spicula~~ ~~terno~~ ~~Lat~~ ~~Rachis~~

communis ~~puleatus~~ angulatus. Spicula ~~terno~~ ad singulum den

Flores ad altero ~~latere~~ ~~dem~~ racheos laterales sesples intermedio breve pedicellato  
compressi glabri lineares pollicis aeri ~~longitudine~~ ~~interstitium~~ ~~panum~~ ~~longior~~  
rachi partiali flexuibus, patentes, interdum ~~vs~~ ~~apertus~~ ~~panum~~ ~~sepra~~ ~~reliquis~~ ~~sesplesi~~

Calycis ~~varitula~~ ~~valde~~ ~~acuminata~~ ~~in~~ ~~stam~~ ~~hinc~~ ~~quasi~~ ~~anipato~~  
~~compressi~~, ~~subulato~~.

Corolla gemina glabra ~~alta~~ ~~mutica~~ ~~alter~~ ~~pedicellatus~~

bengalensis Clundo calycibus bifloris, paniculo erecto pedicellis trifloris.

Ritz. obs. 5. p. 20

Habitat in Bengala

non vidi

bifaria Anudo Culmo erecto foliis, foliis bifariis, panicula coarctata  
calycibus trifloris Retz. obs. 4. p. 21.

Habitat ad margines stagnorum et fossarum Indis Orientalibus

Culmus vaginis foliorum <sup>longi murem</sup> ~~lactis crispis pennarum~~ <sup>approximatis</sup> folia longa  
<sup>marginata</sup> ~~seguipollicem~~ <sup>glabra</sup> ~~lata~~ <sup>minuta</sup> vaginae oris nudo. valvula calycinae oris nudo  
panicula oblonga coarctata

margine laevibus

subulata A. spiculis trifloris subulatis, foliis margine scabris vaginis orb  
bati

Habitat in Arabia Foshal<sup>o</sup>

Facies Ar-Donaci et multo minor. Flosculi valde attenuati

quela A. calycibus trifloris, foliis exsertatis Lomatium Moler herb. nat. Chil.

pag 130

Habitat Chili

non vidi

Crugi A. calycibus trifloris, foliis subulatis glabris Molin herb. bot. Chil. pag

130

Habitat Chili

non vidi

Valdivia A. calycibus trifloris, foliis subulatis pubescentibus. Molina Hist. nat

Chil. pag 131.

Habitat Chili

non vidi



Donax A. calycibus quinquefloris, panicula diffusa, culmo fruticoso.

Lin. V.

Anudo sativa quo Donax Dioscoridis Bauh. pin. 17. Theatr. 271.

Scheuchz. Gram. 159.

B. Anudo indiae Laionica vesiculosa Monf. hist. 3. p. 219. f. 10. 1. 0

fig. 9.

Habitat in Europa australi

Culmus altus folia plana glabra nervis omni lentis serrata

spica glumis lanceolata

Phragmites A. Calycibus quinquefloris, panicula laxa. Lin. l. V  
Cypero vulgaris f. Phragmites Diofiondis Bauh. pin. 17. Rheumata  
graem. 161.

Habitat in Europa lacibus, fluvio 4

Culmus glaber folia plana simplicissima lata margine  
cava. Flosculi puberuli lanicolata attenuati vagino ore  
nuda valvula calycina flore brevioribus

folus planus valvula calycina

flore brevioribus

gigantea Cl. calycibus 5-10 flori, panicula laxa foliis saepe fetosis Walt.  
fl. Carol. pag 81  
Habitat in Carolina

non vidi

polyantha A. Panícula contracta, speculi novem floris, foliis margini  
scabri

Habitat.

Caloni crassitie perno columbino. Folie vestis vaginis foliorum  
Folia linearilanceolata attenuata plana 4-5 polliciana  
vix unguem lata. Panícula 5-6 polliciana. Floreali  
valvula corollina in antam attenuata

testo Al. culmis V. actis stipulis inter <sup>no</sup> media superantibus, foliis glaucis setosis  
Walt. Car. pag 81.  
Habitat in Carolina

non vid.

bicolor. Arundo paniculata coarctata elongata, calyce bifloro, floriculis  
altero sterili, glumis pubescentibus Desfont. fl. Atl. pag 107  
Tab 33.  
Habitat in Barbaria 4

miti exst

festucoides Ar. panicula elongata, spiculis compressis subquadris  
nis, glumes mucronatis, foliis asperis striatis DeFont. fl. atl.  
pag 10 p. tab 34.

gramen arenaceum lignosum sylvaticum Tournefort. 526

Habita in Barbaria 4

non vid.