

Ascynim

multicaule Ascynin

Habitat in Carolina herb. hirt.

Rami oppositi, apice dichotomi. Cola sempollicaria, lineari-lanceolata, subtus
punctata, sp. filia, opposita. Calycis foliola duo exteriora, cordata

Humulus Cispinus

Habitat in Carolina herb. Ruth.

Planta digitalis. Caulis plures, inferne ramosi, superne bifidi. Flores
cucullati in dichotomia et apice, triflori

habes

Stans. Alcyon

Habitat in Carolina herb. Reberd.

Caulis tetragoni. Rami oppositi, apice triflori. Pedunculi uniflori,
laterales diphylli

habes

amplexicaule Psidium

Habitat in Carolina herb. Barb. 5
fruticosus. Ramis dichotomis

habes

hypnoides Af. foliis lanceolatis obtusis, ramulis ancapitibus

Hypnoides futescens erecta, flore luteo Plum-Gen
51. V. 7. fig. 2.

Hypnium pumilum semper vivens caule compresso
ligneo ad brachia latera alato, flore luteo Tetrapetalo
Pluch. mont. 104

Aspidium hypnoides, foliis oblongis ramis ancapitibus
Linn. S. V. p. Swartz obj. p. 2947

Habitat in Virginia, Jamaica &

Rami dichotomi. Folia subsessilia subtilissime perforata
Glandulae minime ad basin foliorum flores &

Hypnium Tetrapetalum La Martre herb. 4us p.

Rami inferi ancapitibus. Folia semina-pleurocaulia oblonga

vellosum

A. foliis hirsutis, caule striato hinc l-v.

Hypenium virginianum Foutsiens-pileosiformis
Planch. alm. 189. t. 245. fig. 6.

Habitat in Virginia. 5

non vidi

Emu Andrea ^{oblongis acutiusculis}
Af. foliis ovatis, caule ~~tend.~~, panicula dichotoma
apicatum foliis ovatis Hort. Cliff. 494. Proder. vitz

173.

Habitat in regnum

Rami in meo acutiusculis foliis ~~oblongis obtusis~~ foliis
~~parviusculis~~