

Burmannia

monantha Burmannia caule uniflora

Habitat in Sylvanae
Complexissimus
caulis ex longitudine digitum minimi capillaris inferne foliosus: folia petacea
alterna retroflexa. (Ex terminalis foliarum)

2biflora Burmannia flore gemino Lin. S. V. p. 314 Calix truncatus
Burmannia flore duplice Hort. Claff. 120
Burmannia scapo bifloro Gron. Virg. 36.
Habitat in Virginie paludosis

non vidi

3 tenerissima. caule subtrifloro filiformi, foliis pubulatis
Habitat in India orientalis graminopis cordiis Krong
Pauli digitoli erectis. folia remota, semiangustulae. pedunculis
duo terminalis uniflori cum flore plumbano subfusili in
dwani atura.

~~Illyicum~~ A. Scapo ~~Xereti~~ inferne ~~lobangulato~~, foliis publineantibus
~~aeratis~~, umbella ~~lathyrata~~ multiflora Falq. coll. 3. pag 237.

non vidi

43 Disticha Burmannia spica gemina Lin. S. V. p. 314. Burm fl. Zeyl. 50. f. 20.

fig. 1. Lin. fl. Zeyl. 128.

Planta zeylanica aquatica, cato et brevi gramineo folio Ray. physiol. 1459.

q. 5.

Habitat in Zeylone prati dorsi

Caule pedalis, erectus simplicis formis, afferens folios aliquot lanceo
catis acuminatis, polliearibus superioribus remotioribus. Sola
radicalia aggregata, lanceolata attenuata postquam pollia una
spicula binde terminaler divaricata polliearo. Flos in discrica
tura spili requei major. Bractea lanceolata conica. Cocco
superiora infundibuliformis. Limba seifidae lacinis alterni minori
bus tubo testa germine involuto. Capsula gloularis, polyperma.