

Calamus

venis Calamii frondibus longissimis, feniis confectis longis, spadua brevi, Corolla  
tripetala Lour. fl. Cochinch. pag. 210

Palmijunciis venis Rumph. amb. Lib. 7. C. 56. tab. 54.

habitat in India orientali

Caulis 100 pedalis, Lutescens flexuosissimus, crassitie digiti, articuli longi  
Verticibus, subequalibus. Spina recta foliola ovato-lanceolata truncata  
aeterna. Cal. 3 partibus. Corolla alba. Haec majuscula

Scipionum Calami caulis articulis longissimis subulatis nitidis lous-fl-  
Cocher de-paz. 200.

Anudo Rotang. Ref. mant. p. 100 cum icona

Habitat in sylvis Malacorum usque abundanter in sinu et Europa aprotata

Caulis crassus: nictus maculis nigris saepe adpersus. articuli tripedales  
frondibus finosis brevioribus. Spadix crassus ramosis: rami breves  
multiflori. Cal. 6 partibus. Stylus 3 fidus

an ex hac Synopsi non dicitur



videntur Calamus caule longissimo <sup>retroflexo.</sup> equali spica inversa Lour. fl. Cochinch.  
pag. 209

Palmijuncus albus Rumph. amb. Lib. 7. c. 55. p. 53.

Habitat in Cochinchina

Caulis 500 pedalis et ultra, crassitie pollicis, tenacissimus albus ci-  
nereus. Articuli tertias usque pedales. frondes breviores. Spadi-  
ces subterminales lani amplii. Stylus 3fidus. Bacca parva retror-  
sum imbricata

Droicius Calamus caule tenuifloro frondibus & spenis brevibus, floribus droi  
cū Lour. & Cochinch. pag. 211.

Palmipuncius Equestris Rumph. amb. lib. 7. c. 50. Tab. 56. ?

Habitat ad littora fluminum Cochinch.

Caulis 20 pedalis emphyse perno angustis flexilis nitidus. articuli  
pedales. frondes & folia majusculi. Cal. 3 dentatus. Cor. petala 3. striata  
alba, ovato-lanceolata. Stylus 3 fidus. Bacca squamosa, 1 sperma



Lunicoto-

amanis Calamus frunci confectis brevibus, foliulis linearibus, spadiciibus remo-  
tis, spatheis partialibus Lour. fl. Coch. pag. 210.

Habitat in sylvis Cochinchinae.

Caulis 60 pedalis crassitie digiti, laxis articulis longis aequalibus teretibus.  
Frons et longa. Spadices terminales spicati multi, remotissimi  
Calyx 6 partibus Cor. 6. Stylus 3fidus Barba imbricata sperma

1. Rotang *Calamus* <sup>frutis</sup> ~~racemose~~ decompositi, <sup>frutis</sup> ~~racemulsi~~ <sup>revolutis</sup>  
Unedo nucifera rotang dicta, fructu pediculi coloris frutis purpurei venuste. *Tepera*  
to Pluk. alm. 53. t. 106. fig. 1. 2.  
Thunb. Trusel Rheed. mal. 12. p. 121. t. 64. 65

Habitat in India Sylvis juxta fluentia

Folia pennata: pennis lanceolatis attenuatis, plicatis margine remote  
ciliato-aculeatis, acutis distinctis. Rachis trigona, subtus ad vel intra  
singulum per aculeum reflexus apice purpurascens. Pedunculus com-

munis vaginatus inter singulos racemos partialis vagina infera  
ab altero latere compressa ab altero vaginandi ~~trigona~~ <sup>trigona</sup> ~~per~~ <sup>per</sup> ~~medio~~ <sup>medio</sup> ~~teris~~ <sup>teris</sup> ~~aculeis~~ <sup>aculeis</sup> ~~parvis~~ <sup>parvis</sup> ~~reflexis~~ <sup>reflexis</sup>. ~~Racemuli~~ <sup>Racemuli</sup> ~~secundi~~ <sup>secundi</sup> ~~reflexi~~ <sup>reflexi</sup>



revoluto, alterno, remoto inferiori Gemini compositi

religiosa synonyma e Praeceptis addenda



<sup>clandestinus</sup>  
articulatus Calamus spicis articulatis <sup>longiusculis</sup> lateribus <sup>erectis</sup> articulatis.

Habitat in India orientali  
aculei spicis saepe hinc vel <sup>terno</sup> reverso. Pedunculis variegatis ut in  
pinnis oblique truncatis <sup>alterna</sup> <sup>hinc</sup> <sup>antipenne</sup> <sup>ex</sup> <sup>at</sup> <sup>altero</sup> <sup>latere</sup> <sup>plana</sup>  
Cisari articulatis confans saepe articulis <sup>inermis</sup> <sup>ex</sup> <sup>spica</sup> <sup>bipol</sup>  
<sup>bifariam</sup> truncatis mucronati <sup>inter</sup> <sup>has</sup> <sup>florifoliarum</sup> <sup>saepe</sup> <sup>ho</sup> <sup>alterni</sup>  
longitudine vix articuli

retrosc. Calamus caule crassissimo sulcato, articulis brevibus, funis longis rectis  
Cour fl. Boissier, pag. 209.  
Palmijunci Calapanus Ramph. amb. Lib. 7. c. 53. tab. 51.

Habitat in India orientali

Caulis 100 pedalis, crassitie brachii, articuli pedales, maculati. Spadix  
terminalis longissimus. Cal. 6 partibus Cor. 6. Bractea subovata  
acuminata.