

Carpesium

1. arvense C. floribus terminalibus
2. abrotanoides C. floribus lateralibus

1 Cernuum Carpesium floribus terminalibus L. V. 751.

Aster cernuus Col. Ephr. 1. p. 251. 7. 252.

Aster albius, foliis circa florem mollibus Bauh. Pin. 266

Chrysanthemum coryzoides cernuum, foliis circa florem mollibus Monf. h. 3. p. 18. f. 6 t. 5.

fig. 27.  
Macpmita Coryzifolia, flore cernuo Vaill. act. 336.

Carpesium Act. Ups. 1741. p. 81. 4

Caulis erectus, striatus villosus. Folia in petiolata, alterna, elliptica, integer  
rima, obtusa cum mucrone, scabra, sesquipollinaria. Flos terminalis cer  
uus basi solidis plurimis basi attenuatis, inaequalibus circumdatus, soli  
tarius facis <sup>sparsa</sup> tarius

Habitat in Italia 4

2 abrotanoides Carpesium floribus laterali bus Off. d. Tab. 10. Spec. pl. p. 204 \* S. V. 757

Habitat in China at Canantheu

Caules ramosi, duriusculi, pubescentes, erecti. Folia alterna, <sup>in petiolato,</sup> sessilia elliptica, remota, subserrata, <sup>atque glabris</sup> sicariuncula, utraque acuta, digitalia. ~~Rosa in antheris~~  
Flores solitarii, ~~laterales~~ longitudinaliter sicum ramulorum foliis breviores, quasi secundi, nutantes brevissime pedunculati: nutantes glabri. Calycis ambitu <sup>atque</sup> glabri, cincto basi foliis aliquot patulis. Siliola calycina ovato-oblonga.  
Silioli numerosi, semina oblonga, nuda, glabra, balsamo quasi illinita. Linn.

abrotanoides Carpesium ~~fl.~~ 1