

Caslytha

filiiformis P. filiiformis Loxa off. N. 243.

Paigu. am. p. 52. v. 116.

Aciatia-valli Rheid. mal. 7. p. 33. v. 44

Cuscuta baccifera bartadenicum Pluken. alm. 126. v. 172. fig. 2.

Cuscuta Rumph. amb. 5. p. 491. Tab. 104. fig. 4

~~Cuscutella~~ ~~aphylla~~ Forst.

Habitat in Indis

Rami filiiformes teretes, glabri hinc inde tuberculis parvis parvis
floribus spicati solitarii alterni glabri

filiiformis ^{Cassida} Cassida filiiformis Latr. L.P.V. pag. 384.
Volucella aphylla Gosw. Defc. pag. 84. no 56

Zeylanica C. flentui her-aadri Gortner. de fruct Cent. 2. p. 134
Tab. 27. fig. 4.
Habitat in Zeylona

mibi ignota

cochinchinense Calodium L. fl. Coch: pag. 247.

~~Hab. Coch.~~ Conferta

Caspytha filiformis conferta Linn.

Calodis Cochinchinense Lour.

corniculata *C. ramis lignosis fructibus* Burm. ind. 93. t. 33. fig. 1. Mart. 237. &
s. v. p. 385.

Cassipoua cornea Rumph. amb. 7. p. 56.

Habitat in Celebis montibus inter Vocinos putidos. 5

non vid.