

Pentaurea

63 ^{fiuola} ~~Salsifiatia~~

^{verminalibus} Centaurea calycibus ciliato spinosis, foliis decurrentibus lyratis indivisisque
natis in cernibus inianis. Sp. pl. 1798. L.V. p. 700.

Caeca fiuola Cuhorei folio, flore luteo, capite spinoso Mon. hist. 3. p. 144
f. 7. t. 20. f. 26. Magnol. Monsp. 130

Habitat in Sicilia 4

Rami elongati. Simplex

Caulis ramis totus natis vomentosis inianus. Caulis ramosis angulatus

foliis decurrentibus inferne subspinulosis. Folia radicalia et inferna

lyrata laciniis oblongo obtuso ultima lanca ciliata. Caulena

inferna dentato lyrata dentibus remotis foliis lanceolatis, acuta

marginata. ^{supra} ^{suprema} ^{lineana} ^{integerrime}. Flos ^{verminalis}

solitarius sessilis. Calyx ^{parvus} ^{ovatus} ^{superioribus} squamis glabris

ovatis flavescens inferius ^{spinosa} ^{spinosa} ^{spinosa} palmatis medio

ciliato spinosis spina terminali majori rigida flava. Corolla flava
planta culta tomentum exiit et folia ^{super} appena auquant

ramali

hybrida. *Pentstemon calycibus ciliato spinosis, foliis subdecurrentibus, in senonibus pinnatis*
65 ~~fides;~~ ramis linear-lanceolatis

Pentstemon hybrida All. fl. Pedem. 593.

Habitat circa Augustam Taurinorum δ ~~facies paniculati et foliis latioribus~~
~~Calycis erectus, tomentosus, paniculatus. Folia inferiora~~ ~~superiora parum ~~intra~~ ^{intra} deflexa, pinnatifida calicibus linearibus~~
~~superiora parum ~~intra~~ ^{intra} decurrentia. summa sessilia. Flores terminalis solitarii~~
~~ovatis apice ciliis flavis pendulis terminalis spinosa longitudine~~
~~quammarum. Flores flavis.~~
progenium *P. paniculato et solstitialis* suspiciat Allomus L.

~~emicifolia Centaurea Calycibus inermibus ovatis; squamis ovatis foliis pennatis: ^{Subtomentosis} ~~foliis de~~
~~carentibus lineari integerrimis. ~~marginibus~~ ~~habitu~~ Caulis foliisque ~~terminis~~ ~~tomem~~
 An Centaurea emicifolia ~~est~~ ~~aliqua~~
 herbarius, ~~esse~~ ~~tomentosa~~, ~~superne~~ ~~ramulosa~~
 folia pennata, ^{sub} ~~angulata~~, ~~pubescentia~~ inferiora lobata alba ^{ole} ~~suprema~~ ~~tomem~~
 basi angustiora, obtusa, integerrima ~~ramulorum~~ ~~interna~~ ~~linearia~~ ~~integer~~
~~pediculi in summitate~~ ~~ca~~ ~~axillis~~ ~~foliorum~~ ~~pollicari~~, ~~foliolis~~ ~~foliis~~
~~sub~~ ~~integris~~ ~~foliis~~ ~~binis~~ ~~sub~~ ~~flor~~ ~~flor~~ ~~terminalis~~ ~~foliis~~ ~~la~~ ~~una~~ ~~sub~~ ~~flor~~
 Calyx ovatus magnitudine Cent. Lippii basi foliis ~~binis~~ ~~infructus~~ squamis ovatis,
 glabris, integerrimis, acutis
 flori sulphureo purpureo
 ex herbario Dr. Tozzetti habui~~~~

cum Calyx margine serrulatus an d. ciliator rectinet
 an varietas culta paniculata

66 ~~nicaensis~~ Centaurea calycibus ciliato-frenosis, foliis integris oblongis & inferioribus sub
decurrentibus, summis amplexicaulibus
C. ~~nicaensis~~ calycibus ciliato-frenosis, foliis v. ind. bus asperis ovatis, radicalibus
petiolatis dentatis, caulibus amplexicaulibus decurrentibus All. fl. Ped. 162-tab

744 ~~744~~ ~~Cyrena~~ ~~nicaensis~~. F. Bellardi

Caulis ^{scabra oblonga} foliatus scaber ramosus. Folia radicalia ^{ovata} petiolata, denticulata caulina
oblonga ^{et summa} obtusa uterque ^{utro basin} eorum decurrentia dentata. ^{permet} ~~superiora~~ amplexicau-
tia nervosa integerrima mucronata pollicina. Flores terminalis sessilis solidanus
Calyx ~~Q.~~ collinis squamis margine ciliatis apice frena albida squamis duplo
longior. Corolla flava

70 *nipeditis* *Centaurea* Calycibus ciliatis spinosis, foliis bipinnatis linearibus l.

Sp. pl. 1290 * P. V. p. 700.

Gaicea montana minima *Venusfolia* Pol. Ephr. 1. p. 36. t. 35. f. 2.

Gaicea laciniata lutea Bauh. Pin. 272

Habitat in Italia 7

Affinis *collena* Calycibus squamis fusco ciliatis, terminatis spina debili, simpliciter, squama ipsa brevior; squamis vero internis scariosis. Caulis parum ramosus vix angulatus. Folia fere omnia bipinnata, linearia excepto margine cava; minime vero lanciolata, pinnis cornu Cervi modo ramosis
lin

Collina Centaurea calycibus ciliatis inermibus spinosis, foliis radicalibus
bipinnatifidis, caule acutangulo Sp. pl. 1290. f. V. p. 700 ^{caulis pennatifidus}

Jacea major lutea Lob. ii. 542

Jacea cicutiflora Clus. h. 2. p. 8

Jacea lutea capite spinoso B. Pin 272

+ *Habitata Italia, Hispania, Montpellier &*
caulis strictus ^{rigidus} *fulcatus angulatus, angulis* ^{muticatis} *fractis superne ramosis. Ramis*
caulis similium. Folia radicalia bipinnatifida int. saepe pennatifida auti
caulino ^{erecta} *marginata* ^{supra bis 3 prolesaria} *et saepe* ^{pub} *fractis pinnis remotis, lanceolatis mucro-*
natis b. Tota summa integra dente vel caecula una alterave respicienda
flor. terminalis subsessilis solitaria magnitudine ^{inglandis} *calycibus* ^{muticatis} *glaber laciniis*
ovatis margine ciliatis ^{obtus} *pinnatis apice* ^{muticatis} *spinosa lateribus pinnulis* ^{muticatis} *longioribus*
brevior flavescens lobentibus pinnulosa. Corolla flava.
varia spinis inermibus et pungentibus quod jam dudum annotavit
Q. Bauh.

+ *Centaureum collinum sive jacea spinosa flore luteo* B. hist. 3. p. 34

69

Centauroides Centaurea calycibus ciliatis spinosis, foliis lyrato pinnatis integerrimis: la Cina impari mayor L. Sp. pl. 1290. S. V. p. 700

Falca lavis maxima Colum. Ephr. 1. p. 33. & 35

Falca lutea spinosa Centauroides B. Pin. 272.

Habitat in Italia, Hispania, Mospelii

Carduus centaurii majoris falce flore luteo, capitulo longioribus
munito Tournef herb. Europ

descripto desideratur adfuit specimen in herb

Deluta C. squamis acuminatis subpinnatis foliis oblongis pinnatisque
disque, radii flosculi disco longioribus Hort. Kew. 3 pag 261
Habitat in Europa australi

Caulis angulatus tomentosus. Stipes nudus folia petiolo
4to inferioribus pinnatis superioribus pinnatifides
flosculibus indivisi. Lacinia lanceolata - oblonga basi
angustata integerrima obtusissima margine scabra
glabri. Pedunculi terminalis solitarii uniflori
Calycis squama ovata ciliata apice fusca spina
breve terminata flos lutei

~~myriophyllum T. foliis bipinnatis tomentosis: pinnulis caulinibus dentatis
radicalibus integerrimis~~

~~Achillea bipinnata~~