

Phelone

1. glabra P. foliis petiolatis serratis lanceolatis serratis. summis oppositis
2. obliqua P. foliis petiolatis lanceolatis serratis oppositis
3. truellodes P. foliis petiolatis cordato-oblongis serratis. pedunculis elongatis, calycibus ciliatis

Conyza Chelone

Habita 7 in Carolina Richard

habes

pubescens Chelone

Habitat in Carolina Richard

habeo

obliqua Ch. foliis petiolatis lanceolatis serratis oppositis lin. L. V. pag. 553^r
Digitalis mariana, serratis densioribus rigidis in angusti foliis, semine
legumini Inquetto Plukn. mant. 64. t. 34 p. fig. 3.

Chelone flombis speciosis pulcherrimis, colore roseo Damasceno Gron.
Virg. 7. Mill. ic. 62. t. 93.

Chelone glabra B. lin. spec. pl. pag. 249

Habitat in Virginia, Canada &

Caulis erectus simplex peripedalis & stragorui, glaber, foliis petiolo
sa opposita lato lanceolata angule serrata glabra venosa
bipollicaria ^{costa nervulosa puber.} lobata in quatuor purpurei. Bractea
duo infimo lanceolata attenuata calyce longioris serrata

barbata *Chelone foliis linearibus acutis oppositis connatis, corollis*
barbatis Cavan. *Di.* vol. 3. fol. 242.
Habitat in Mexico. 4

non vidi

glabra C. foliis petiolatis lanceolatis serratis: summis oppositis. Lx 1-1/2
Chelone acedensis. flore albo Tournes. in act. parif. 1706.
Habitat in Virginia, Canada &

nam ab obliqua diversa flore albo tantum differt, radice magis
repente nunc hanc sibi nota

Ruellloides Chalme? foliis petiolatis, cordato-ovatis serratis: pedunculis elongatis, caly-
cibus bilobatis Lin. Suppl. 279 & l. v. pag. 554. Torff. in com. Gott. 1789. p.
35. + l. v. pag. 554

Habitat in Terra del Hueyo 2

Caulis pelopropylus, demum adscendens erigitur palmari, vix foliis longior
Folia vix tomentosa. caulina summa ^{obtus} sessile ^{perve} pubescentia

Corolla subampulata lobis leviter incurvis semper dilatatis. Calyx
subampulatus ventricosus 5-quefidus lobis acuminatis deatibus
quibus minoribus. limbo Corol. laciniis obtuso submarginato, subqua-
les; duabus superioribus reliquis paulo minoribus. Rudimentum filaracanti-
sti. Stigma bifidum. Capsula biloculari 4-valvi

folia caulina vel petioli floralia oblonga serrata subnuda inter-
dum. Caulis infra folia radiculis primis ovatis albis
pedunculi bipollicares glabri uniflori circiter tres
conferti