

Chivicola

Corolla infundibuliformi. Barba infera subcompressa diforma. Semina  
lucida

Corolla tubulosa. Delamenta basi tubi inserta. Barba compressa didyma, bilocula  
no. Dissepimentum contrarium. Semina hinc gibba, inde plana DC. Penw. 2. pag 66

barbata Choisic'a

Boissier 0

Habitat herb mus.

Cortex cinereus, glaber: rami teretes. Folia petiolata, opposita, tri-jollicana, oblonga,  
lata, subovata, obsolete remotissime nervosa, arena, integerrima, glabra, basi  
acuta - Pedunculi axillares, uniflori



*Chirrocia*

Scandens Chiocoria scandens, foliis ovatis obtusis

Habitat in Montserrat S. Ruyi.

Rami glabri, obscure tetragonis, purpureo-pentes.

Folia petiolata, opposita pollicaria vel parum ultra, interdum unguiculata, ovata, integerrima, utraque glabra, supra nitida subvenosa, subtus pallidiora arenia.

Petiolus semiunguicularis. Stipula lata, parva, mucrone brevi terminata.

Pedunculi ex axillis superioribus oppositi, folio breviores, filiformes, pedicelli capillares, glabri, uti pedunculi oppositi.

Calyx superius squedentatus.

Corolla monopetala, hypocrateriformis. Tubus quinquangulans. lacini limbi lanceolati.

filamenta filamentsque, receptaculo aperto, basi villosa longitudine tubi corollae. antherae lineares.

ovarium gemma inferum, compressiusculum. stylus longitudine corollae stigma emarginatum.

pericarpium, Bacca subrotundo compressa, disperma magnitudine fere pisi.

*Chocica rubra*

Hæc scandens qua nota distinguitur ab alia specie simili caule erecto,  
 Aspit & Pijan ~~quod ambo in sylvis~~ Secund. de Taiquin Chocic  
 racemosam caulem scandentem in sylvis æquive quod negat  
 D. Pijam qui ~~per plures annos~~ <sup>tamen</sup> ~~est~~ per plures annos  
 plantis americanis sedule observavit, aspit <sup>nempe</sup> ~~est~~ illustri erectam  
 tam in apertis quam sylvaticis. ~~est~~ caule erecto cespice  
 alber vero semper caule scandente.

adde Syn. Chocic: racemos: et observ. Scopulatus

~~Chocica~~

*bracteata Chorozoa*

*Chorozoa bracteata*; scandens, foliis ovatis deflexis, ramis bracteatis horizontalibus, racemis axillaribus - Terminalibusque Flor. Penur. 2. p. 67. Tab 219. fig. b.

Habitat in Penuria nemoribus.

glabra. Caulis frutescens, scandens, fuscus, ramosis pumis. Rami teretes, bracteati, horizontales: teneri obsolete tetragoni, secundum articulationem compressiusculi. Folia opposita, petiolata, deflexa, ovata, acuta, inter gemmas, supra nitida, suboriacea, pinnam venosa, bipolliciana. Petioli subrotundi. Stipulae interfoliaceae, in vaginam connatae, truncatae, breves, utrinque acuminis brevis sumo, persistenter. Racemi axillares, longitudine foliorum, horizontaliter patentes, compositi. Flores breviter pedicellati. Bractea nervis subulata ad basin pedicellarem. Corolla luteo rufis; calyce triplo longior. Baccis nivescentibus. Per.

racemosa <sup>prato</sup> scandens, foliis ~~lanceolatis~~ lanceolatis, floribus lateralibus paniculato-racemo-  
sis, dente stipulari unico Lin. S. V. Sw. bot. pag 767

Tasminum folio mystico acuminato, flore albicante racemose Sleean. hist. 2 p. 97. t. 100. fig.

Periclymenum racemosum, flore flavescente, fructu nuce Plum. 4. 211. t. 217. fig. 2. Gall.  
Eltz. 306. t. 262. fig. 295.

β. Chococia scandens fermentis tenuissimis et fere induratis Brown. 164.

Habitata in Jamaica, Barbados locis confusis

Caulis terribili scandens ramosus: ramis glabris, laxis

Cortex amarus febrifugus, Aspalathus indiana herb. Surinam

barbata Ch. erecta foliis ellipticis lanceolatis, pedunculis axillaribus  
buis unis floris, corollis faucibus barbatis Forst. prodr. no 9 6  
Habitat in Marticensi Societate et Americis in pl. 7  
Rami teretes glabri folia petiolata opposita, sesqui pollicia  
na qd utraque glabra indegemma - attenuata ovata  
avenia



43, oppositi folia foliis subulatis integerrimis suboppositis, pedunculis lateralibus termi-  
natisque

Habitat in Car. b. spici

Tota glabra. Caules filiformes frutescentis crispis, purpurascens. Folia  
sessilia super infera minus approximata, superiora remotiora semper  
culam summa alterna. Pedunculi ex axillis supremis capillares folio  
congruis. Calycis glabra. Flores minuti