

Chrysoyonium

1 Virginianum Q

Chrysozonum

En Insula St. Crucis legit Dr. West

Caulis herbaceus erectus, ramosi dichotomi, teres, superne villosus
Folia ^{brevia} petiolata, opposita basi bipollicaria, lanceolata elliptica,
semita integerrima vel serrata basi apiceque integerrima, utraque
retrofracta, pili puncto elevato infidentibus variorum adpressa
subtus pallidiora obscure triplex nervia. utraque acuta
pedunculi e dichotomia, foliis ternis, bipollicariis glabris
uniflori erecti. capitula ovata.

Calyx communis perianthium foliolis ovatis acutis

Corolla radii communis ligulati, ligula oblonga.

antheri plures hermaphroditi numerosi

semen compressum triquetrum latera eorum convexo mucato

lateralibus planis lobis, intus acuto, supra plano reflexo
margo exterior elevatus denticulatus, et tunica vestitus
intra quam semen nudum valvulis quatuor nigris

Divesifolius ~~Convolvulus~~ ^{spithameus} ~~spithameus~~ foliis inferioribus oblongis, superioribus lanceolatis
hastatis, pedunculatis ^{angulatis} ~~angulatis~~ ^{quaque} ~~quaque~~ ^{fidis} ~~fidis~~

~~Indiculus~~ ^{spithameus} ~~spithameus~~ ^{ramis} ~~ramis~~ ^{velis} ~~velis~~ ^{apice} ~~apice~~ ^{subfericis} ~~subfericis~~. Folia ^{parvula} ~~parvula~~
inferiora, oblonga ^{femina} ~~femina~~ ^{unquaque} ~~unquaque~~ ^{lanata} ~~lanata~~, ^{minorata} ~~minorata~~ ^{vix} ~~vix~~ ^{pubescentia} ~~pubescentia~~; superiora
lanceolata sagitta longiora, auriculi rotundati. Pedunculi uniflori ⁱⁿ ~~in ^{medio} ~~medio
bracteati, fructiferi ^{cernei} ~~cernei~~. bractea lanceolata. Foliola calycina oblonga
acuta. Corolla parva calyce dimidio longior ^{femina} ~~femina~~ ^{unquaque} ~~unquaque ^{fida} ~~fida~~~~~~~~

Conocarpus felea Chrysocoma

Habitat Herb. Perth.

pubescens. Caulis fruticosus ramif., vixit

undulata Chrysioma

Habitat in Carolina herb. Kunt.

habes

Chrysoma

Habitat in Carolina herb. Desert.

Caulis herbaceus, erectus, bipedalis, simplex, teres, striatus. Folia radicalia, lanceolata, basi attenuata, glabra, integerrima, obtusa, suprema linearia. Compositi terminaliter compositi.

virginianum Chrysozomum Host. Cliff 424. L.V. 790

Chrysanthemum virginicum ellipticum, disco lacteo: quinque petalis crenato Pluk. alm. 100. t. 81. f. 4. et
tab. 242. f. 3. Raii synth. 213.

Habitat in Virginia

Petiolis foliis longioribus lin.

Planta digitalis, pilosa - folia plerumque radicalia, 1-2 in caule, petiolata, oblonga
semi pollicaria, crenata, obtusa. Pedunculus terminalis, uniflorus. Flosculi radii
4 herb Desfont. Vedit. Am