

Codanum. Cal. 5-phyllus. Cor. petalum unicum, ^{linear-lanceolatum} (anulo nectari in
betum. Legum. ^{pedicellatis} ~~sancta~~ ^{sum} ~~sub~~ ^{sub} ~~per~~ ^{per} ~~mem~~ ^{mem}

nitidum Codarium Solandri

Dialium guineense; panicula supra decemposita erecta Wed.
in Roem. Anth. 1. p. 31. t. 6. Spec. plant. 49.

Habitat in Guinea. Forst, Thonning &

Rami alterni, teretes, glabri, punctis elevatis adspersi. Folia
petiolata, alterna, ~~per~~ imparipinnata: foliola bipinna, petiolata
alterna vel opposita, ~~et bipolliciana~~, ^{et de tra} interiora minor in ter-
tima, obtusa, ut saepe breviter acuminata, emarginata, utrin-
que ~~con~~ ^{con}veca, utrinque glabra, supra nitida, obscura venosa, ~~sub~~
* venis papillosis. venoso-reticulata, Petioli purpurascens. Panicula terminalis,
~~decemposita~~, patentissima: Pedunculi et pedicelli alterni, puberulescentes.

Germe pedicellatum, ^{compressum} ~~sub~~ oblique subrotundum, pubescens.

Arbor mediocri, ramosissima: Rami fusco-cinerei. Panicula
horizontaliter expansa, ramificationibus distichis: pedicelli brevi
simi, erecti. Bracteola caduca. Calyx pentaphyllus: foliola aequalia,
sessilia, ovato-oblonga, obtusiuscula, marginibus incurvis concavis, ext

tus pubescentia, bordide flavo-virentia, patentissima, decidua. Nectarium in
Corolla petalum unicum, margine nectarii affixum, angustissime lanceolatum,
calycis paulo brevior, ascendens, caducum, album. Nectarium in centro floris
receptaculaceum, orbiculatum, margine distincto, plano-concavum, palli-
da viride, vel raro atropurpureum, persistens. Stamina filames duo, longitudi-
ne calycis, utrinque margine receptaculi inserta, crassiuscula, patentia,
alba. Anthera oblongo-ovata, erecta, subfusca. Germinis pedicellus de-
clinatus. Stylus subulatus, incurvatus, longitudine staminum. Stigma sub-
acutum. Pericarpium magnitudine siliab, obliqua subrotundum vel oblon-
giusculum, subcompressum, densissime atro-tomentosum, pedicellatum,
fragile, evulsa, uniloculare, repletum pulpa, farinacea, acedula, subsic-
ca, lutescens incarnata, tangente semem subrotundum compressum, nitidum,
durum et viride et fusco variegatum, unicum raro duo, tres longitudinally-
ter posita. Thomsony.

Genus a Siculis omnino distinctum, quod ante plures annos in herbario
perillustr. Banksii vidi sub nomine Codani nitenti Solandri, quod nomen
vel Deaga retinui. Descriptio Solandri con venit nisi quod petalum Nectari-
um vocabit

Gunnera

1. perperca G. capis fructiferis foliis altioribus, racemo castui
siculo

magellanica
calthifolia capis fructiferis foliis brevioribus racemo oblon-
go, foliis reniformibus

monocera Desandria

64

67. Podanum. Cal. 5-phyllus. Cor. petalum 1. lineare, ^{lanicipetalum} nectari annulo
nectarii, insertum. Legum. pedicellatum, farina fontum,
subtrispermum, exalve