

Boonium.

abrospens P.

Codonium Rohr Act. sci. hist. Nat. Hafn. Tom 2

Character essentialis

Genus monosperma. Corolla campanulata, Stigma caputatum

Arborescens Codonium Act. sci. hist. Nat. Hafn. p. 2. no. 1. pag. 206. Tab. 6.

Habitat in Insula St. Crucis, Montserrat. De v. Rohr 5.

Arbustulum v. 10 pedale. Ramis teretibus, glabris.

Folia petiolata, alterna, ovata, glaberrima, attenuata, obtusa,
integerrima

Pedunculae axillares, saepe gemini, uniflori interdum bis: triflori
Calyx duplex alter inferus monophyllus, subtrifidus, alter semisuperus
integer.

Stamina sique interdum 400

“Descriptionem ulterioiorem generis dedit de v. Rohr, speciei ego in.

genus ~~Lonicera~~
et ~~Lorantho~~ aff.
ne

Schoepfia Schubertii

1801.

arborescens Podonum. Tab. 6

Habitat in S. Cruce et Montserrat. 5

Arbifera, 10 pedale. Rami teretes, flexuosi, apice subangulati, glabri, e caespitibus foliorum tuberculati, cortice cinereo, summi vire

folia petiolato, alterna, ^{bi pollicaria} ovata, glaberrima, supra nitida infusa, simpliciter venosa, subcoriacea, integerrima, acuminate, obtusiuscula.

Petiolus brevissimus, supra planus. Stipula nulla

Pedunculi axillares, brevissimi, saepe gemini, uniflori, vel ut interdum biflori et triflori. ~~Sesilis in calyce communi 5 dentato~~

~~Sesilis~~
Sesilis plerumque gemini sesilis in calyce communi 5 dentato

genus Conocarpus affinis.

- Vahl.

~~caprifolius Hassleri affinis videtur~~