


Prantzia 

1. *longata* P.

Cypripedium
Levigatum Sw. prodr. pag. 30

Rami tetragoni, glabri, uti tota planta
Folia petiolata, opposita, pollicaria, oblonga, utrinque acuta, integerrima, mucronata, subionica, rigida, supra venosa, veno marginalibus non attingentes in nervo longitudinali ante marginem definites, subtus avenea, enervia.

Pediculus brevissimus

Racemuli axillares, oppositi, interdum gemini, brevissimi. Flores con
masculi et foeminei in eodem racemo

Stemini: Bractea ovata ad basin singuli floris

Pedunculi sex semipollicares squamosi

##

Levigatum
apetala B. foliis oblongo lanceolatis mucronatis, flentibus apetalis

Sorghaleana avena paniculata, calycibus trifloris, corollis ^{anctatis} herpatis petalis bifidis, culmo
ramoso vaginis ore barbatis

Avena pennsylvanica Soph. Deser. pag. 29.

~~Gramen spithameum culmi~~

~~Habitat in cœpitis horticinis 4~~

~~Gramen spithameum. Culmi plures inferne ramosi. Vaginis aridis
foliorum, pelosi. Rami plures aggregati, geniculi infracti. Vaginis
vaginae ^{ulato} nuda. Solia involuta patentia, subulata rigida pollicaria
pallide viridia passim ultimum stramineum. Panicula squamulosa
flore canescente calyces longitudine flosculorum. flosculi a medio
ad basin herpatis petalis apice extentionibus apice bifidis anctis intermedia
longior~~

Crantzia ~~sol. p. pag. 3.~~

* Maspuliflores

Cal. Perianthium tetraphyllum; lobis ovatis, minutissime ciliatis,
~~latiusculis~~

Corolla nulla.

Stamina filamenta quatuor, calyce parum longiora, erecta linearia,
erecta, compressa. Anthera oblonga.




* Coemizei flores
Perianthium
Calyx ut in Maspulis

Corolla nulla

Stamina nulla

Stylis. Germen oblongum, obscure trigonum angulis triacuta
tis. Styli tres, lineares, erecti, extus convexi. Stigma
bilabiatum longitudinalis

7



german heads.

Crabtree