

Davalia

~~Cyrtanthus~~

nitida Dasylepis

Habitat in Madagascaria Com merson herb. Mus
Stipes semiterres, glaber, laevi. ^{rami} Caulis bipinnatus, nitida. ^{foliola} Frons palmatis et al-
teris, alterna: pinnula oblonga, sesqui pollicaris, extorsum descen-
tes, extorsum confluentes, infimo parium foliorum pinnatifida, reliqua in-
ciso serrata: serraturis obtusis, punctis fere atque versus marginem foliolorum
tubulosa.

credo quod habes

~~aliud specimene tenerior, frons late vixi nitida, stipes tenerior, folia~~

Davallia

Habitat in Madagascari

eodem modo ac Davallia sulcata an diveda

tenerior, fronde lata vix nitida, tripinnata: pennulae laniculatae
unguiculares, subpinnatifidae: lacinae lineares apice 2-3 dentatae, sinu-
tifficiatricibus versus marginem

obovata Savallia

Habitat. Herb. Fus.

Styites Venues, lacer, dorso convexi. Pinnulo linear cuneato, unguiculato,
bifido: lacina denticulata, interdum indivisa. Fructificationes in apice
inter duas lacinas
vix hujus generis

Lavalia

Habitat in Lava Commerfen herb. Ausf.

Stipiti repentes, hispiti. Stipites spirithamoi, dorso convexi, globis, lobis
lobis. Stipiti pinnata: pinna 4-6. petiolata, alterne nitida, steriles lato
res. Lacinia colata oblonga, brevior, sesquipollicares, serrulata: fructificans
Lacinia colata, 3-4 pollicaris, attenuata, serrata, angustior, obtuse simpliciter
approximate nervosa. Fructificationes: extra marginem ad angulam serra
turam