

Diplisperm

6065

Dialium Cal. 0. Cor. 5-petala. Stam. ad latius superius receptaculi.

~~Indam D...~~

indum 1. Dialium panicula simplicis nitida Willden. spec. pl. 49

Dialium indum Lin. Mart. 24

Dialium javanicum Burm. ind. 12.

Habitat in India 5

arbor. Folia perinata: foliola 7. ovato-oblonga, acuminate, petio  
lato, lora, palmana ~~...~~ Lin.

trifoliata ~~Galpica~~, Clabb. fl. Gu 2. pag. 662. Tab. 2 Gy.  
Habitat in Guian

confer cum ~~Rapanea~~  
non vidi

Divariatum 3 Sialium panicula decomposita praeta, foliolis ovatis acuminatis  
divaricato f. Argentea.

Arora quiaensis Aubl. Guian. 1. 16. t. 5.

Habitat in Sylvis deserti Guiana Richard 5

Arbor. Rami expansi, teretes, glabri. Folia petiolata, alterna, pinnata  
cum impari, 2 3vegia: foliola petiolata, alterna, distantia, ovata, bipar-  
ticipollinaria, interiora minor, acuminata; acumine obtusiusculo,  
saepe mucrona brevi terminata, integerrima, utrinque glabra, venosa. Petio-  
li teretes, inferne striati, superne vix pubescentes. Panicula terminalis  
erecta: rami patentes, perultimi, bifidi, divariati, articulati, flexuosi

Fructus pyriformis, pedicellatus, glaber, magnitudine nucis  
Coryli.

pedicellis alternis, trifloris. Flores breviter pedicellati; laterales sub  
carnosi. Bracteae caducae, lineari, villosa, caducae ad basin singulorum florum.

Corolla, an ~~petalis~~ calyx pentapetalus: petala ovata, extus leviter sordide  
flavescente tomentosa, <sup>longiora, patentiora</sup> Stamina duo, longitudine corollae, ad alterum

latus receptaculi: Anthera oblonga. Germen superum, ovatum, villo-  
sum. <sup>Subpedicellatum</sup> Stylus longitudine staminum, versus stamina curvatus. Stigma ob-

tusum. Sigura Aubletii quoad ad inflorescentiam haud optima,  
neque stipularum ad pediculi parthales observari adiuvent

C. folia petiolata, alterna, pinnata cum impari: foliola integerrima

1 *Syringa vulgaris* *Syringa albis ovato cordatis* L. d. V. pag. 57. ~~Herb. Cliff. 6. Herb. upf. 6. Spk. Pl. pag.~~  
~~11. 1. Mill. 9c. Tab. 160. Hall. h. ft. 531.~~

*Lilac Matthioli*

*Syringa hesperica* ~~tothem~~

4 *Syringa conules* Bauh. Pin. 340. Rayi h. 1763.

+ *Lilac Tournef.* 4 R. H. 601. Tab 372

+ *Syringa flore conules* f. *Lilac* Bauh. h. pag 204

7 *Syringa flore conules* Cliff. h. pag. 50

Habitat versus Persiam 7

Rami glabri. <sup>petiolata</sup> folia opposita, attenuata bif. tri-pollucaria  
glaberrima nervosa integerrima. Stora in racemo com-  
posito denso ovato-oblongo, ped. terminati. Peduncululi  
et pedicelli oppositi. Solum lineare ad basin pedunculorum  
partialium inferne, unguiculare.