

Lipsacus

fulloium
~~fulloium~~ foliis integris serratis S. V. p. 143. ~~Laquei fl. rupt. s. t. 402~~

~~Dipsacus sylvestris Rod. pempt. 73 s. 1~~

~~Dipsacus sylvestris auct. v. p. 205~~
~~Dipsacus foliis serratis, pateri recurvatis f. p. l. v. pag. 143~~
Habitata Europa

Fol. Caulis minus aculeatus quam in sylvestri folia basi versus
angustata integerrima ceterum serrata involucria laniceo
lata attenuata capitulo breviora polliciana inferne ciliata
Bractea ovata attenuata ciliata carnato apice reflexo

Dipsacus fulloium foliis serratis Len. p. p. 1401

Sylvestris
fullonum

D. foliis ~~sesquibus serratis, paleis ^{rectis} recurvatis~~ ~~len. t. v. p. 143.~~ ~~caudolucens~~
pinnatis ~~pubulatis~~ ~~guleatis~~

Dipsacus ~~foliosus~~ ~~Bauh. pin. 305.~~ 1731

Dipsacus ~~foliosus~~ ~~Dod. pempt.~~
fullonum foliis ~~sesquibus serratis~~ Len. Spec. pl. pag. 140 B.

Habitat in Europa

Caulis altitudine hominis vel altior erectus ramosus. Rami angu-
lati uti caulis aculeatus folia connata lanceolata obtusius-
qualiter serrata attenuata glabra dorso aculeata. Pedunculus
terminalis elongatus. ~~Capitulum~~ ^{capitulum} ~~capitulum~~ ^{capitulum} magnitudine pomi ~~parvum~~
Cra polyphylla bipollicina vel brevior lineana angusta
nurgentia margine remote frunosa. Bractea ~~pubulata~~

Dipsacus sylvestris aut virga pastoris major Bauh. pin.

305.
Dipsacus sylvestris foliis integris, paleis rectis Len. l. v.
pag. 143. Faicq. fl. Austr. t. 402. fl. Dan.

villosus D. foliis petiolatis appendiculatis lin. S. V. pag. 709 fl. austr. 2140

240.

D. sp. in Vestris Dod. pempt. 735.

D. sp. in sylvestris, capitulo minore s. virga pastoris minor Bauh. pin. 3 Ps.

Habitat in anglia, gallia &c

Caulis angulatus ramis angulis aculeatis foliis opposita petio-
lata, oblonga vel lanceolata profunde serrata supra canis-
cula rotundiora. Petiolus a folio decurrens alati supra utrin-
que caniscula acutus. Pedunculi axillares et terminales elongati
valde aculeati. Capitula globosa magnitudine cerasi folia
rui. Bractea lanceolata seu attenuata seta mucronata, pilis
longis ciliata

laciniatus δ foliis connatis pinnatis Lin. S. V. pag. 709. fl. aust. 5: t. 403
Dyffalus foliis laciniato Bauh. pin. 385. Monf. hist. 3. p. 158. f. 7.
Tab. 316. fig. 4.

- Habitat in alfatia, Carnuola, Aron P.

Caulis erectus, angulatus crassitie penna cynea adpressus aculeis frequentibus. Folia connata pennatifida glabra ^{obtusis} pitha-
ma laciniis inaequalis remote obtuse serrata, margine aculeato
ciliatis, costa subtus aculeata. Pedunculi terminales
sesquipedales valde aculeati involucri foliola lanceo-
lata int. attenuata pinnula terminata margine pallidiora
ciliata carina basi aculeata. Palea lanceolata ciliata
valde acuminata acumine reflexo flore longior
capitulum magnitudine ³ gallorum.