





 103
 Stylus trifidus
 Stigmata

a. flori et non semper ex eodem
 pedunculo
 f. calyx male *Bitaxis fasciculata* ¹⁰³ *Platanoides*

capriculata
lucifolia Ditaxis

Habitat in Insula St. Crucis ad Ryan 5

Frustr. Rami teretes, parvi, glabri, cortice cinereo, tuberculati^{ti} alter. Tuberculis
aeternis in ramis demum exire sentes; foliosi et floriferi.

Folia ex apice tuberculonum, aggregata, septem, unguiculata vel minima
obovata, integerrima, emarginata, dultiora utrinque glabra, subtus palli-

diosa: juniora pilis raris aspersa

Pedunculi inter folia, breves, solitarii, plerumque biflori, vellosi. Flos alter masculi-
lus alter foemineus.

♂ Calyx quinque partitus: laciniis lanceolatis

Corolla pentapetala: petala cineriflora, calyce longiora; lamina plerumque
longitudine ~~ex~~ ^{ex} ~~calyce~~ ^{calyce} ~~tubi~~ ^{tubi} ~~longiora~~

integerrima
Petalum filamentum

Stamina filamenta decem in unum connata, dup. superiora libera, dup. inferiora

seria columnam florum filamentorum circias, stamina sive in singulis
seria, alter inferior alter superior. Columna in acumen vertit stamina

basi foraminibus sive 183 desinent. [†] Anthema subtunda

Pistillum - medium germinis

♂ Calyx ut in mare, persistens, inferus

ad huc etiam

Corolla ut in mare

Stamina nulla

Pipitellum ^{insidens} germen receptaculo caudae parvo, germine parvo angustiore, margine punctato
4o, trigonum sub trigonum, angulis obtusi vellosum. Stylus longitudine corol

La trifidus. Stigmata bifida: laciniis bifidis germinalis duo
Pericarpium triloculare: loculis monospermis