

Ephialis

Cal. sordidus. Peta 5. basi bisquamosa Cap. 2 valvis unilocularis sperma
femina unilocata

1 acuminata E.
2 geminata E.
3 obtusi folia E.

Diphylla Eptialis foliis conjugatis oblongo lanceolatis ~~et~~ ^{et} ~~tristibus~~
Mammom mico Hispania Habitat in Trinidad d. v. Rohr no 1105
arbor Ramis teretes ~~flexuosis~~ ^{flexuosis} cortice cinereo glabri
Folia petiolata alterna foliola duo in apice petioli ob-
liq. tripollicaria, oblongo-lanceolata venis sparse venis
reticulata obtusiuscula glabra utrinque glabra integerrima
supra nitidiuscula, breviter petiolata altero latere parum
breviter petiolata fusca
Petiolus subtus convexiusculi supra plani

elliptica Ephietu. foliis bijugis foliolis elliptico ovatis obtusis
Habitat in Trinidad in v. Rohr no 111 fructibus mammis limonum

^{martha}
arbor. Rami ^{superne} glabri ^{superne} angulati cortice cinerea
frente.

Folia petiolata ^{compedala} alba, pedalia pennata cum pini
bijuga. Foliola petiolata opposita, palmata exteri-
ora majora, ~~ter~~ elliptico ovata utrinque obtusa integri-
nima glabra demum fine venosa, plana

Petiolus communis supra planus subtus convexus ad
infertorem nervis palmatis incrassati

Præconi compositi ~~est~~ ex areolis supremis et apice, plures
eque e gemmis squamosis imbricatis sesqui pollicares

Pedunculi angulati glabri palmatis brevis bractea ovata
acuta decidua ad basin pedicellorum

paludosa E. Folius lanceolatis oblongis glabris, umbellis axillaribus pedunculatis, pedunculo elongato terminalibus, fere
natisque

Habitat in America meridionali v. Pook no 21. 5

Rami teretes, glabris, laxes, dichotomi, purpurascens. Solia opposita, petiolata bi-^{enot} f. tripollicaria lanceolato-oblonga ^{superne} lineari lanceolata, facie convexa Hypocistis monogyne, integerrima obtusa mucronata utrinque glabra supra arena subserena

subtus oblique venis nervosa, costa fusca purpurascens Petiolus semunquialaris. ~~Flora umbellata glabri umbelles~~

primam terminales ^{dein axillares, a ramo uterque excrecente} ~~axillares et terminales 3-4 floris~~ Pedunculus solitarius cum ramo lateraliter alternis. Pedunculus communis sive pollicari teres glaber demum ramis craspiis fere ramuli rami pedicelli unquialaris, glabri. bracteae alterius excrecentia minuta duo ad basin. Calicula calycis glabra, oblonga mucronata bicolor. Corolla sesqui pollicari, glabra: tubo superne ampliato. Folliculi subtripollicares teretes glabri

~~Folius Apocyni andropogoni~~

Aliam inf. huius satis similem at in
nonnullis diversa radius umbello tres vel
quatuor fructibus longioribus sed praecipue
diversa Petalis similem speciei sequentis

Lombardina

Diphylla Epiactis

acuminata ^{subtriply} Ephelis foliis pennatis bijugis folioli lanceolatis
ellipticis acuminatis undulatis
Mataiba guaranipi Aubl. fl. guian. pag. tab. 120

Rami teretes glabri cortice punctata
Folia petiolata alterna pennata cum pan ^{trivert} bijuga
Foliola petiolata opposita, triplicaria basi subovata
obliqua alba latere obliqua acumine unguicula
ri obtuso terminata integerrima undulata utri
que glabra venosa.
Pediculus patentissimus tenuis supra subcordatus
paniculo axillares

obtusifolia Eph. foliis bipuzis foliolis ovalibus

Habitat in America meridionali St. Martha in insulis Mammor dicta
A. v. Rohr 5

Arbor. Rami teretes folia ad apicem ramorum conferta peltata
cum pari bipuzis. foliola petiolata, opposita ovali oblonga
In polliciana, pollicis basi lata, integerrima membranacea
nervosa tenuis ^{venose} ~~folia~~ utrinque glabra ~~et~~ per extremum intimo
vit minore. Petiolus quadrilobus supra planus pilus
mucrone terminatus. ^{ramo} ~~ramo~~ ^{terminales} bipollicares in apice
ramorum plures ~~et~~ ^{gemmas} imbricatis ~~et~~ quibus tandem panicula
bipollicaris pedunculis angulatis. Bractea ovata con
cava levis tomentosa

acuminata

Guianensis Ephelis zolu bijuga foliis ovato-lanceolatis acuminatis

Matayba guianensis Aublet Pl. Gu. 1. p. 330. tab. 120

Habitat in sylvis tinemariensibus

Arbor 60 pedalis in summitate ramosi fitis. Rami teretes glabri

Folia alterna pennata cum impari bijuga. ^{3, 5, 7, 9} Foliole ellipticae

^{canaliculato serratis} ~~acutis~~ sesquipedalibus acuminibus obtusis unguiculatis terminatis
petiolata opposita integerrima venosa glabra. Panicula
axillares. Flores minuti albi

balza miferia Heia folii