

*Ericogonum*

Cal. 3phyllus. Pet. 3. Capsula monosperma

verticillatum *Erigeronum*

Habitat in Carolina Herbarium Fussii et Richard.

Caulis herbaceus, ramosus: rami ~~et~~ dichotomi, teretes, incanis  
tomentosi incani. Folia sessilia, inferiora quaternis verticilla  
to, superiora ternis, suprema opposita, remotis, pollicaria, sur  
sum minoris, ovata vel oblonga, integerrima, acumine brevi  
acuto terminata, supra glabra, axillaria, subtus subvenosa  
incanis-tomentosa. Pedunculi superne dichotomis et apice  
ramorum, saepe gemini, vix unguiculari, apice diphylli.  
Flores 5-10 sambellati, squamis plumosis interstratis, involu  
croati. Involucrum monophyllum, quam campanulatum, quin  
quedentatum, incanis tomentosum, vix unguilare. Pappi  
incanis, articulati, involucri parum longiores. Calyx in  
ferus, triphyllus (6phyllus Ms. opt. Fussii): foliola ovata, tomen  
tosa, fundo villosa. Corolla tripetala (nulla Fussii) obovata  
calycis parum longiora. Filamenta 9. ad basin in geminis inserta,  
calycis parum longiora. Antheris oblongis. Germen lineare oblon  
gum, attenuatum, glabrum. Styli tres. Stigmata simplicia (tra  
verte

vetu illatum Enzyonum

Habitat in Carolina Michaux herb. Mus.

Caulis herbaceus, erectus, dichotomus, tomentosus, incanus, teres. Folia sessilia, pollicaria, quaternaria, ovata superne tereta, ovata, supra glabra avenia, subtus tomentosa, incana, integerrima, acumine brevi terminata, Fiores superne in dichotomus et apice. Involucrum commune monophyllum, breve, campanulatum, quinquefidum 4-10 florum. Flores <sup>sub</sup> pedicellati: pedicelli articulati, squamulis plumosis intermixti. Calyx spatulatus, intus coloratus, extus tomentosus. Corolla nulla. Stamina 9. filamenta longa, basi villosa, primum intoto recurvis, dein expansis. Germen unicum superum. Styl. 3. Stigmata 3. (Mus.).

frus) acuta. Capula monophylla.