

Eriocaulum

Cal. 5 phyllis Cor. 5 petala Stylis 3 fidus. Balba exsulca Umboculans, poly
perma

1. undulatum & foliis elliptico-lanceolatis serratis, floribus congestis axillaribus
2. theoides & foliis ovato-lanceolatis serrato-dentatis, floribus axillaribus solitariis

Freziera nunc dicitur a Swartz in flora amer

undulatum Erbeum. Symb. bot. pag. 61.²

Habitat in Montserrat In Ryan.

Rami ~~superius~~ ~~per~~ ~~purpascens~~, ~~inferius~~ ~~pubescenti~~, ~~inferius~~ ~~glabri~~, ~~superius~~
velloso sub tomento tosi

Solcia interdum prithamoa, attenuata, costa utriusque purpascens,
obtusè refofa: Venella flavido sericea, revoluta.

Peduncululi bafi, velloso grisei

Flores hermaphroditi in foemineis in diversi individuis

Erotylum undulatum

~ Thecoides E. foliis ovato-lanceolatis serrato dentatis, floribus axillaribus
solitariis Sw. prodr. pag. 85.

Habitat in Jamaica &

Rami teretes glabri. folia petiolata alterna facie terea vix elliptica
seriata basi versus integerrima, firma, parum acuminata, acumine
obtusis sesquipedalibus. Pedunculi axillares solitarii uniflori

~~thecoides~~

undulatum. Eroteum Sub-prodr. Eroteum

Senata Terra Formosa ^{prodr. prodr.} foliis lanceolatis seratis, ramis hirsutis
foliis ellipticis, lanceolatis acuminatis seratis, ramis confertis axillatibus

Habitat in Jamaica In Torpeth qui inter plurimas rarioris
Americæ hanc eroteum amicis sive communia vit.

Rami superne flexuosi, pelosi - tomentosi, prosertim versus apicem

Folia petiolata, alterna, bis tri pollicaria, conacea, lato-
canecota, utrinque acuta, glabra, subtus pallidiora, mar-
gine coarsiora: juniora subtus nervo longitudinali pelosa.

Petiole ut semi angustis ultra

Pedunculi axillares, solitarii, uniflori, ut semi angustis ultra

f. quatuor vel
quinque, interdum
solitarii

^{com}
longitudine petiolorum

Calycis foliola ovata, tenuissime ciliata, obtusis

(variat ramis glabris)

Alanguum

Calyx Pentanthum monophyllum, dentatum superum

Corolla 6-10 petala: Petalis linearibus revolutis basi hirsutis, semdis breviora

Stamina: filamenta 23. capillaria longitudine corollae, basi hirsuta
anthera exserta linearis longitudine filamentorum
+ Nectarium uniloculatum germen coronari

Stylus germen inferum tuberculatum. Stylus filiformis longitudine corollae

Stigma capitatum

Capsula Bacca Capsula Bacca an 1-3 sperma. Semina oblonga compressa

Characteres essentialis. Calyx monophyllus. Corolla hex 6-10 petala
Bacca corticosa.