

Guarea.

*Guarea trichitoides*, glabra et macrophylla vid. Vahl. Eley. 4

Guarea?

Habitat ad Senegal herb. Jusq. 5

Rami superne, crassitie fere digiti intermedii. Folia ad apices ramorum, petiolato, pedale  
et ultra, pennata cum pari, 6-8-10: foliola breviter petiolato, alterna, unicam termina  
le, bipollicaria, subaequalia, oblonga, emarginata, integerrima, supra glabra, a venis  
subtus vincta, nervosa. Petioli basi tenes, superne supra canaliculati, fo. ~~id. de to~~ <sup>causa</sup>  
mentosi, incani, uti pedunculi et flores extus. Racemi superne, pedunculati ~~id. de to~~  
culati ~~id. de to~~ <sup>causa</sup> ~~id. de to~~ <sup>causa</sup> ~~id. de to~~ <sup>causa</sup> ~~id. de to~~ <sup>causa</sup> ~~id. de to~~ <sup>causa</sup> ~~id. de to~~ <sup>causa</sup>  
sulcati, interdum 10, intus glabra. Filamenta 8. internum 10, coellum de medio brevis  
sa, inferne in tubum conata, glabra, superne utrinque villosa, singula bifida  
anthe sa inter lacinas, latere interiore affixa

glabra q. foliis lanceolato elliptis acuminatis, racemis subsim-  
plicibus brevibus floribus glabris  
Habitat in Montserrat Dr. Ryas t

Descript. vide catalog. Ann.

~~Cernua Pl. foliis lanceolato-oblongis integerrimis racemis axillaribus, floribus~~  
~~Cernua.~~  
~~Habitat in Madagascar~~

macrophylla G. foliis pennatis folioli ovato-oblongis, racemis subsimplicibus  
foliis brevioribus, floribus tomentosis  
Habitat in montserrat In Ayar

Diff. abni Petrolii Seretibus rugosis, foliis majoribus basi ovatis racemis  
simplicibus interdum basi tantum ramo flores duplo majores  
foliis triplex

descript. vid. ceter am:

repens

Habitat in Montserrat St. Bryan,

Rami teretes, circinnati, cinerei, glabri.

Folia ad apices ramorum conferta, bipollicaria lanceolata elliptica  
integerrima supra nitida subtus glauca, glaberrima, simpliciter veno-  
sa parum acuminata.

Petiole brevissimi stipula ramum cingentes breves integerrime.

Pedunculi ex axillis superioribus compressi folio breviores superne vesper-  
sifim dilatatur, bifidus rami divaricati laterales superiores floriferi. Flores  
secund.

1. Guara *Trichelia* foliis pennatis glabris racemis longissimis, floribus octandris.

Quidonia nucis juglandis foliis, major Plum. gen. 4. ii. 147. fig. 2.

Guara *trichelioides* Jacq. pl. Am. p. 129

Tab. Ref. brass. 74.

*Trichelia* foliis oblongo ovatis pennatis nudis, racemis laxis. Brown. Jam

p. 279

*Trichelia* Guara: foliis pennatis glabris, floribus octandris ha. Spei.

pl. p. 551\*

Guara *trichelioides* Mart. 22. L.V. pag. 360

Habitat in America meridionali

Rami teretes. Folia pedalia: foliola alterna elliptica <sup>acuminata</sup> brevissima  
pallidiori <sup>4a</sup> ~~racemulata~~, palmaria integerrima venosa extrema majora  
Pedunculis pedalis. Racemulis frequentibus parvis semi-unguiculatis  
bis 5-7 floris. Flores brevissime pedicellati bracteis minutis, semi calyce  
glaber. Corolla extus cana. Stylus corolla longior stigma a pelta  
tum.

*trichelioides* Guara

Trichileoides G. foliis pennatis folioli oblongo obtuso internodiis minoribus  
robemur compositis elongatis, floribus tomentosis

quidam nunc perglandis foliis major Plum gen. 4. t. 147. fig. 3.

Trichileoides Lin S-V. pag. 360 Jacq. Am: pag 126. t. 176. p. 37

Habitat in Insulis meridionalibus americanis

Rami teretes glabri apice tomentosi. Folia petiolata alterna

pedalia et ultra pennata cum <sup>sub nervis</sup> pari: foliola petiolata opposita  
interdum <sup>extrema</sup> ~~altima~~ 3 vel 4 polliciana internodiis <sup>oblonga</sup> ~~minoribus~~ tenuissimis

venosa glabra, obtusa integerrima. Petiolus supra canaliculatus

Peduncululi axillares longitudo in foliorum Peduncululi pariter  
glabri <sup>et</sup> pedicelli <sup>et</sup> sparsi frequentes glabri pedicelli uniani breves triflori  
approximati calycis floris uniani tomentosi



No 151

~~Phytol. Phytol. panicula <sup>is foliis lobatis</sup> ramis dichotomi, stipulis deciduis, foliis lanceolato-ellipticis glaberrimis~~

~~Habitat in Montserrat & Ryan's~~

~~Rami teretes glabri~~

~~Folia petiolata quadripollicaria <sup>intermedia</sup> firma, supra pallida, venosa glaberrima subtus pallida venis flavescientibus~~

~~Stipula decidua.~~

~~Pedunculus terminalis elongatus, angulatus, glaber <sup>primus</sup> tripartitus.~~

~~Desi rami bis vel ter tripartiti flores pedicellati.~~

~~Calyx majoris superis~~

~~Flores majores quam in reliquis flavescientes.~~

videtur esse Phyt. laurifolia Swartzii