

Digynia

70
~~72~~

Gunnera. Cal. dentatus. Cor. 0. Drupe subcarnosa, calycis
circulo coronata.

Scabra 1. *Gunnera* foliis palmatis lobatis, scapo ^{foliis breviori} petiolisque mucronati

Panthe anapodophylli folio, scapo petaloide Deud. per. 2. p. 741. t. 30

raiemo acian
li

Panthe ~~anapodophylli~~ ^{usaulii #} Molin. hist. nat. Et. Chil. 1. p. 150

Gunnera chilensis; scapis fructiferis foliis brevioribus, raiemo cras-
so, foliis palmato-angulosis. La Mark. dict. 3. p. 61. illust. t. 101.

f. l.

Gunnera Scabra; foliis lobatis, petiolis granulosis, thyrsis magnis

Fl. per. 1. p. 29. t. 44. f. a

Habitat in paludibus et uliginosis Chili et Peruvia 7

Succosa, tenera mucilagine crystallina abundans. Radix crassi-
tie femoris. Spatha radicalis multipartita. Lacinia ramoso-mul-

tifida, herbam teneram involvens, marcescens. Folia radice, an-
plisimio, # ~~multifida~~, nervosa, venosa, rugosa, scabra, supra hispida i-

quinque-
ad
undecimfidia

lobi inaequaliter dentati. Petioli purpurei, granulipalumine unci-
nato terminatis adpressi. Scapus bi-^{sup}pedalis, erectus, ter-
thyrsus longus, compositus a plurimis amentis, confectis, subverticilla

Bractea lanicolata. Calyx bidentatus, cum fructu connascens. Stylus
bipartitus. Stamina duo inter perianthium et germen, receptaculo inserta
cum denticulis calycis alternantia. Stylus bipartitus. Stigmata acuta
Drupa subrotunda, parum carnosa, ^{denticulis} calyce inter denticulos calycinis
coronata Fl. per. l. c. + Semen unicum, globosum Fl. per. l. c.

¶ Secundum Gussonei et La Marche Panthe acutis Molino huius pertinax,
et ab auctoribus auctoribus Fl. Sem. Panthe eodem Panthe Tinctorian
huius referunt.

per pensa 2. Gunnera foliis reniformibus dentatis, caps. fructifero breviori
bus, & caps. ret. foliisque longioribus.

Petasites africanus, caltha palustris foliis Herm. Lugd. 400

Bledum africanum, caltha palustris foliis, caltha nuda cubitali spicam
pedalem sustinente Plukn. alm. 63. t. 10. p. 2.

Gunnera per pensa. Lin. Mant. 121.

Gunnera per pensa; 3 caps. fructiferis foliis altioribus La Mart. va
cans latiusculo La Mart. Dict. bot. 3. p. 61.

Habitat ad Cap. b. sp. 4.

Folia radicalia, interdum diametro spithameo, dentata; dentibus acin
tis apice callosis, nervoso-venosa, juniora virulo armata supra et

subtus in nervis pilis raris adspersa, state glabra. Petioli striati, super
ne villosuli pubescentes. Scapae bipedales, erectae, teretes, striatae, glabrae.

4 Amentum terminale Amantia partialis distantia, teretia, pollicaria, sparsa, bractea lineari
ce, longum & filia. Bractea linearis lanceolata ad basin amenti partiali, attenuata,
unquiculis.

Folios interdum cordatis obtusis binis, ^{raris niti. rita} frequentibus foliis reniformibus
niti rita.

~~perpensa e Gunnera foliis in formis dentatis~~

plicata
Diaria 3

Gunnera foliis reniformibus crenatis basi fructiferis brevioribus albi
Gunnera, sicus petiolis que lobis.
Mesandra Tuss. gen. 405

Gunnera magellanica; basi fructiferis foliis brevioribus; racemus
ovato, foliis reniformibus La Mart. Bot. 3. p. 61. illust. t. 201. f. 2.
Habitat fretum Magellanicum 4

Radix cylindrica sed crassitie penno cygnea. folia ~~radicalia~~ ^{radicalia} #

Duo vel tri
ad radion

~~Suborbiculato reniformia longissime petiolata, pollicibus ^{duo vel tres} ~~latior~~~~
Suborbiculato-reniformia, inaequaliter crenata, crenis mucro
nata, plicata, utrinque glabra, nervosa, venosa. Petioli ^{spitha}
ma et ultra, teretes, in planta juniori pilosi, etate glabri, ere-
ti, basi squamis membranaeis, ovatis involucenti. Scapus teres,
erectus, petioli crassior, etate glaber, racemus prior foliis brevior

Resquipollicare
caum

Racemus primum ^{masticulinum} primum oblongum, demum cylindri-
cum, compositum ex pluri minoribus: foemineum oblongum. Sty-
li duo, ^{per} villosi.

Habitus

Folia radicalia, simplicia, petiolata. Scapus teres, erectus. Inflorescen-
tia ~~radicalia~~ ^{radicalia}

Scabrae Gunnera folio ~~palmato~~ lobatis, ^{siapo} caule. pediculisque mucronatis
Panthe anapodophylli folio Feril. Peruv. T. 2. p. 741. t. 30
Panthe tenetoria molina hist. nat. Chil. 1. p. 150
Gunnera scabra; folio lobatis, pediculis granulosis, thyssis magnis
fl. Peruv. 1. p. 29 t. 44. f. a
Habitat in paludibus et uliginosis Chili et Peruviae

the ornament
comp. 22. 1/2