

Hemimenis

1. ~~fabulosa~~ ~~H. diandra~~ ~~foliis oppositis pinnatifidis, caule ~~prostrato~~~~ <sup>suberecto</sup>
2. ~~puberula~~ ~~H. tetrandra~~ ~~pedunculis ternariis subumbellatis, foliis ~~oppositis~~~~ <sup>oppositis</sup>  
cauli ~~erecto~~.
3. ~~missa~~ ~~H. foliis lanceolatis sessilibus serratis ~~inermis~~~~ <sup>venatis</sup>
4. ~~montana~~ ~~H. tetrandra~~ ~~foliis oppositis ovatis serratis, caule ~~erecto~~~~ <sup>erectis cordato ovatis dentatis</sup>
4. ~~macrophylla~~ ~~H. tetrandra~~ ~~foliis oblongis subintegerrimis, caule ~~erecto~~~~ <sup>erectis cordato ovatis dentatis</sup>
5. ~~chamaedryfolia~~ ~~H. foliis ovatis dentatis, caule ~~erecto vel prostrato~~~~
6. ~~scabra~~ ~~H. foliis serratis nervosis radicalibus petiolatis oblongis, cau-  
lis sessilibus ovatis lanceolatis~~
7. ~~diffusa~~ ~~H. foliis alternis oppositisque pinnatifidis, caule ~~prostrato~~~~
- ~~umbrosa~~ ~~H. foliis oblongis subintegerrimis, caule ~~erecto~~~~

ovatus Hematonus

Habitat in Peninsula Guis.

Caules tetragoni, glabri, acutanguli, subramosi. Folio petiolata, semi-pollicari, oblonga,  
glabra, supra asenia, subtus tenuissime nervosa, serrata, acuta. Flores racemosi, rem-  
di. Pedunculi filiformes, uniflori, patentissimi, glabri. Folio floralium pinnata, serrata.  
Soliola calycis lanceolata.



montana 4. Diandra, foliis oppositis <sup>crenatis</sup> ovatis serratis, caule erecto Lin. suppl.  
p. 200. L.V. p. 561 Thunb. Desf. n. g. 4. p. 757

Habitat in Cap. b. sp. 0 <sup>abax</sup> interdum simplex tetragonus pubescens  
Caulis erectus ramifus glaber <sup>abax</sup> fistulosus. Rami tetragoni foliis  
petiolata <sup>lato ovata obtusa ex glabra</sup> nervosa <sup>crenatis, serratis</sup> unguiculata  
Terminalis <sup>catellata unigloria</sup> aggregata ~~Pedunculis filiformibus~~  
Corolla flava. ~~lobis lei oppositis squamulosis~~

Aragalla africana Royen herb. Plukn. 332. fig. 4

*Trigonura*  
Lubulosa # deand m, foliis oppositis pinnatifidis, caule ~~pubescente~~ <sup>tuberculato</sup> ten.  
Suppl. p. 200 L.V. pag. 56. Thurb. nov. gen. 4 pag. 798

Habitat in Cap. 6 / <sup>tetragoni</sup> ~~pubescentis~~  
~~meo caule~~. Caulis digitalis. Siliqua petiolo, lac pollicaria  
obtusissima, ~~lacinis utraque 3-4 obtusissimis~~ Corolla purpurea  
Rami decussati <sup>subtruncati</sup> tetragoni glabri foliis ramulosis, pinnu-  
sidentes inferiores longiores. Siliqua petiolo lata. Lacinis obtu-  
si integris, oppositis. Petali longitudine foliorum. Peduncululi  
axillares uniflori longitudine foliorum. Corolla flava



unilobatum A. corollis ecaudatis, callis duobus, foliis alternis pennatis, can-  
le paniculato Lin. Suppl. pag. 279. L.V. pag. 550  
Habitat in Cap. b. p. ei O.

unilobata H. Tetrandra foliis oppositis pennatifidis Thunb. Desf. nov  
gener. 4. p. 704

Caule tetragonum pilosus purpurascens statim a basi ramopis  
brevissimus. Rami decussati glabri erecto diffusi. Corymbi  
spithamei. Solia subramis et ramulis, petiolata pollicis  
vix. Peduncululi uniflori unguiculares axillares erecti  
cernui. Calyx pilosus corollae lobum superius bicornu-  
tum. Capsula ovata

macrophylla H. tetrandra foliis oppositis cordatis ovatis dentatis  
Thunb. Diss. n. 9. 41. p. 76.

Habitat in Cap. b. spec. O.

Caules striati a basi ramifera. Rami oppositi tetragoni  
glabri simpliciter ramulosi laxi, pedales. Folia petiola  
tota, glabra subtus pallida venis elevatis, unguicula  
tota. Pedunculi capillares uniflori. Bractea sub basi  
pedunculi sessilis cordato-ovata, obtusiuscula reflexa  
Corolla violacea. Capsula lineari Thunb

non vidi



diffusa <sup>tetrandra</sup> ~~D. D. naja~~, foliis alternis oppositisque pennatifidis, caule patulo  
in <sup>septembente</sup> ~~suppl.~~ p. 200 l. v. pag. 561. Thunb. Desf. nov. g. 4. p. 80.

Habitat in Cap. b. spec. O

Podentia b. spec. foliis pennatis den. l. v. p. 61. fl. reyl. ? sed lacina  
foliorum profunde sinuata serraturis acutis forte potius  
ad unilabratam.

Caules interdum plures radicales simplices angulati; gla  
bra ut in spec. thameri. Folia petiolata glabra unguicul  
lana, pennula ovata obtusa vix notata vel  
interis. pedunculi axillares uniflori apice unius  
vatis. Corolla purpureo violacea

~~non vidi in eodem cum Podentia b. spec.~~