

Hippocrepis

1. unifiliquosa H. Leguminibus fessilibus solitariis rectis
2. multifiliquosa H. Leguminibus pedunculatis confertis annularibus margine extenore lobatis foliis calycibusque glabris, caule herbaceo
3. balaanica H. Leguminibus pedunculatis confertis, margine extenore lobatis foliis calycibusque pilosissimis, caule suffruticoso arietati
4. comosa H. Leguminibus pedunculatis confertis arcuatis mucronato-fimbriatis, utroque margine fimbriatis

1 unispicquosa 44. Leguminibus sessilibus solitariis rectis Len. 1. 11

Ternum equinum filiqua singulari Bauh. pin. 349.

Ternum equinum vulgare Pol. Liph. 1. p. 302. 1. 300

Habitat in Italia O. ^{diffusi} Ampedales
Caulis plures basi in ramos subsutome divisi. Rami sim. pluri spon-

depressi teretes. folia bipaja. foliola sessilia opposita infima alterna

Stipula lanceolata ^{interna} glabra. flores axillares solitarii rariis gemini subsessiles. Legumen
sesquipollicare parum arcuatum partem unam altero latere
sinuato lobatam

villosa Hippocrepis leguminibus pedunculatis umbellatis anuatis hirsutis, articulis
curvato-angulatis, marginibus ~~externis~~ articulis annulatis.

Terrum equinum indicum, & legumina multiplicia, aut filiquis in sum-
mitate plurimis. Garsini

Habitat in India Heb. Fuscis

Rarior Hippocr. balearica - Caulis diffusus, flexuosi, palmases, glabri.

Folia 3-5 pinnis: foliola linear-lanceolata, emarginata, unguiculata,
glabra. Stipula parva, oblonga. Pedunculi folio longioris, triflori.

Legumina & pili albidis hirsuta incana; ^{est in summo repanda} articuli annulares mediant
plano stylo brevi in medietate coherentes, plani

2 multiflegosa H Leguminibus pedunculatis confertis circularibus margine ^{exteriora} altero
lobatis ~~Len. h. v.~~ ^{foliis calycibus} que glabra ~~Hort. bot. 3. p. 60~~ caule herbaceo

Ternum equinum filiqua multiplici: Bauh. pin. 349.

Ternum equinum alterum polyeratom Colum. eiphr. 1. 8. 300.

Habitat in G. Narbonensi, Hispania, Italia, cretaici. ☉

Cauli decumbentes striati. folia brygia, foliola oblonga, vix mucronata
et lobata subunguiculata. stipula lanicolata acuminata. Pedun-
culi axillares solitarii reflexi vel proflui. Legumina compressa
laevia glabra uniter lobata.

Hippocrepis ~~con~~ multiflegosa Leguminibus pedunculatis
confertis circularibus margine altero lobatis Len. h. v.
pag

Hippocrepis culta

3 balcanica G. Leguminibus pedunculatis confertis ~~subaristatis lanceolatis-oblongis~~
~~lobatis foliolo linearibus longi lanceolatis obtusis~~
gibbi margine exteriori ~~spandi~~ ~~racqu. mif. 2. p. 305.~~ foliis calycibus 3
nervatis ~~caule suffruticoso antheris~~

Habitat in Insulis balcanicis, 5 Minoria

Caulis inferne lignosus ~~terti~~ ^{antheris} glaber. folia 7-9 juga. foliola pubescentia,
obtusis intermedia majora ~~seu~~ ^{seu} ~~urguendana~~ supra glabra, subtus pilis rari-
bus adpressis pallidiora basi acutiuscula. Stipula subulata. Pedunculus
ex apice ramorum elongatus, erectus. flores octo umbellati breviter pedi-
cellati. Calyx pubescens Leguminis

Hypocrepis balcanica Leguminibus pedunculatis confertis subar-
istatis lanceolato-oblongis margine exteriori ~~spandi~~
p. V. p. ~~racqu. mif. 2. p. 305~~

bifleguosa 9. Leguminibus pedunculatis geminis circumstantibus. margine
extende lobatis lobis bicornibus

Hippocrepis biflegua Forst. Catal. plant. Oryp pag LXXI. no
371.

Habitat in Ogypto

Planta pusilla foliola squarrosa parva glabra linearia obtu
suscula. stipula parva membranacea. Legumina sequipol
licaria primum recta demum circulari lobi utroque
acumini longitudine lobum ipsum exante divaricato arcuato
ut primum versus sequentem ut annulatum finis totus annulus
format.

4 cornosa $\frac{1}{2}$ Leguminibus pedunculatis confectis arcuatis: ^{municatis habus} ~~marginis exterioris re~~
~~panis Lin. S. V.~~ ~~Mant. 445.~~
utroque margine truncatis 41 or. ~~habus~~. 3. p. 61

Ternum equinum germanicum, si leguis in summitate Bauh.
pen. 346.

Ternum equinum cornosum f. capitatum Col. eiph. 1. p. 302. & 301.

Habitat in Germania, Italia, Gallia, Anglia cretaceis, 24
Caulis dimidiali ramosi, teretes. folia 2-4 juga. ^{foliola} ~~puberula~~ ^{glabra} opposita
Stipula subrotunda. Pedunculi axillares solitarii striati, striati bypol
leians. ~~flora~~ ~~caeter~~ p. Legumina pollicaria teretia interstitiis
compressis

Hippocrepis cornosa Leguminibus pedunculatis confectis arcuatis
fiat ab margine exterioris repandis Lin. S. V. Mant. 445