

Lawsonia

1. *inermis* L. *inermis*, foliis ellipticis utrinque acutis
2. *spunosa* L. ramis spinescentibus
3. *acronyctea* L. *inermis*, foliis longe petiolatis cuneiformibus

13 *Acronychia lausoniae* meroni, foliis longe petiolatis cuneiformibus Hen. Suppl.
219. t. V. p. 362

Acronychia Lewis. *Bot. gener.* n. 27.

Habitat in nova Caledonia et senota
glabra. Folia sesquipedalia emarginata. Petiolus ad insertionem articu-
latus. Racemi axillares simplicissimi. Calyx omnium minimus
petala linearia, apice ungue reflexo. ~~leaves~~

emarginata

Laliate Lauponiae foliis foliatis puberulis Lour. fl. Cochinch.

pag. 224

Adultenna Daun Salawan Rumph. Amb. Lib. 10. C. 42. fol. 25

fig. 1. *excluso/synonymo Mont. var*

Habitat in Cochinchina. 5

*Arbutula bipedalis. Folia acuminata, glabra, petiolata,
grassa, 8 loci corymbosae racemose terminaliter albi. Cal. 4
fidus. Bacca subrotunda 4 superius parva 4 loculari poly
sperma interdum 1. 2-3 loculari*

non vid.

2 *Spunofa Lawsonia ~~spunofa~~ ^{ulsi} ramis quinquecentibus*

Mail-anjhi Rheed. Mat. 1. p. 73. t. 40

Rhamnus malabaricus. Mail anjhi Pluk. alm 310. t. 220. fig. 1.

Cyrtus Rumph. amb. 4. p. 42. t. 17.

~~Lawsonia~~ ramis spunofis Lin. S. V. pag. 382 Haspley. et. 464*

Habitat in Arabia, India

Similis *L. enormi* at ramuli horizontales in summa rigidam definentes.

Flores multoties minores.

Folia opposita vel alterna seplia. utraque acuta

