

Loeflingia

77 Loeflingia Cal. 5-petala Cal. 5-phyllus. Cor. 5-petala. Caps. 1-loculari  
3-~~v~~alvis, polysperma

foliis utrinque 1-dentatis

#  
~~hispanica~~ Loefflingia <sup>in Hispania</sup> Act. holm. 1750. p. 16. v. 1. f. 1. Loeffl. d. 113. t. 1. f.

# hispanica L. Loefflingia  
lingua floribus  
triacanthis monogy  
nis

~~11111111~~  
R. Lin. Spec. pl. 50.

Habitat in Hispania collibus apricis, inque regno Tingide

Caulis ~~plures~~ digitales vel ultra, viscosi, tenuissima pubescentia:

Rami breves, ~~acterni~~ floriferi. Folia ~~oblonga~~, ~~opposita~~, semi

# in fano lineu ~~un~~ <sup># subulata</sup> ~~un~~ ~~guiculana~~, ~~linearia~~, basi parum latiora, utrinque denticulo

acido brevissimo, mucrone brevi terminata; superiora subulata,

indentata, denticulis lateralibus in medio folii, erectis. Flores

# conferti, ~~in~~ ~~axillares~~, sessiles in specie lateralibus, unguiculatis, im

bricatis. ~~bract~~ Calycis apice et lateribus utrinque spinula  
flavescente, subinermi.

Loeffl. part. videtur species alba, ~~indica~~ vel Pharnacia, ~~discreta~~ an Pharnacia  
simul vel alia species

pentandra 2. Loeflingia <sup>floribus pentandris, dig trigynis</sup> ~~foliis subulatis utrinque unidentatis, floribus trigynis~~ <sup>pentandris</sup>  
Loeflingia pentandra; foliis oppositis subulatis connatis utrinque uni-  
dentatis, floribus trigynis Cavan. ic. 2. p. 39. t. 140. f. 2.

Habitat in arenosis maris mediterraneis G.

Caules prostrati, bipollicares tripollicares, teretes, villosi. Folia  
brevia. Flores axillares, sessiles, lascivulati. Calycis foliola  
ovata, tria exteriora utrinque bidentata. Corolla alba. Stamina

Habitus. Caules <sup>herbarici</sup> plures; Rami alterni, floriferi. Folia subu-  
lata ad articulos opposita.

Loeflingia indica quamvis diversa a Phac. vix hujus generis.

Tabri Sch. Culmo compresso capituli solitani involucrio maximo vertis, apicibus  
bicus exteriorem squamam longissimo folio verrucato Rothb. gran  
pag. 62. Tab. 19. fig. 2.

Habitat in Canbis

Culmus altus glaber articulatus articulis 5-6 pollicibus.  
Folia graminea sesquipedalia basi vaginante cannae striata  
basi versus pilosa. Capitula terminalia et lateralia, magnitudi-  
nibus juglandi solitana squamis porrectis ovatis acuminatis  
erectis. Anque hirsuta sunt. Extremis in foliis longissimis depre-  
sibus.

vix placet nisi ~~monstrum~~ monstrum ~~quoddam~~ quoddam granum  
monstrum Andropogonis vulgari