

Loperia <sup>inqualis</sup>

Cal. 4 phyllis superis. Cor. 5 petala. Caps. 4 locularis, 4 valvis polysperma  
sacrosal L.

Monandria. Monogynia. ~~Loperia~~  
Monogynia

1 Loperia. Cal. 4-phyllis, superis. Cor. 5-petala, inqualis. Caps. 4-  
valvis, 4-locularis, polysperma.

hirsuta 2. Lopezia foliis ovatis <sup>villosis,</sup> (antequam Verati hirsuta).

Lopezia hirsuta Gaerth. collect. suppl. p. 5. t. 19. f. 4.

Habitat in Mexico? O

Similis proidentem: at folia basi non attenuata, frequentius serrata  
veno copiosiore; petala omnia concolora, eam a mexicana distin  
que va videtur, proestem cum cultura non mutatur

~~folia~~ ~~Primum~~ ~~folia~~ ~~alterna~~

Habitus. etc.: Folia alterna, petiolata, <sup>serrata</sup> racemi axillares et terminalis.  
Pedicelli filii capillares. Bractea lanceolata ad basin pedicel  
Comm, quorum versus sensim minores et angustiores



*Heliotropium folia* C. & G. foliis sessilibus oblongis integerrimis subtomen-  
tosis, corymbis vellos Terminali, floribus congestis La Mart.  
Encycl. pag.

Habitat in insula Bourbonis 5

folia linguiformia tomento nubescente, ad apices ramorum  
approximata & 5 pollicia pollicem lata. Pedunculi 5-6  
flori. Pappus ferrugineus.

mexicana 1. Loperia foliis ovatis basi attenuatis cauleque Tetragono glabris  
Loperia racemosa; caule herbae ramoso, foliis alternis ovato-lanceo-  
latis serratis: floribus racemosis. Cavan. 2. 1. p. 12. t. 10.

Pizaura automorpha Bonati Monogr. Pad. 1793. cum tab.

Loperia racemosa Cud. Mag. vol. 8. t. 254.

Loperia mexicana Jacq. coll. suppl. p. 3. t. var. t. 203.

Habitat in Mexico O

Caulis quadripedalis et ultra, folia remota serrata, simpliciter veno-  
sa. Calycis foliola linearia, purpurea. Corolla incarnata: petala  
duo superiora linearia, breviora, dilutiora; duo cuneata; quintum  
inferius obcordatum, plicatum \*



Classis  
Monandria  
Monogynia

\* Flores completi

1. ~~Lopezia. Cal. <sup>+ inferi</sup> 4-phyllus, superior. Cor. 5-petala, inaequalis. Caps. 2-valvis, 4-locularis, polysperma.~~
2. ~~Cucularia. Cal. minimus, 4-lobus. Per. Pet. 4. Duo majora con-  
cava, altero basi corniculato: duo interiora breviora  
linearia. Anth. loculis discretis~~
3. ~~Usteria. Cal. 4-dentatus: Calicinia unica reliquis major. Cor. infundi-  
buliformis. Caps. 1-locularis, 2-sperma. Sem. anillata~~
4. ~~Qualla. Cal. 5-phyllus, foliolo unica majora, basi glandula calica-  
rato. Cor. 1-petala. Per. 2-locularis, polyspermum~~
5. ~~Mangifera. Cal. 5-fidus. Cor. 5-petala. Stam. 5: 4 sterili. Ovary baccata  
1-sperma, putamane flori effigies~~