

Lunaria

1. rediviva. l. foliis alternis, pliculis lanceolatis
2. annua. l. foliis oppositis, pliculis ellipticis

folia infima opposita superiora alterna & in utroque deoqu
alio nota querendo nec nota e plicula valed

Lunana

Lunana fruticosa, perennis, incana, Leucori folio Tournef. Cor. pag. 15

Habitat in insulis maris Aegaei herb. Tournef. 5

Caulis basi ramosus, uti tota planta, incana.

habes

angustifolia Lunaria

Habitat in Persia herb. Desfont.

Caulis adpressus, teres villosus, scaber. Folia bipinnatifida, lanceolata, integerrima, basi attenuata, orbiculo armato pilis stellatis villosa, inferiora petiolata, superiora sessilia. Calyx et corolla purpurea. Siliqua juncea stylata, etate mutua, unguiculari glabra, oblonga, bispiciata. Dissepimentum parallelum, membrana tenuis sine. Semine 2. in fructu orbulo, superiore ad suturam annexa, com pressa. Hamula absque dente

redwiva L. foliis alternis Lin S. V.

Viola latifolia Lunana odorata Clus. hist. 1. p. 297.

Viola Lunana major, siliqua oblonga Bauh. pin. 203.

Habitat in Europa septentrionaliore &

redwiva L. foliis lanceolatis Retz. off. 1. p. 22

Siliqua lanceolata pollicari

non vidi

Bell. Euph. Vern. 7. 1. 2.

Lunana fide orientalis siliquis absque foliis Tournefort
dedit Guss.
Caulis adscendentibus, ramis, villosis suffruticosis.

annua l: foliis oppositis Lin. h. V. p. 5924

Sida latifolia Dod. pempt. 161. Dalech. hist. 805.

Lunaria major, siliqua rotundiore Bauh. hist. 2. p. 801.

Habitat in Germania. ♂

Siliiculis ellipticis Retz. off. 1. p. 22

Caulis erectus ramis pedunculatis folia superiora alterna
sessilia cordato ovata venosa fibrata, inaequaliter dentata
seriata vix armata pilosissima. Racemi axillares
supremis et terminalibus. Siliicula sesquipollicares glabra
laevae

Beff. exst. vern. 7. fig. 1