

Lundia

Analisis

Cal. 1 phyllūm 10 dentatū dentibus alternis latioribus. ^{lacrimis} Corolla infun-
dubuliformis. Capsula unilocularis

involuta

Analectis

Lundia Vahl.

Corolla monopetala, hypogyna, tubulosa: tubo medio dilatato; limbo 7 fido:
laciniis oblongis. Stamina 7. summo tubo corollae inserta, aeternantia
cum filamentis longis. Germen superum. Stylus 1. Stigma bifidum.
Fusca.

Speciosa Analepis

Habitat in dorso montium Zeylonensium ^{7.} *nuncti elevatis* Gri

Caulis scandens. Rami, subtetragoni, glabri, purpurascentes, ^{et} *et*
adpressi. Folia petiolata, opposita, palmata, elliptico-lanceolata, attenu-
ta, acuta, basi obtusa, integerrima, utrinque glaberrima, supra

florolia nitida, subhis venosa, membranacea. Petiolus brevis, supra
pollicariis canaliculatus. Stipulae nullae. Pedunculi ex axillis superioribus
ovato-oblongis, oppositis, filiformes, foliis parum longiores. Flores in apice
collecti, sessile intra involucrium hexaph ^{7.} *7.* involucrium hexa-

phyllum: foliis linearibus oblongis, pollicaribus, ^{inopaealibus} obtusis ^{et} *et*
integerrimis, venosis glabri, in planta viva purpureo. Calyx

+ Flores inveni
turi brevis
res

monophyllus, campanulatus, 10 dentatus: dentibus alternis lon-
gioribus alt angustioribus subulatis, alternis brevioribus ovatis.

Corolla monopetalas, infundibuliformis, longitudine calycis, regularis
quinquefidus: laciniis ovatis glabri, fere hirsutus. Filamenta 5
inter lacinas corollae, corolla longiora. Anthera parva. Germen
superum sessile, oblongum, incanum. Stylus unicus, staminibus
longior: stigma simplex. Capsula unilocularis. Semina plura

~~Mangrovioides~~

~~Habitat in India occidentali;~~

~~Rami teretes, glabri. Folia petiolata, alterna oblonga vel ^{ovata} elliptico lanceolata, acuminata, glaberrima~~

~~supra laevia ^{oblonga} concava, nervosa, subtus venosa, acuminata integerrima~~
~~Petiole vix ^{oblonga} bipollicaria et ultra stipula nulla. Pectunculæ~~
~~unguiculatæ ^{oblonga} terminalis pollicari et capis pedicellorum ^{oblonga} tria~~
~~parva. Pedicelli alterni conferti uniflori pedunculo~~
~~parum longiores. Fructus inferus coronatus calyce~~
~~quingidentato: dentibus acutis obtusis~~

~~Calyx 5phyllus, superioribus subrotundis, bifidis laciniis obtusatis. Corolla~~
~~5petala uncinata, bifida laciniis ovatis acutis. Filamentis 10. basi~~
~~corollae insertis plura sursum parum angustatis, versus antheram parum~~
~~filosa, per antheram percurrans ad medium. Anthera ovata, compressa~~
~~ovata acuminata, bifida. Stylis unicus. Stigma obtusum.~~

~~Drupe 6 locularis loculis polypermis semina linearia & subangulata~~
~~genus cum flore defuit punctulata~~