

114 ~~7~~ ~~114~~ Machorina ⁷ Palca ^{taxe} imbricata. Calix bivalvis
Corolla 0. Semen 1. Seta base seminis

Palca persistens

restioides ¹ 2. Maeheria spicis oblongis, stylo tripartito,
culmo ancipiti.

Schoenus restioides; culmo foliisque interne compres-
so-ancipitibus glaberrimis, floribus paniculatis, un-
genis apice lanceolatis. Swartz Prodr. 19. Flor.
ind. occ. 1. p. 104.

habitat in Monserrat In. Rujan.

Culmus erectus, simplicissimus, compressus, ancipis, apice trique-
ter, articulatus. Folia radicalia plura, basi equitantia, culmo
dimidio altiora, pollicem lata, enervia, glabra, ^{margine ferrugineo} facie folio-
rum tridit germanica, basi equitantia, ^{ancipiti} in ^{superiore} pro-
ter floralia superne in culmo. secunduli conjungo-panicala.
ti, plures e vagina prothylacea, alterni, ^{ancipiti} semel vel bis rari

~~caulibus~~ vaginulis undique \neq ad divifuras. ~~Spicula~~ ^{spicula} apice ramu-
lorum oblongo, ~~pauciflora~~ pauciflora. Stamina ovato-lanceolata.

Stamen trigonum.

Stigma polygamum. Seta pistillo adfidenter. Filament 2-3. Seta

Stigma 2:2:

~~Stigma~~
Habitus: ~~caulibus~~ : caulis vaginati, foliosi. ~~Stamina~~ ^{Stamina} caulis longiora