


Margantana

1. nobili M.



a flor. magn. hater
 b ————— auctus
 c receptaculum cum flom
 d folia Scamca
 e flor. foemineu.
 f ————— calyx et pist.
 g antherum colyca oblatu
 h ————— anther
 i Capsula utro
 cum valvulis
 k capsula solitar
 l semen

margaritana

nobilis Margantana Lin. Suppl. pag. 420. L. V. pag. 890

Habitat in Montserrat incolis quoniam flos dicta de Ryan 5.

Rami flexuosi, ^{circumscissis} glabri, pubescentes perunctis numerosis albidis adpressis, superne

^{compressis} folia ^{in ramis} petiolata, alterna, ~~late~~ elliptica-lanceolata, sesqui-polluciani
vel ultra, utraque basi apiceque acuta, integerrima, glabra, subtus palli-

^{diura.} Petiolus semi-unguiculari. Stipulam utrinque lanceolata, attenuata
parva, decidua.

♂ Floris in axillis in distincto individuo

Pedunculi laterales et ex basi ramulorum, cespitosi, capillares, uniflori
vix unguiculares, basi bracteis minutis.

Calyx Perianthium minimum, quoad dentatum tetraphyllum. folioli ovatis

Corolla tetrapetala: petalis subrotundis patentissimis, calyce inserta.

Stamina filamenta quatuor, longitudine corollae, disco receptaculi inserta
anthera oblongam

Pistillum nullum, disco mucrone brevi loco germenis

♀ Calyx ut in mare persistens, reflexus, &

Corolla ut in mare

Stamina nulla

Pistillum germen superum, receptaculo convexo infidens, oblongum, glabrum angu-

nobilis Margaritana Lin. Suppl. p. 420. t. V. p. 290.

Euonymus margaritiferus pentaceticos americana Planch.

1776. Febr. 4.

Habitat in Tennamot?

ma? Rami teretes brachyati, flexuosi. Folia opposita petiolati
ovata, coria integerrima, consistentia magnitudine
Euonymi. Panicula ex racemis composita, floribus copios
fimis parvis ut in spec. a. a. am. Germin obtusum minu
tum abortiens. Stylus setaceus simplex. Foemina differt
foliis alternis, minus consistentia. Pedunculi axillari
bus simplicibus, unifloris. Stylis quatuor s. Lin