

Maritza

Cal. 5-phyllus. Cor. 5-petala. Capsula quodnloculari, polyperma
Stigma simplex

1. racemosa M.

racemosa Marila Sw. prod. pag. 84.

Habitat in Montserrat In Ryan &

Rami glabri, teres teretes, ~~per~~ cortice flavescente, apicem versus alter
natum compressi, purpurascetes.

Folia petiolata, opposita, quinque vel 6 pedicellata, lobo-lanceolata,
subattenuata, acuta, integerrima, subcoriacea, transversim nervosa,
avenia, utrinque glaberrima subtus panem pallidiora.

Petioli viri pollicares, glabri, supra canaliculati.

Racemi axillares, erecto-patentes, sonati, solum longitudine fere
foliorum. Pedunculi alternatim compressi, uti pedicelli, e pulve
re tenui cinereo flavescetes. Pedicelli parvi, seminum quidem
cares, fructiferi longiores.

Rapula cylindrica, pollicares, incurva, stylo terminata, gla
bra

racemosa Manila Sw. prodr. pag. 24

Habitat in Montserrat, St Christoph. &

Rami teretes, superne compressi, glabri
Folia petiolata opposita, lato-lanceolata attenuata, integerrima
glabra nervosa quoad vel quinquepollicaria
Petiolus unguicularis. Stipula nulla

Racemi axillares oppositi ^{et terminales} foliis brevioribus 9.
vel undecimflori. Pedicelli oppositi, unguiculari, patentes compressi
si ut pedunculus, distantes, tenuissime pulverulent.
Britia minuta fibrosa decidua