

Mazur

negosii Mazur. Lour. fl. Cochinch. pag. 385

Habitat in Cochinchina

caulis herbaceus, annuus, suberectus, semipedalis, ramosus. Folia ovato-ferata rugosa  
flores in <sup>spica</sup> ~~racemo~~ opposita. Cal. campan. magnus 5-gonus 5-fidus, ~~5-peptens~~. Laciniae lan-  
ceolatae. Cor. lobum superius acuminatum subfor nicatum, lobus bifidum  
inferius trifidum: laciniae rotundatae, filamenta per paria inflera. ~~Stigma~~  
gynathelium haec bifidum. Capsula subrotunda compressa biloculari  
ovul. poly sperma

inchi cy hotus -

Coniacea Laugeria foliis elliptico-ovatis subconicis utraque glabris concavo lobisque  
obtusis pilis, fructis bifidis. L. de la Monte

Habitat in Monte de Ry

Rami superne compressi tetragoni, glabri, cortice cinerisante, punctati.

Folia petiolata, opposita, bipollicaria et ultra <sup>in dextera</sup> ovato-elliptica, <sup>indurata</sup> ~~obtusis~~  
fructu <sup>conico</sup> subconica, utraque glaberrima, <sup>obtusis</sup> ~~fructu~~ <sup>terreno</sup> ~~fructu~~ <sup>obtusis</sup> ~~fructu~~ <sup>obtusis</sup>  
Spica et alii penultimis, opposita bifida; ramus alter interdum ternum  
semel divisus; pedunculata. Pedunculis erectis <sup>2-3</sup> pollicares, perispermia  
rescende, glaberrimi, compressi pilis; substrati. Flores in calore superiore  
partiales, pona secundi, alterni; distantes. Calyptra monota in mano laxa inequaliter  
longiora potest subdentata. Fructus quadricellari