

Medicago

An. Sep. 18. Similis e borana Commun.

elegans pol. *Medicago*

medica orbiculata elegans, orbiculis circum oras rugosis Raji herb. 962.

Habitat. Herb. Fuss.

glabra. Siliola obovata, pollicari, junior villosa, denticulata. Stipula ovata, dentato incis. Legumina depresso, diametro unguiculari, a venis marginis remota crenulatis.

hamata polym. Medicago villosa, pedunculis multifloris brevissimis, leguminibus globosis
spinis seta caetera hamulosis, stipulis lanceolatis integerrimis.
Medica incana et villosa flore luteo. - Hab. Vaillant.

Habitat. herb. Mus.

Caulis teretes, uti reliqua planta, villosi pubescentes. Folia longa petiolata
foliola obovata, emarginata, apice vix serrata, unguiculata. Stipula
attenuata. Pedunculi superne, brevissimi, 5-7 flori. Erectus magnitudinis
rapi. Spinis longa.

Cylindria pol. Medicago pedunculata uniflora, leguminibus cochleatis cylindricis
oblongis glabris spinosomunicatis, folioliis obcordatis, stipulis dentatis
Medica polycarpa seminum theca cochleata cylindroidea H. Cath.
Medica cretica, parvo fructu, aculeis sursum et deorsum tendentibus
Tournef. Cor.

Attahat in Creta Herb. mus.

Pubescens. Caulis tenues, ramosi. Foliola striata vix semiunguicula
nei apice serrata. Stipula serrata incisae. Legumina unguicula
ria, spines parvas rigidas armata. Pedunculi aristati

~~herbata~~
~~magna~~ polym. Medicago pedunculis multifloris, leguminibus depressis spinulosis,
stipulis ciliatis.

Medicago polycarpus foliis obtuso crenato Tournef. In. R. Herb. cum Synonymo

Bauh. jun.

~~Medica magna herbata echinata f. Bauh. 2. 305.~~

^{Habitat herbis mur.}

Medica echinata magna polycarpus, foliis glabris cauliculis proceris
bentibus nodosis Pluken. alm. 244.

Tota glabra Caulis angulatus. Stipula ciliata. Pedunculi 7 flori, parvi
Synon. ex Bauh. hist. huc non pertinet cum in Descript. Bauh. nil de his
fuit com merra oritur.

virginica
~~pedata~~ M. caule erecto ramosissimo, floribus fasciculatis terminalibus

Lin. S. V

Lotto affinis trifoliata frutescens glabra Pluch. mant. 120

Habitat in Virginia

Aedysaria septiflorum

Spec: *Aedysaria*

arborescens. Leguminibus lanatis margine integerrimis, caule arborescens Lin. l. V
p. Mull. Diet. V. 175.

Cytisus Maranta Lobel. Ic. 2. p. 46.

Cytisus incanus, foliis foliatis Bauh. pin. 309.

Habitat in Rhodo, Neapoli, Barbana &

Rami incani: Verticis. ^{lope} Solia plura ex eadem gemma. Solida obtu-
rata fultis incana apice denticulata, petioli brevior. Stipula
fetacco subulato ~~petiolo~~ Rucem, pedunculati axillares
lacino calycis subovate acuta

foliata M. pedunculis racemosis, leguminibus lunatis, caule prostrato Lin
S.V. fe. Dan. Tab. 233.

medica flavo flore Pluf. hist. 2. p. 245.

Trifolium fibratile luteum, siliqua cornuta Bauh. pin. 330

Habitat in Europa praeae apneis, sicis 4

Caules ramosi, ^{puberulati} villosiusculi. Foliolia linearia sublineata ^{quae}
subserulata cum acumin. mucron. subtis villosiuscula, petiolo longio
na. stipula lanceolata. Racemi axillares folio longiores. flores
distanti. Bractea seando ^{lati} setacea. pedicelli breves. lacina
calycis setacea. Legumina unguiculana villosiuscula

Salvia M. pedunculis racemosis, Leguminibus contortis caule erecto glabro
Lin. S. V.

Joenum burgundicum Lobel. ic. 2. p. 36.

Medica Legitima Plaf. hist. 2. p. 242.

Medica sativa Monf. hist. 2. p. 150. p. 2. t. 16. fig. 2.

Habetat in Hispania, Gallo, Barbano apneis ^{ex infulo fl. nris} & ^{quique mis/} ^{curcata}

Cauli ^{terren} subsagulatus villosus ^{apice serrulatus} foliola ^{linearia nervosa}
unguiculata ^{ramis} latiora quam in foliis ^{subtus villosula}
stipula ^{subulata} ~~caecolata~~ ^{stipulata}. Racemi axillares folio lon
gioris pedicelli basi breves calycis ut in foliis

obscura M. pedunculis racemosis leguminibus reniformibus integri-
mis, caule ^{sub hirsuto} diffuso horto Retz. obs: 1. p. 24. t. 1.

Habitat

caulis angulati. foliola obovata nervosa extrosum leviter
petiolo breviori supra glabra juniora subtus pilosiuscula
stipula ovata mucro serrato attenuato ^{pedunculis} axillari
longitudine folii. flores conferti subumbellati. Legumina
glabra obtusa reniformi orbiculata.

Circinnata M. Leguminibus reniformibus margine dentatis, foliis pennatis Hort
~~Folculis integerrimis~~
Cliff. 3774

Loto affinis filiquis hirsutis circinnatis Bauh. pin. 333.

Habitat in Hispania, Italia &

Caules diffusi simplicis vellosi. Venetes. Folcia radice alba
et infera simplicia ^{cum unguari 3 pezzi} superiora ~~quadrata~~ pennata, folio
intermedio reliquis in parte plerumque ^{Duple majori soper}
in frontanea in inferioribus ^{pollicari vel ultra} duplo cuneata integerrimis
vellosa crispifida enervia puberula. Stipula foliifera
mei vel potius nulla cum in petiolo. Pedunculis aq.
caere longitudine fere folii 2-4 flori. Legumina
orbiculata reniformia unguiculata vellosa denticulata

in folium falcatum Prosp. alp.

variet leguminibus integerrimis & denticulatis herb. Mus.

— folculis integerrimis

radiata M. Leguminebus reniformibus margine dentatis, foliis ternatis Hort.
Cliff. 3774.

Lunaria radiata Italorum Lobel. ic. 2. p. 30.

Trifolium filiqua falcata Bauh. pin. 330

Medicago annua, filiqua falcata striata Monf. hist. 2. p. 150. f. 2.
Tab. 16. fig. 3. Tournef. 4. t. h.

Habitata in Italia O

Caules prostrati glabri ^{vel anguiculati} nudi. foliola obovata venoso

venulata glabra. Stipula lunicolata attenuata. Pedun-

culi axillares capillares longitudine folii 1. 2 flori

legumina sic pollicaria glabra venoso reticulata margine

dentato denticulato ciliata

medicago annua trifolii fovea. Tournef. Gast. v. l.

virginica M.

Lupulina M. spica ovalibus; leguminibus reniformibus monospermis, caulebus pro-
cumbentibus Lin. S. V. fl. Dan.

Trifolium pratense luteum Buchf. hist. 819.

Trifolium pratense luteum, capitulo brevior Bauh. pin 320

Habitat in Europa pratis &

caules angulati ^{velopulvis} ratiore foliis loci majori vel minori.
folia petiolata foliola obovata emarginata cum mucrona
extropem serrulata puberula glabra juniora villosa.
stipula ovata acuminata serrulata pediculi folio longior
flosi pluri approximati parvi. Legumina nigra
Specimen legi Tuneti caule pro more villosa folioli
floribusque minoribus ^{villosa ut fere canescens} vix tamen nisi varietas loci

manna M. pedunculis racemosis, leguminibus cochleatis pinnatis, caule prostrato
bente tomentoso Hort. Cliff. 3704

Medica marina Clus. hist. 2. p. 243.

Trifolium cochleatum ~~maritimum~~ tomentosum Bauh. pin. 329

Habitat ad littora maris mediterranei &

Tota planta micans tomentosa subsessile ramosa. Rami teretes
folia petiolata. foliola obovata serrulata. floris confertis
subumbellatis flavis

carstensis M

Medicago carstensis Gayen. coll. 1. pag. 86

Habitat in Carniola 2

^{non} Caulis plures erecti angulati. Rami axillares. Stipulae ternatae petiolatae
foliola ovata obtusiuscula serrulata. Stipulae semisagittatae acute angu-
late dentatae serratae. Pedunculi axillares folia subvagantes subumbellati
fere ut in coronilla sub 7 flori. Corolla lutea. Legumen cochlearum niti-
dum atum depressiusculum sutura extensorie ciliis longis purpureis deorsum
divergentibus. Gayen

non vid.

prostrata M. ~~4~~ Leguminibus rothleatis inermibus, foliis ternatis
cuneiformibus, apice dentatis, stipulis setaceis integerrimis,
caule diffusis ha. suppl. p. 340. l. V. p. 690

Medicago prostrata Guign. hort. p. 32 Tab. 19.

Medicago mantuae satatilis, minima, perennis, foliis angustis
nibus in apice ut. p. fructu parvo non fructo

Habitat

Caules glabri ^{sub.} angulati foliolo angusta et prostrata superne
stipula inferiori ⁱⁿ lanceolata serrata unispinata. Pedun-
culi plerumque quadriflori. flores parvi uti Legumina
Legumini

Caes. supernibus subulati

Dalea pifolia pinnatis, spicis cylindricis Vermenalebus

polymorpha M. Leguminibus cochleatis, stipulis dentatis, caule diffuso.

Lin. S. V.

Trifolium cochleatum, fructu nequo hirsuto Bauh. pin. 329.

orbiculatis M. p. Leguminibus solitariis cochleatis depressis planis, stipulis ciliatis, caule diffuso. Bauh. monsp. 186. Pei. pl. p. 10974

Med. pedunculata uniflora angustata, leguminibus cochleatis compressis rugosis nudis Ger. 516.

Trifolium cochleatum s. scutellatum, folio lato, fructu minuto obtuso Bauh. prodr. 140. Pei. 324.

Medica orbiculata Bauh. herb. 2. p. 384.

Medica major dicarper, capsula compressa orbiculata nigra plana sive crispis Monf. herb. 2. p. 152. f. 2. v. 15. fig. 1.

Habitat in Bastania.

Rauis glabri inferne tenet. rami angulati foliola orbiculata sive setosa. Legumina unguicularia glabra margini acuto
Lovi inermi

rugulosa ^m pedunculis multifloris angustatis; leguminibus compressis vix
rugulosis nervibus; stipulis cralato-feratis

Habitat in Barbaria

simili priori at flor pedunculi multiflori legumina 3-ple vel
quadruplo minor

Caulis superne bifoliola junceus villosus

ex minif. fig 4. certa maxime simili sed hanc figuram ad stipellatum
mutavit hanc: cujus pericarpium globosum nec compressum

scutellata M. p. cochleata major di-carpos; capsula rotunda globosa scutellata.
Mons. herb. 2. p. 132. f. 2. t. 15. fig. 4. spec. pl. p. 10974
Med. pedunculis multifloris, leguminibus cochleatis globosis inermibus
nudis per. 516.

Infolium cochleatum, fructu latiore Bauh. pin. 329.
medica scutellata Bauh. herb. 3. p. 384

Caulis ramosus, tota planta folioli supra exceptis villosis. foliola
obovata stipula lato ovata dentata pedunculi folio brevior
biflori anthera terminati. Legumina venosa margine acuto
integerrimo

Descriptio Mons. optime quadrat cum nostra figura
Leguminis vero maxime haud optime quam figura 3 vero
magis comparat sed secundum descriptionem huius legumen com-
pressum. pedunculi biflori habet Mons. nec multiflori
quod forte rectius

medica cochleata major etc. rugulosa alba Mons. h. 1.
2. 142. f. 2. t. 15. tab. 15 herb. Mons.

Turbinata M. p. fructu Turbinato Sauv. monf. 107

Med. Leguminibus cochleatis inermibus subcylindricis: extremitatibus
complanatis Gouan. monf. 517.

Trifolium cochleatum Turbinatum, fructu compresso oblongo
Bauh. pin. 324.

medica magna turbinata Bauh. hist. 2. p. 305.

medica dicarpis, fructus capsula Turbinata rugosa Monf. hist. 2
p. 153. f. 2. ~~et f. 6. no 5~~ si potius huius ^{nestinet.} plana

Med. Leguminibus cochleatis nudis cylindricis basi apiceque
planis pilulis

non eda

Tornata M. P. *Tornata* major et minor *Lenis* ^{Portul. Theatr. III 6} ~~Mont. hist. 2. f. 2. t. 15. fig. 11. Spec. pl.~~
Med. ^{13. p. 109. 4} ~~leguminibus cochlearis nudis cylindricis apice breviter planiuscula~~
L. Ger. 517.

~~medica~~ *dicarpos*, fructus capsula turbinata nigra ~~Mont. hist. 2.~~
~~reg. 152. tab. 15. fig. 6.~~

~~medica~~ *dicarpos* fructus capsula turbinata nigra
~~Mont. hist. 2. f. 2. p. 153. t. 15. fig. 6.~~

Habitat *Tunet.*

Bailes angulati villosi a ^{foliis} ~~foliis~~ ^{subque} ~~oblonga~~ ^{set obovata} ~~super glabra~~ ^{ut nique villosi}
~~subtus~~ ^{redunculi} ~~foliis~~ ^{flori} ~~in~~ ^{arista} ~~depressis~~ ^{Legumi}
~~na~~ ^{oblonga} ~~depressa~~ ^{margini} ~~venosi~~ ^{nigra} ~~per glabra~~ ^{Stipula}
va ~~nervosa serrato villosa~~ ^{margini} ~~incrusata~~

marginate pedunculis subbifloris multiseri, corymbis depressis
marginatis herb. 2. off. 2. p. 29

mibi ignota

^{Cylindri}
tuberculata m. pedunculis brevibus anfractis leguminibus ovatis tuberculatis
lati anfractibus quatuor breviter tuberculatis Patz obj bot 2
~~tuber~~ pag 23

michi ignota

coronata M. p. ¹⁸⁰⁷ Lucebu minimo cochulam utrinque dentatam referate.

Med. ped. subbiflora, leguminibus compressis subspinosis, stipuli
subulatis integerrimis. Guian. 204.

Med. pedunculis multifloris, leguminibus cochleatis compressis
spinulis oppositis Ger. 517.

Trifolium foliis obtusis, folliculis cordatis Bauh. prodr. 141. n. 13.

per 329.

Medica coronata cheden parva Bauh. hist. 2. p. 306.

Medica cochleata polycarpus annua, capsula minima

coronata Monf. hist. 2. p. 155. f. 25. & 15. fig. 21.

foliolo obovata glabra. pedunculi quadriflori. Legumina
parva renosa denticulis alternis distantibus.

Subnervis M. pedunculis multifloris leguminibus depresso, marginibus
sub spinis brevissimis paucissimis

Habitat in Barbara

foliola obovata subtus villosula inaequaliter argute
denticulata pedunculi 4-5 flori. Legumina parva
serosa denticulo spinuloso uno alterove

Inbuloides - pedunculis multifloris, leguminibus compressis, pinnis aciculis
lanceolatis paucis distantibus

Habitat in Barbarea

Caulis plures, fere villosi, angulati. foliola obovata argute
vel obcordata
fere denticulata pubes villosi. Stipula ciliata pedunculata
Culi plerumque 4 flori. Legumina parva glabra venosa
Pinnis remote parva

municata M. p. cochleata diapos, capsula spinosa rotunda minore. Monif.
hist. 2. p. 173. p. 2. 415. p. 11.
Med. pedunculis multifloris, Ceymenibus cochleatis subrotundis
spinosis incanis, foliis villosis Ger. 516.

michi-ignot

Cleonia M. p. Leguminibus congestis globosis hippocri, stipulis ciliatis. Sauv. mon
sp. 106 Spec. pl. p. 1099X

Medica annua fructu Cleoniae Tournef. F. R. 4. 41.

glabra foliata obcordata. pedunculis 3 vel quadrifloris
Spec. Legumina parva. spinulae per venas quam in rigidula
sui simili

minima M. p. Leguminibus cochleatis, aculeis uncinatis alternis externe donatis,
stipulis integris Guett. Flamp. 249. pl. Dan. V. 211. Spec. pl. p. 1199x

Spred. Leguminibus cochleatis subternatis, spinulis uncinatis, stipulis
integris Gouan. 204.

Trifolium echinatum fructu minore Bauh. pin. 330

Mesocya echinata minima Bauh. hist. 2. p. 306

Caulis filiformis subramosis, foliola obovata saepe emarginata
glabra. Stipula ovata. Pedunculi longitudo foliorum
^{integerrimo}

hirsuta M. p. Leguminibus foliatis globosis brevissimis echinatis trifoliis serratis.
Auct. men. p. 106.
Med. pedunculis multifloris, Leguminibus cochleatis spinulis hamatis
trifoliis integris Ger. 510.
Trifolium echinatum arvense Bauh. pin. 329.
Medica echinata hirsuta Bauh. hist. 2. p. 306.
affinis papilioniflora. Caulis et foliola villosa herb. mus.

villosa . Pedunculis multifloris leguminibus globosis spenosis hirsutis

Habitat in Barbaria

Affinis rigidula Caules angulati villosuli foliola obovata
vel obcordata subtus villosula . Squula ciliata . pedunculi
2-4 flori . Legumina magnitudine intertexta spenis rigidis
integris pilis copiosis

rigidula M. p. Triphylla, Leguminibus cochleatis spinosis, folioli inferioribus cuneiformibus retusis, superioribus rotundis. Galib. panf. 231

Med. pedunculis multifloris, Leguminibus cochleatis, intense caerulea
Vis Ger. 510.

Trifolium fructu compresso spinis hirsuto Bauh. pin. 329

Medicago hirsuta, echinis rigidioribus Bauh. herb. 2. p. 305. Vaill.
bot. pan. fol. 33. fig. 7

Caules angulati glabri. foliola petiolata obovata glabra
tripulata ciliata. Pedunculi 3-4 flori. Legumini oblonga
hinc sursum et deorsum verso distantes

arabica M. p. cochleata minor polycarpos annua, capsula majore alba
folio cordato, macula fusca. Lin. l. V. p. 693 + Mon. bot. 2. p. 144
s. 2. t. 15. p. 177.
Med. pedunculis subtrifloris, leguminibus ciliatis foliolis oblonga
tu Ger. 516
Medica arabica Camer. hort. 97. t. 27.
Trifolium cochleatum, folio maculato cordato Bauh. pin 329

non vidi

nigra m. v. pedunculis paucifloris, Leguminibus cochleatis hamulis Congitidi
ne Leguminum Monif. bot. 2. f. 2. v. 15. fig. 19.

mon. v. d.

intertexta M. p. cochleata spinosa major diasperis; capsulae spinis longioribus
superum et deorsum tendentibus. Mon. bot. 1. p. 153. f. 2. v. 15. fig. 7. p. 9.

Med. pedunculis unifloris, Leguminibus cochleatis sphaericis, spinis lon-
gioribus divaricatis recurvis per. 510.

Medica echinata spinosa, echini magni. utraque tuberculati
cum spinulis flexis Ray. bot. 962.

Caulis angulatus. foliola obovata glabra nervosa parum
emarginata cum mucrone. stipula lanceolata ciliata
pedunculi 2 flori in culta 3-4 flori fructiferi folia longitudine
legumina duo glabra spinis longis

laciniata M. p. fructu echinato, foliis linearibus dentatis Mant. 454.
 Med. diarpori laciniata foliis et fructu spinosis Plukn. alm. 295
 Trifolium echinatoscapula Dod. mem. 1. p. 123.
 Trifolium fructu echinato, foliis eleganter dissectis Magnol. voyag.
 271. t. 270
 Trifolium cochleatum spinosum syniacum, foliis laciniatis Breyn.
 cent. 01. V. 34.

Habitat cum reliquis varietatibus in Europa australi; Barbana O
 Pauli angulatis. Folia et foliola petiolata. Foliola linearia serrata
 unguis ^{tridentata} basi cubitata ^{1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 676, 677, 678, 679, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 793, 794, 795, 796, 797, 798, 799, 800, 801, 802, 803, 804, 805, 806, 807, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 839, 840, 841, 842, 843, 844, 845, 846, 847, 848, 849, 850, 851, 852, 853, 854, 855, 856, 857, 858, 859, 860, 861, 862, 863, 864, 865, 866, 867, 868, 869, 870, 871, 872, 873, 874, 875, 876, 877, 878, 879, 880, 881, 882, 883, 884, 885, 886, 887, 888, 889, 890, 891, 892, 893, 894, 895, 896, 897, 898, 899, 900, 901, 902, 903, 904, 905, 906, 907, 908, 909, 910, 911, 912, 913, 914, 915, 916, 917, 918, 919, 920, 921, 922, 923, 924, 925, 926, 927, 928, 929, 930, 931, 932, 933, 934, 935, 936, 937, 938, 939, 940, 941, 942, 943, 944, 945, 946, 947, 948, 949, 950, 951, 952, 953, 954, 955, 956, 957, 958, 959, 960, 961, 962, 963, 964, 965, 966, 967, 968, 969, 970, 971, 972, 973, 974, 975, 976, 977, 978, 979, 980, 981, 982, 983, 984, 985, 986, 987, 988, 989, 990, 991, 992, 993, 994, 995, 996, 997, 998, 999, 1000} unguicula
 via. Stipula lanceolata ciliata serrata pedunculata axillari uni
 flori in arista depauperata fructiferi longitudine foliorum. Legumi
 na magnitudine pisi.icut spinis semiunguiculantibus