

115.

~~115.~~ <sup>8</sup> Melanocranis Squamae palcaesae, undique imbricatae. Spiula <sup>sub singula Squama</sup> ~~septem fl.~~ disti-  
multiflora disticha. Stylus bifidus

Scariopa, Melanioranis capitulo oblongo, involucrio subtriphyllis

Schoenus Scariosus; Culmo tereti capitulo oblongo, involucrio mono-  
phyllis, glumis margine Scariosis Thurb. prodr. 16

Habitat in Cap. Spei Stadtmann 4

Culmi caespitosi, pl. pedales vel minores, subcapitulo glumes angulati-  
filiformes, sola culmo breviora, & stacca, canaliculata, basi in vagi-  
nam dilatata. Capitulum <sup>remine nati</sup> terminale, nucis pisoloplo vel triplo  
semipollicaris <sup>majus</sup>, oblongum, imbricatum & quamvis ovatis, latis, in aetiam adtenua-  
tis, membranaceis, rigidiusculis, laevibus, nitidis apice patulis:

tres <sup>senior, & dantur</sup> trias infimas in <sup>senior</sup> infimas in <sup>senior</sup> aluminatae in foliolum & staccum  
inferior longiore tripollis in <sup>senior</sup> infimiori tripolliare. Spicula sub singula  
& quama, quin spiciflora. Corollae velvulae lineari lanceolatae  
purpureo punctatae. Reliqua ut in sequente.

reliqua ut in antecedente.



Schoenus

Habitata Carolina herb. Tus f

Culmi foliosi, bipedales, erecti; triquetri, glabri, teres, filiformes. Folia filiformia  
tereti, uti culmi vixi glauca, altitudine fere culmi. Corymbi pappi  
ne tres, remoti, compositi. Spicula ferruginea, oblonga. flosculi uniter  
8 in pinguulo pedunculo partiali. Pedicelli capillares. Bractea pappi, lon  
gitudine corymbi, ad basin pedicellorum, subulata, membrana sua pedicello  
brevis. Pedicelli ultimi 12. flori

radiata 2. Melantheris Capitulo subglobo, involucri polyphyllis

Habitat in Cap. b. 3 p. 2

Culmus pedalis et ultra, apice trigoni, striatus. Involucri foliola 8 ex octo  
unicum 3 emipollicaria, calicis 8 ansim. minima, patentissima, subula  
ta, rigida, pubescentia. Capitulum terminale, magnitudine cerasi,  
spicae plures, <sup>imae</sup> glomeratae, numerosae, <sup>rimae</sup> glomeratae, oratae: 8 squamas  
purpureas striatas et punctatas.

# <sup>Sp. L. non in d.</sup> Character naturalis

Culmi enodis, nigri spicae undique imbricatae. 8 squamis oratis, mucronatis. Spicula  
di, apice trigoni, sub singula 8 squama ejusque longitudinis, 8 septemflora, oblonga  
subtilissime striata. Capitulum compressa, disticha  
terminale

Cal: bivalvis: valvulae glumis corollinis breviores et angustiores  
Cor: glumise uniglumis: glumae, lancistatae, confestim purpureo-  
punctatae

Stam. Filamenta tria, linearia, longitudine glumae 8 squamarum, alba,  
purpureo-punctata. Antherae lineares.

Pist. Germen oblongum. Stylus unicus, glaber, bifidus. Stigmata sim-  
plicia

Sema unicum. Setae nullae nullae