

# Molucella

1. *Coris* M. calycibus campanulatis <sup>membranaceis</sup> subquinque dentatis, denticulis aequalibus
2. *Spinosa* M. calycibus unguibus rigidis octodentatis
3. *Tuberosa* M. calycibus infundibuli formibus subquinque dentatis, foliis radicalibus oblongis incis, caule ramoso subaphyllo
4. *Frutescens* M. Calycibus infundibuli formibus 5-10 dentatis, foliis oblongis villosis serratis, caule frutescens

pennatifida Molucella

Habitat in Persia herb de Lespert 4

Caulis herbaceus, ramosus, pilosus, albidus, tetragonus, lateribus sulcis exaratis.  
Spino duo axillares, patentes simo, semipollicares, inferne pilis rarissimis ad-  
spersi. Folia sessilia, pollicaria, vel breviora, linearia, pennatifida in rami,  
in caule bipennatifida pro ut in Teucrio orientali, sic truncata, vellis mi-  
nutescimus frequentibus adspersa: lacinae integrae, spinula terminata, margi-  
ne parva pilosis. Flores superne approximati in spica, oppositi sessiles. Caly-  
cis tubus pilosus, nervosus, superne dilatatus, ultra medium squesidus: la-  
cinae patentes, lineari-lanceolatae, rigidae, semipollicares, caninervis, in spi-  
culam coarctantes, villosae. Corolla extus hispida, calycis brevior

Moluccella

Habitat in Persia herb. de Lesped. 5

Flores albidus, erectus, rigidus, obtuse tetragonus, vix pubescens, ad articulos  
villosus. Spica quatuor in ramis junioribus; ad decem in florentibus; semipolli-  
cariis, <sup>etuctis</sup> patentibus. Folia subpedicelata, unguiculata, oblonga, subtinnaria  
spinula pungente terminata. Laseculi foliorum in axillis. Flores citrin  
que tres. Calyx villosus, medio sulcatus, superne reticulato-venosus, denti-  
culatus

Coris M. calycibus campanulatis subquaque dentatis, denticulis aequalibus  
Lin. S. V

Molucca Coris Rad. pempt. 92.

Melisa moluccana odorata Bauh. pin. 229.

Habitat in Syna C

Tota planta glabra. Folia petiolata ovata subrotunda  
intus sublobata vel profunde serrata serratione obtu-  
sis mucronatis. involucra <sup>superne</sup> ~~superne~~ <sup>membranacea</sup> ~~superne~~ <sup>geminis</sup> ~~geminis~~  
calycibus <sup>superne</sup> ~~superne~~ <sup>membranaceis</sup> ~~superne~~ <sup>geminis</sup> ~~geminis~~  
utroque brevissime pedunculatis, margo calycis pinnatis  
quaque a nervis excurrentibus

*Spinosa* M. calycibus nagentibus octodentatis Lin. Spec. pl. pag. 0214

*Molucca spinosa* Dod. pempt. 92.

*Melisa moluccana foetida* Bauh. pin. 229.

Habitat in moluccis O

*Dysoxylum*. Folis petiolata pollicaria ovato-subrotunda profunde serrata, serraturis acuminatis involucria ramosa spinosa. Calycis plerumque <sup>caulis</sup> 3 an pagula axillaris. Bracteae inferne peltati superne reticulati in nervi in spinis validis steruuntibus

Tuberosa in calycibus inferius bulbiformibus quaque spicosis, foliis  
 radicalibus oblongis incisifi <sup>sub</sup> lacini caule remotis subaphello  
 Moluccella tuberosa Pall. N. 3. pag. 55. Tab. T. fig. 1. 2. 3. ed. 2.  
 Habitat in Collibus ad Volgam &

Radix maxima e 2. 3 tuberculis oratis interdum simplex  
 napiformis. Folia radicalia petiolata <sup>bi- tripollet-ang</sup> inaequaliter obtuse  
 incisiva laciniis sub obtuse dentatis. Caulis erectus ramis

petioli basi  
 canaliculati; venosus  
 venis subtus  
 exsertibus  
 pa utrinque  
 velis in p<sup>is</sup>  
 prosertis subtus  
 ad venas

pelosus ad quatuor articulos pelosus sublanatus. Foliolum  
 sessile oblongum emispum pollicaris ad rami  
 ficiatiles; floralia ovata membranacea reticula  
<sup>sup. laciniis calicibus breviora</sup>  
 du sa profunde serrata <sup>semiteniis cuppedatis</sup>  
 Calycis solitarii gemini vel terni utrinque, sessiles  
 pollicares, reticulati limbo aequali dentibus plerumque  
 tenuis spicosis angulati. Corolla flansimo calyce  
 longioris at angustiori galea pelis rarioribus adpersa  
 margine longioribus albedo barbata. Stamina corollae  
 longiora. Semina <sup>apice</sup> pelis longi hirsutissima

frutescens M. calycibus in fundibuli formibus quinquefidis, corollis calyce  
longioribus Lin. S. V. pag. 540 + Allion. Nicot. 51 + Spec. pl. p. 221 +  
Moluccella persica

Burm. ind. 120. v. 30. fig. 2.

Scodum spinosum, floris calice superiore f. galea lanuginosa pilloso  
Praj. suppl. 311.

Habitat in Persia et Pedemonti inter Tendo et Prelio.

Fruticulus palmaris ramis oppositis tetragonis  
superne pubescentibus. folia petiolata obovata basi  
acuta superne serratis utrinque duobus obtusis quin  
querviis veltois unguiculatis. Spica gemina axilla  
res utrinque patentissimae, floris utraque gemina  
Calyces quini s. vel 6 dependentibus galea hirsutissima