

Myniophyllum

1. speciatum M. floribus masculis interrupte speciatis, specis subaphyllis
2. verticillatum M. floribus omnibus verticillatis hermaphroditis, vertice specis foliosis
3. tropicense M.

Scabellum Mynophyllum

Habitat in Carolina Bosc, Richard.

Caules filiformes, simplices, palmares et ultim. Solia inferne quaterna
superne saepe alterna, filiformia, unguiculata, pennata. Flosculi quatuor
flesiles, inferne angulati, angulis mucronati, masculi superne

Heterophyllum Myriophyllum

Potamogeton verticillatus Walt. fl. Car.

Habitat in Carolina herb. Rich., 3

Folia conferta, inferora capillacea, pennata: superiora verticillata, lanceo-
lata, setaeis serrulata, inferne retrorsum imbricata, unguiculata, quatern-
fo^{ies} sup^{er}flui, gemini in singula axilla

fructum in floribus masculis interrupte fructu r St. Paul. 601
millefolium aquaticum pennatum fructum Bauh. prod
73. Tab. 73. pin. 141.
Habitat in Europa aquis quietis
Confer. Mon. Potamogeton etc. 3. p. 622. f. 15. t. 4. fig. 7
Folia inferiora ut in precedente at nulla fere sub verticillis

verticillatum M. floribus omnibus verticillatis hermaphroditi

myrsiphyllum aquaticum minus Clus. hist. 2. p. 252.

Millefolium aquaticum, flosculis ad foliorum nodos Bauh.
pen. 141.

Habitat in Europa inundatis &

Flosculis monœcis hermaphroditi que tamen rarus videt
in folia capillaria fequi polliciana pennata. floralia
pennata femina unguiculata lineana

brasiliensis M

Habitat in Brasilia

Seminibus verticillato aut per folia et pinnas breviores flores desunt

orientalis P foliis palmatis nervis subtus glabrisculis Hort. Kew. 3. p. 364

Platanus. Clus. hist. 1. p. 9. Dalech. hist. 92. Bell. Jun. 9.

Platanus orientalis foliis palmatis Lin. L. V. p. 859

Habitat in Asia, Tauro, Macedonia, Atho, Lemna, Creta, Cossus regis