

Hayes

1. Marino N.

Najas

Najas palostana Combeson

Habitata in: Bourbonis Combeson herb. musci

Folia linearia, denticulata. Flores sessiles.

habes

manna *Majai* Lin. l. V

Potamogeton fluvialis fargaxo simile lucens; foliis
marginè dentatis Plukh. n. alm. 304. t. 216. fig. 4.

Fluvialis vulgaris Cat. folia Vaell. act. 1719. p. 177. t. 1. fig. 2.

Fluvialis latifolia et *angustifolia* fructu monospermo Mich.
gen. 11. t. 2. fig. 12.

III. *Fluvialis speciosa*, angusto benigne folio, undequaque spinis
infecta Raj. suppl. 132.

V. *Fluvialis speciosa*, folio angusto ad margines denticulis
spinosis incipit, flagellum Christi dicta Raj. suppl.

121.

Habitat in Europa maribus et ad Anfulam Borbonice
foemine. Caulis compressus dichotome ramosis, glaber tenuis
Folia sessilia opposita linearia ^{submarginati} ~~repulliciana~~, dentata
dentibus alternis oppositisque basi dilatata in petiolum
vaginantem. Flores in ramulis terminalis sessiles solitarii
obvallatur quatuor foliis
Borbonica differet foliis angustioribus fructu subgloboso
sub nomine palustris a Thourneo data

Tenuifolia Nayar

Halutse Najar

Habitat in insula Bobonia