

Pezomachus

Calyx tubinatus. Bacca 2 loculari osculis biteralibus dispersis

equanoxii P.

genus retinendum per Rostk

Guianensis Pagamea

Habitat in Guiana Herb. Mus.

Rami trichotomi, glabri, teretes, superne subtetragonij. Folia petiolata, alterna, lanceolata, attenuata, utrinque acuta, glabra, <sup>supra obsolete</sup> alternatim nervosa, subtus pallidiora. Stipulae membranaceae, oblongae, deciduae, marginem relinquunt, breviter tubulosa. Pedunculi ex axillis supremis, oppositi vel terminales, quadrati, compressi, sesqui pollicares. Flores plures, subsimples, aggregati, oppositi

*Synagofolia* Tournefortia foliis <sup>subcordato</sup> ~~obcordato~~ <sup>glabris</sup> ovatis acuminatis, specie ramosis  
In Cayenna legit de von Rohr. Ex herbaria de Lund.  
Rami, cati petioli; costa foliorum utraque et pedunculi <sup>sub</sup> villosi

Sp. foliis petiolata <sup>bipollicaria</sup> alterna, inferiori ramorum breviora ~~obtusiuscula~~  
~~to ovata~~ specie fere *Synigo* vulgaris, <sup>varius tubellip</sup> nervosa, arenaria  
integerrima, laevia, glaberrima, nervi excepti

Pedunculus terminalis erectus, dichotome plures divisus  
spicis <sup>pubescentes</sup> bipollicari reflexa more generis. Flores aeterni appropinquati,  
semunquiculares vel parum longiores.  
Corolla laciniis angustis subsetacea

hirsuta Mattujikhaa Schreb. gen. pag. 700.

Perama hirsuta Aubl. fl. gu. pag. 54. tab. 10.

Planta interdum ~~sape~~ palmari interdum digitalis, palmari  
vel passim ultra, nunquam tamen tam gigantea ut pin-  
ger curavit Aubletius observante Dr. autopta Dr. von  
Rohr, qui plantam in Guiana legit et cum Dr. hunc  
communicavit.

Caulis foliiformis, erectus, saepe simplicissimus, uti tota planta  
hirsutus, prope ad calycis, ad centum hirsutus.

Folia fere Thymi serpylli, sessilia, opposita, oblonga, acuta, ovata  
sub opposita trinervia, infima minima approximata, ovata, superio-  
ra oblonga, remota, trilinearia.

Loco in capitula terminali, sessili, magnitudine R. sp.

Calycis foliola linearia

Semina quatuor nuda uti per se videtur observabit acutissimus Dr.  
Ruspeu gen. pl. pag. 109.

Mathijsa