

Phillyrea

4

Cal. 4 dentatus. Cor. 4 fida Drupe bilocularis. Sem. solitaria

- 1. media P. foliis oblongo lanceolatis integris serratisque
- 2. angustifolia P. foliis linearibus lanceolatis integerrimis
- 3. latifolia P. foliis ovato-lanceolatis subcordatis serratis
- 4. rubriflora P. foliis ellipticis acuminatis serratis laciniis cordata cuneata

18

Phillyrea

Cal. 4 dentatus. Cor. 4 fida. Drupe ^{baccata:} putamine char
 taceo, ~~biloculari~~ biloculari. Sem. solitaria gortn.

media 1. Phillyrea foliis oblongo-lanceolatis integerrimis serratisque Hort. Kew. 1. p. 11.

Phillyrea media; foliis ovato-lanceolatis subintegerrimis Lin. Syst. Veg. 57.

Ligustrifolia a foliis oblongo-lanceolatis Hort. Kew. 1. p. 11

Phillyrea Matth. 171.

Phillyrea Texa Plur. hist. 1p. 52.

virgata β. foliis lanceolatis, ramis erectis virgatis Hort. Kew. 1. p. 11

pendula γ. foliis lanceolatis, ramis divaricatis pendulis Hort. Kew. 1. p. 11

olea folia δ. foliis oblongo-lanceolatis, ramis suberectis Hort. Kew. 1. p. 11

Phillyrea Ephesiaca foliis Plukh. alm. 295. t. 310. p. 5.

buxifolia ε. foliis ovali-oblongis obtusiusculis Hort. Kew. 1. p. 11

Habitat in Europa australibus collibus 5

Folia saepe minus brevis terminata, latiora et breviora plerumque quam in
insequente, subvenosa

manuscript

2 *Latifolium Ligustrum* foliis ovatis acuminatis, panicula ^{decomposita} simpliciter trichotoma
Thunb. fl. Japon. p. 17. Tab. 1.

Nyfini motji, abis Tanna Wattaji Kompp. Am. Ex. fasc. V. pag 776

Habitat in Japonia ty

~~Astragalus~~

Rami ~~teretissimi~~ ^{angustissimi} rugosissimi oppositi. Folia, petiolata opposita
magis vel minus ~~acuta~~ ^{oblonga} ~~vel ovata~~ ^{oblonga} medio folio longitudinali sequi pollicari, basi
acuta pollicem lata. Panicula ^{subglobosa} ~~terminalis~~ ^{terminalis} ~~supradecomposita~~
lita. Bractea sub singulis trichotomia inferiori lanceolata
superiores petales. Perianthium tubulatum haec apice dilatatum
tunicatum obsolete quodam cinctum glabrum

ellecto ovales

angustifolia 2. Phillyrea foliis linearibus lanceolatis integerrimis Len. Syst. Voy 57.

lanceolata a foliis lanceolatis, ramis rectis Hort. kew 1. p. 11

Cyprius Dodon 776.

Phillyrea ^{quarta} Clus. hist. 1. p. 52.

rosmarinifolia 3. foliis lanceolato-pubulatis elongatis, ramis rectis Hort. kew 1. 11

Phillyrea ^{vto} Clus. hist. 1. p. 52.

brachiata 4 foliis oblongis lanceolatis brevioribus, ramis divaricatis Hort. kew.

1. p. 11

Habitatio Italia, Hispania 5

Rami punctis elevatis dispersi.

Chimonanthus ? ~~partibus ramis decussatis distigatis, ut in ramis inferioribus, corollis de~~
~~tragonis, laciniis erectis emarginatis, foliis oblongis confertifolibus~~ Stewarti prodr. p. 13.
Strobilata in Famaica 7

Sinense 3 Lygodium racemis oblongis, foliis lanceolatis venentosis
Lygodium sinense; foliis lanceolatis

parvifolium Lanthium foliis ovato-linearibus imbricatis A. N. p. 503. Berg. Cap. 2.
Mars. 171.
Indiae americanae, ontio folio, ykinofus, flor. liliato albo Comma Amph.
2. p. 119. Tab. 60.
Glabrat. Cap. 6. p. 119.

latifolia β . Phillyrea foliis ovato-oblongis subcordatis serratis Hort. Kew. 1. p. 12
~~foliis ovato cordatis serratis Lin. Syst. V. 57~~
teris α . Phillyrea ~~pentifolia~~; foliis ovato cordatis serratis Lin. Syst. Veg. 57
~~foliis ovatis planis obsolete serratis Hort. Kew. 1. p. 12~~
Phillyrea abbor Galloprovincie, venior Macalab Sempionis Lob. Adv. 421.

Spinosa β Phillyrea foliis ovato-oblongis acutis, angute serratis planis Hort. Kew. 1. p. 12
fi: 2. 132.

obliqua γ Phillyrea 1^{ma} Clus. hist. 1. p. 51.
foliis lanceolato-oblongis acutis, angute serratis planis oblique flexis
Hort. Kew. 1. p. 12

Phillyrea 11. Clus. hist. 1. p. 52.
Habitat in Europa australi

Habitus gracis. Ramis inferne teretibus, superioribus compressis, uti tota planta glabris; folia
breviter petiolata, ^{opposita} ~~firmis~~, et vix venosa, indivisa, ^{saepe mucronato} ~~racemi axillaribus~~, foliis duplo
vel ultra brevioribus, simpliciter. Squam. Bractea duo oblonga ad basin pedun-
culi

Indica Phyllaea foliis ovatis acutis, racemis terminalibus Lour. fl. Cochina-
pag. 19

Habitat in Cochinchina 5

Arbor medicinis. Rami oppositi, verticillati. Folia parva subserrata glabra
obtusiuscunda, reflexa. Flores albi. Baccis sperma rotunda nigra

non vidi