


Phyllanthus



a) flor. foemineus b) petalum c) Pistillum
 omnia aucta, d) capsula magnit. naturali
 e) eadem ut b. et corolla compui. f) eadem
 una vesica secta g) semen

Phyllanthus
 acuminatus

acuminatus? Phyllanthus foliis pennatis floriferis: foliis ovatis acuminatis
et floribus axillaribus aggregatis ramis superne petiolisque compressis
Symb. bot. 2. p. 93.
ex insula Trinitatis Dr. Ryan.

Caulis angulatus e margine acuto petiolis ^{abasi} alternis decurren-
ta, glaber, viridis, versus apicem compressus.

Pedicelli capillares, masculi et foeminei in axillis aggregati
masculi plures pedicellis bracteae capillaribus foemineae
solitarii pedunculo quintuplo longiore.

Foliola 12-14 parium cum imparibus versus pauciora

No 155 *Phyllanthus*

♀ Calyx Perianthium ⁵ tetraphyllum folioli cuneatis
Corolla tripetala petalis ovatis longioribus calycis

Stamina

nulla

germen inquetum

Capsula trilocula Boiss 1 sperma

Habitat in Insula Trini facti ab Ryon no 34

macrophyllus *Phyllanthus* foliis petiolatis ovatis canaliculatis acumi-
natis, pedunculis axillaribus unifloris

Habitat in insula Trinidadis v. Bolivia ²⁹

Caules suffruticosi? Rami compressi ^{angulati} glabri elongati
glabri. Folia petiolata alterna, 6-7 pollicaria
tenera, utrinque glaberrima, venisopis, inbagemina
basi ovata, apice acuta. Petiolus semivaguetulans
costa ~~fulva~~ purpurascens. Pedunculi axillares filiformes
6-7. unica feminea semipollicaris saepe longior.

hypericifolius Phyllanthus foliis oblongis obtusi, pedunculis axillaribus aggregatis,
caule giudic'oso erecto

Habitat in india occidentali R. v. Rolo.

Caulis ^{fruct} teres, glaber, purpurascens, lavis, ramosus: rami frequentes; alter
ni, simpliciter, elongati.

Folia breviter petiolata, alterna, semipolliciana, oblonga, basi acuta, apice
obtusata, absque mucrona, integerrima, utraque glabra, subtus pal-
lida, obsolete nervosa.

Floris masculi et foeminei in axillis aggregati, brevis sine pedunculati;
^{minuti.}

Capitula magnitudine seminis sinapios, glabra.

~~Species Phyllanthus~~

Phyllanthus speciosus Jacq. coll. 2. p. 360

Habitat ~~in~~ ^{suberulatus} ~~in~~ ^{simplicissimus}
Caulis & foliis deciduis ~~crenatis~~ ^{simplicissimus}. Folia superiore in caule
alterna, patentia firma glabra petiolata, pinnata, foliis utriusque
6 sine impari, alternis lanceolata, acuta, serrulata, subsplia, coriacea
striata, bipollicaria. Stipula infra petiolum lanceolata, acuta rigidula
suscipiens, crenata fol. Pedunculi & crenis foliorum, seminales, unifo-
ri interdum plures aggregati. Flores parvi masculi et gemini mini-
paranthemum in 3 4, 1 phyllum coloratum 6 partitum Corolla nulla
nec tani glandulosa, orbiculari pedunculo brevissimo petiolo coram
peranti. infert. Styl. Stamina 3a - Styl. 3. Stigmata simplicia
Capsula trilocia, glabra, triloculari trivalvi semine alternum

Hypophyllum speciosus

prolifera P panicula patente fructa, spiculis multifloris (V. 20)
Culmorum ramosis nodosis, ad nodos proliferis Sw. prodr. p. 27
Habitat in Cambois.