

Pittosporum

Calyx deciduus. petala 5 conniventia in tubum. Cappelli 2. 5 valvæ.  
2-5 loci 2 lani. Semina testa pulpa

1. coniacum Pittosporum?

Coniacum Pittoponium <sup>Pittoponium</sup> foliis obovatis obtusis glaberrimis Coniacis  
capsulis bivalvibus Hort. Kew. 3. pag 488.  
Habitat in Canariis.

Arbor ramis prolifera, 3 vel 400 ad singulum verticillum,  
teretes, cortice conereo, e gemmis ovatis imbricatis  
semiunguiculatis, ~~infra verticillo ephylli~~

Folia sub singulo verticillo tria quatuorve, petiolata,  
bipolliciana, oblonga, superius plerumque obovata,  
obtusissima, integerrima, laevia, coniacca, utrinque  
glabra, pallide viridia, basi in petiolum pollicia  
rem deinserta.

Peduncululus e gemma distinctus, solitarius, pollicianus,  
tomentosus, multiflorus. Flores pedunculati. Pedicellus  
umbellatus, longitudine peduncululi, (quinque, bina  
intermedia, bis 5 flori: laterales uni flori  
<sup>tomentosi</sup>

Calyx tomentosus, quinquefidus: laciniis oblongis, obtu-  
<sup>is</sup>  
Corolla, glabra, calyce duplo longior. Petala linearia  
obtusa



niveum  
sub inerme

Solanum Caule ~~spithioso aculeato~~, foliis ellipticis integerrimis subtus tomentosa

niveis <sup>superne rugulatis</sup>  
Caule <sup>Rami</sup> ~~tereti~~ <sup>apice</sup> tomentoso aculei minuti ~~pauci~~ <sup>pauci</sup> ~~recti~~ <sup>recti</sup> ~~nudi~~ <sup>nudi</sup> ~~flavescentes~~

Folia petiolato, alterna, elliptica utroque acuta, integerrima supra glabra subtus tomentosa. niveis 3-4-nerviis

juniora supra  
tomentosa  
glabra  
suffraganea

Petiolus tomentosus pollicaris  
Cyma ~~terminalis~~ <sup>terminalis</sup> ~~trifloris~~ <sup>trifloris</sup> ~~apicem~~ <sup>apicem</sup> ~~floribus~~ <sup>floribus</sup> ~~coronatis~~ <sup>coronatis</sup> pedicellis ~~ternis~~ <sup>umbellatis</sup> ~~apice~~

~~Calycis~~ ~~tomentosi~~ ~~nivei~~ ~~lacini~~ ~~lanceolati~~

Corolla ~~extus~~ ~~forma~~ ~~nivea~~ ~~farinosa~~  
hab. in Cap. b. p. et India orientali

~~umbella terminalis~~ ~~umbella terminalis~~ ~~pubes~~ ~~pedunculata~~  
alterna

tenuifolium P.

Pithecomium tenuifolium Capsulis rugosis Quarta de Jun. et fruct. ant  
4. Feb. 59. p. 7. 7

non vidi



umbellatum P. ~~capitulatum~~

Pectosporum umbellatum capsulis punctis elevatis scabris Jost  
de sen. et fr. Cent 4. Tab. 59 fig. 7

non vide