

Plumbago

1. europea. P. foliis amplexicaulis lanceolatis, ^{ovatis} glabris
2. zeylanica P. foliis petiolatis ^{ovatis} glabris, ramis rectis
3. scandens P. foliis petiolatis ovatis glabris, caule flexo ^{ramis flexis}
4. rosea P. foliis petiolatis ellipticis lanceolatis, ^{glabris} caule geniculis gibbosis

auriculata Plumt foliis ovato-oblongis petiolatis subtus fere modo-punctatis
petiolis auriculis caulem amplectantibus La Mart. F. Enci: pag. 471.
Habitat in India orientali 5

non vid.

aunciolata Plumago

Habitat herb- la Mantini

Dolce pollicaria, lanceolata-oblonga, integerrima, plana, inferne attenuata
basi aunciolata semiamplexicaulis. Calyx superne setosus

Copathifolia Plumbago foliis ampliusculibus lanceolatis lobatis, caule
curvato Wild. spec. pl. pag 837

Plumbago orientalis Copathifolia, flore minor alba
Tournef. Corol. 7.

Habitat in Aena 2

nisi ignota

capensis Plumbeago foliis petiolatis oblongis integris subtus glaucis,
caule erecto Theob. prodr. fl. cap. 1. pag. 33.
Habitat in Cap. b. pai.

non vidi

4 rosea P. foliis petiolatis ovatis glabris, subdenticulatis, caule geniculi ^{obtus.} glabris
Len. f. V.

Schelti codiculi Rhed. mal. 16. p. 17. t. 9.

Radix papaveria Rumph. amb. 5. p. 453. t. 168.

Habitat in India &

Rami purpureo scenti. ^{api} foliis glabris ternatis. Petioli ^{api} cateculati basi
oblati amplexicaules. ^{folia in axillis ut in reliquis} Spicae ^{api} lobis subsessili alterni in spica
elongata. Bractea ovata parva. Tubus corollae fliformis caly
ca duplo longior. calyces minores quam in Zeylanica lacin
nis corollae obtusissime ^{api} pto terminati
foliis ellipticis lanceolatis glabris, caule

2 Reylancia P. foliis petiolatis ovatis glabris, caulebus filiformibus Len. t. V.

Tumba codiceli Rheed. mat. 10. p. 14. t. 8.

Lynhis india plicata, ocyantha foliis, fructibus lappaceis oblongis, radice
urente Comm. hort 2. p. 169. t. 85.

Habitat in India

Trami striati glabri. foliis ovata basi attenuata. Petiolus amplexicaulis
l. Calyx pollicari. Racemi terminales interdum gemini.
panem a frondente diversa

3 scandens Plumbago foliis petiolatis ovatis glabris, caule flexuoso scandente L. V. Jacq.

Sup. off. pag. 614

Plumbago americana, reticulis longioribus semper virentibus Monf. h. 3. p. 599.

Caaporonga Mart. Bras. 2. P. f. bras. 200.

Dentellana leynoides sylvatica scandens, flore albo Sloan. bot. 1. p. 211. t. 133
fig. 1.

Habitat in America calidioribus.

Rami glabri. Caulis ^{fulvo pubescenter} fruticosus, interdum decumbens, latus teres striatus
vel ellipticus a glabris ^{involucris}
ramosus. Folia ^{quae ex illana} alterna, ovata ^{in tubis minoribus} lanceolata acuminata, ~~reserta~~,
Toliola ^{quae ex illana} ~~duo~~ ^{ad basin} ~~minor~~ ^{minus}, ~~duo~~ ^{superiora} ~~idem~~. Spica terminalis
subramosa. Flores approximati. Calyx pentagonus 5 sulcatus
nervi glanduliferi ultra reliquos. Tubus angustus. bractea parva
ovata cuspidata.

1. europaea P. foliis amplexicaulis lanceolatis scabris Lin. l. V.

Triptolum Dioscoridis Col. Eptor. 1. p. 166 t. 161.

Lepidium Dentillaria Dufum Bauh pin. 97.

Habitat in Europa australi & Pen

Caulis sulcato angulatus, ramifus glaber. Tolia bipollicaria
~~lanceolata~~ ^{fragillata} ^{denticulata}
frequentia in fere angustata basi dilatata scabriuscula
Piacem est apice ramulorum folium ad basin singuli floris &
longitudinis calycis. ^{linear} calyce tubuloso pilosis gutis glandula
terminatis