

Poa

gibbosa. Poa specis. subramosa: speculis multifloris turgidis, culmo ramoso

Habitat in Guinea Gsert ad huc altitudinem elongata

glabra. Culmi pedales, basi ramosi: Junculi infirmi. Solia convoluta,
tri-polluciana. Vaginis internodiis dimidio breviora. Peduncululi alterni
breves, bif. triflori. Spicula unguiculata, sessilibus, alternis, erectis

Valvula oblonga, obtusissima, carinata, basi compressa, papera
conseriores, margine incrassata, basi intus utroque pili nonnulli.
Corolla hyalina

Poa cristata

in Colliibus aridis ad Tridentesum sat frequens

Culmi ^{capitoli} spithamei ^{int} edum pedales basi infracti tenodi vaginis foliorum
Aetas Vagine striata glabra

Folia lanceolata, bipollicaria, hirsuta prope summa supra plana, ciliata. Ligula
brevissima truncata. Tolum ultimum subspithameum.

Panicula cylindrica spicata tripollicaris, florens patenti spica. pedicelli
3 ad singulum dentem ~~et~~ ramosi spicula breviori. Spicula compressa

Pluma trivalvis, valvula longitudine spae flosculorum altera brevior, compressa
Dors. striata lanceolata int edum extus purpurascens.

flosculi duo sive tres valvula exterior longior in costam brevem deponente, exterior
ha. marginibus ad apicem ciliatis: interior parum brevior quia subfida

Poa maritima

Culmi caespitosi semipedales, in parte tereti basi interdum ramosi.
Folia conduplicata tri-pollicaria, glabra compressifolia. Ligula me-

branaea ovata ^{coarctata}.
Panicula simplex. ^{binati} Plicelli erecti ^{binati} spicula patentispike com-
pressa lanceolata unguiculata 5-8 flora. Florenti virides apice purpu-
rascente obtusi. Valvula calycina altera brevior. germen glabrum

Poa rubens *Poa* panicula patula, spiculis subquadri-floris, corolla gluma
exteriori quinque-nervi, culmo erecto compresso Willd spec. plant pag
389.

Poa rubens

Moench meth. pag. 107.

Habitat in Ottawa inferiori

non vidi

nervata Poa panicula striata, spiculis quinque floris nervosis glabris
Wed. Spici. pl. pag 309
Habita in America boreali

non vid.

Badensis Poa panicula congesta ovata, spiculis undecim floris 9. fructis
ovatis basi pubescentibus Wied. Spic. pl. pag. 392.
Habitat in rupibus ad thermas Badenses 4.

non vidi.

Ventricillata Poa panicula patente capillari flexuosa, spiculis 11 flori
lineari-subulati

Poa paniculata panicula ramis ventricillatis flexuosis, spiculis
subulato-compressis Cavan. in l. p. 63. tab. 97.

Habitat in hispania. ☉

non vid.

Poa panicula erecto-patente, spiculis inflori glaberrimis mi-
cromatis culmo erecto compresso, vaginis foliorum laxis anispermis.

~~Habitat~~ sicut p. 120.

Poa quadrupedali Ehrh.

Habitat in montibus Sileps inque paludibus Hannoverani &

non vidi.

contracta Poa panicula contracta subracemosa, spiculis trifloris, basi densa
que pubescentibus ~~Wed.~~ P. laxa

~~Luc. V. 6~~

Gramen alpinum paniculatum minus, panicula spadiceo viridi
elegans Scheuchz. Agr. p. 163. App. t. 4.

Poa caulis erecto, panicula rara folliculi 3 flori basi densa
que villosa Hall. helv. no 1437.

Habitat in Alpibus Helvetis, Bohemia, Silesia

non vidi

Atrovirens Poa

Poa atrovirens glabra. Culmo erecto; foliis rigidulis, vaginis
inter nodos brevioribus; spiculis planis, lineantibus & exsert.
flor. Atl. pag. 73. tab. 14.

Habitat in Barbaria
affinis P. seticulata Cavan.

non vidi

Colicaceae *Poa flambria* spica simpliciter secundaria, rachis excavata
filiformi glumis trifloris

Habitat in India Konig

Grasses generis dubium

Culmus simplex filiformis semipedalis erectus inferne foliosus.
Folia duo in Culmo subulata. flores herminiales subspicati.
Spica digitali. valvula calycina hyalina. glomuli glabri

Colacca Pou. ~~floribus sub-purpureis & lignis foli~~

biflora Poa panicula densa, calycibus subbifloris glabri culmo adscendente
Pest. bot. S. p. 197
Habitat in India orientali

non vidi

montana *P. panicula* ^{contracta} ~~caerulea pedata~~ ~~fructu trifloro~~ bifloro basi villosi.
germen paniculatum angustifolium montanum, panicula
densa, locustis parvis muticis Scheuch agr. pag. 180

Poa panicula fructu, locustis bifloris, folliculis basi villosis
Hall. bot. no 1468

Poa montana Allioni fl. pedem. no 2199

Habitat in montosis Pedemonti Allioni 24

Calmus fersquipedalis simplex & erect glaber gemmulis fuscis

Folia angusta vagina infima compressa. Panicula
tripolluciana fructu. Spicula lanceolata plerumque bi
flora rarius 3flora gluma lanceolata subpurpurascens
apice flavescens

officinis *Poa glauca*

nitida Poa panicula spicato basi interrupta subramosa spiculis bifloris nitida
muticis La Mart F. Enc. pag. 182

Leers fl. herb. Tab 5 fig. 6.
Habitat in Gallia siccis montosis

subnuda P. panicula laxa, spica biflora, glaberrima calyce & duplo longioribus
glaberrimis Hall. herb. flurp. pag. no 1470

Pro Sabauda All. fl. peden. no 2200

~~Hall herb flurp no 1470~~
Habitat in helvetia

non vidi

~~malabarica~~ latifolia ^{Poa} panicula ramis simplicibus; glumis bifloris glabris altero ciliato, folus ^{pedicellato}

20-21 ~~latifolia~~ ^{Poa} panicula ramis simplicibus; glumis bifloris glabris altero ciliato, folus ^{pedicellato}
 Poa malabarica panicula ramis simplicibus; floribus sessilibus; seminibus
 distantibus; culmo serpente Lin Wurm. Flor. Ind. pag. 27. tab

11. fig. 2.
 Poa latifolia panicula diffusa nutante, spiculis remotis bifloris, altero ^{ro} pedicellato, margine ^{sestilo} cost. prodr. par. p. no 424.
 Habitat in ^{India} ^{Socetra} et ^{India} ^{orientali} ^{Burman}
 specimens communicavit ^{Burmannus} et ^{Cel.} ^{Rabruus} Prof. ^{Heloni}
 qui eam a ^{Dosstero} habuit

Culmi (in meis) erecti, alti tert vaginati, glabri
 folia lato-lanceolata la tri-f. quadripolliciana, pollicem lata,
 lanceolata, glabra, supra subtus nervis duobus eadem exstantibus. +

^{in Java} ⁱⁿ ^{Java} ^{caetera} ^{vagina} ^{foliis} ^{que} ⁱⁿ ^{varia} ^{parte} ^{ad} ^{marginem} ^{sub} ^{marginem} ⁱⁿ ^{superficie} ^{inter} ^{se} ^{ad} ^{marginem} ^{ubi} ^{si} ^{desiderent}

Panicula diffusa, ^{ramis} ^{simplicibus} ^{inferioribus} ^{basi} ^{interdum} ^{ramulosa} ^{pedicelli} ^{alterni} ^{remoti} ^{solitarii} ^{uni} ^{flori} ^{capillares}
 Calyx ^{biflorus} ^{glabris} ^{lanceolatis} ^{glabris} ^{altero} ^{ciliato} ^{glabris} ^{glabris} ^{altero} ^{pedicellato}
 Corolla ^{glabris} ^{lanceolatis} ^{strati} ^{glabris} ^{altero} ^{pedicellato}
 Petala ^{glabris} ^{lanceolatis} ^{glabris} ^{altero} ^{pedicellato} ^{glabris} ^{altero} ^{pedicellato}
 Tuberculis utrinque s; ad marginem apice sive verte

50 ultimis cum pro malabarica

Connos. Pou malab videtur esse plant. diversa

(Specimina javanica gaudent $\frac{1}{2}$ vaginis foliis que utrinque adpressi tuberculi mi-
nuti quibus insident pili minuti. An a Pou malabarica ten. diversa?

mala barica Poa paniculae ramis simplicissimis, floribus sessilibus feminibus & staminibus

Lin. V. p. 114

Habitat in India

nemorali α panicula attenuata, spiculis subdiffloris mucronatis
scabris, culmo incurvo fl. Dan. 7. 747.

Gramen paniculatum angustifolium alpinum, locustis ranonibus et
angustioribus non aristatis Scheuchz. gram. 164. 7. 2.

Gramen loliacum alpinum, paniculis ex ranonibus et exiguis
locustis compositum Mont. gram. 39.

β . Gramen ciliata et villosa spargula ad spargula genicula doratum,
paniculatum minimum alpinum Herb. mus. 2. p. 20 Tab. 59.
Habitat in Europa ad radices montium umbrosas &

in herbano desidentur

phleoides Poa spica tenetis indurata glumis subsplebis 2 f. 3 floris villosis sub
antratis La Mart. T. Enci: pag. 182.

an Poa Gerard prov. pag. 92. no 13.

Habitat in Gallia australi ☉

Solia villosa

palustris Poa panicula diffusa, spiculis subtrifloris ⁽²⁻⁴⁾ pubescentibus; foliis subtus scabris
Lin. Spec. pl. p. 9. ~~et~~ S. V. p. 113.

Gramen palustre panicula speciosa Bauh. prodr. 7. Pin. 3. Morf. 3. p. 201.

f. p. 4. 6. f. 27.

Gramen paniculatum aquaticum angustifolium, panicula speciosa Scheuchz.

gram. 184

Habitat in Helvetia, Italia paludibus.

Significatur dum nunciantur agri Oryzacei, Venella foliis glaucis, adal
tior spiculis foliorum sequi. Veron. 1. p. 358.

Calami filiformes sesquipedales erecti glabri folia angustata, pan
supernora ~~angustata~~ ^{densa} convoluta inferum plana leviora
Panicula ~~contracta~~ ^{densa} . flos spicula lanceolato acuto purpurea
siccitatis

flosculi 2-3. raro 4.

Inviolis *P. paniculata* Diffusa, ^{subtrefloris 3-4,} spiculis quadrifloris pubescentibus.
Culmo erecto Tereti *Cent.*

Gramen prostratum paniculatum medium Bauh pin 2. Scheuchz. gram.
100

Habitat in Campo pascuis. *γ*

Culmus pedalis et ultra. Vagina inferior subcompressa. Pedunculi capite
laxi inferiori quaterni. calvula calycina lanceolata acuta
flosculi, plerumque tres interdum quatuor

γ

crispata P panicula spicata, calycibus subpetalosis ^{sub}quadrifloris pedunculo longioribus, petalis anfractis

Opamer spica crispata subherpidum Bauh. pin. 13. prod. p. Monf. hist. 3. p. 194. f. p. 7. 4. fig. 7. Scheuchz. gram. 166.

Aut *crispata* panicula spicata, calycibus subtrifloris pedunculo longioribus, petalis subanfractis inaequalibus hinc spici. pl. puz. 95.

Habitat in Anglia Gallia, Helvetia Dania & Gallia
^{in planis} Quercibus, glabra pedales folia angusta. Spica tripolliaris glabra nitida valvula calycina longitudine fere ^{aequalis} capsularum lanceolata acuta pedicelli orculo armato villosulo. petalum interius bifidum

bi. triflorae

Acro cast

pyramidata Poa panicula pyramidalis, glumis coribus nitidis muticis tri
floris, vaginis villosis pubescentibus La Mark. P. Enc. pag 103

Habitat in

affinis maxime Poa confusa

Triflora P. panicula subspicata elongata, spiculis 3 floris floccatis glabris.

Habitat

Red X ~~de~~ de Sahel.

Culmus squarrosus inferne foliosus glaber, folia angustissima striata
glabra, ~~glabra~~ glauca viridia, Panicula parva spiculis ad
nodos sessiles vel pedunculati pluri pedunculi 3. 4 flori calyx flocculi
nitentes pallidi, glaberrimi lanceolati interdum gemini interdum
3. in faucibus calycis atque vellosetas ad basin
aerem potius refert.

Contracta panicula contracta, flopiculis canicollatis in floris radicis sesquipedibus
foliis filiformibus Retz. obs. 3. p. 11.
Habitat in India orientali

non vid.

tenuifloro ^{elongata} ~~Poa~~ Panicula coarctata, ^{clivis ramoto} spiculis trifloris glabris foliis planis.
Habitat in America meridionali L. V. Koch.
Gramen bis-tripedale ramosum ^{glabro} facie Poa interrupto.
Folia plana margine ^{glabra} si ^{glabra} - pedunculis verticillatis flores
parvi acuti valvulis hyalini

Simplex P. panicula diffusa, spiculis remotis In floribus, calycibus inferioribus unifloris, culmo erecto angulato Walt. fl. Carol. pag. 79
Habitat in Carolina

non vidi

glauca Poa panicula patula secunda, spiculis subtrifloris flosculis acuminati-
bosi pubescentibus, foliis subulatis fl. Dan. tab 9 64.

Habitat in subalpinis norvegis.

Græmen glaucis viride culmi plures pithamidi glabri bisive trinodes
folia sesquipedalium conduplicata panicula contracta pedunculati
li gemini alter uniflorus brevior alter biflorus superiores uniflori
rarius pedunculi inferiores tri vel quadriflori flores purpureoscenti
2-3 flori apice flavescentes

Dubia *Poa panicula diffusa* spiculis trifloris flosculis basi pubescentibus.

Habitat in Italia Belluno

an varietas trahit. Culmi sequipedales gracilio infraetis fusci folia
plana angusta margini scabra. Pedunculi subsessilellati
Spicula lanceolata acuta

cinerea P. speculis paniculatis Inflor. acuti basi ciliatis, foliis
caulis erectis involutis Vill. pl. Delph. 2. pag. 126
Habitat in Delphinata &
affinis angustifolia eoque altitudinis folia involuta

non vid.

chinensis Poa panicula ramis simplicissimis, floribus sessilibus, seminibus imbricatis
Culmo erecto Lin. Spec. p. 100. f. S. V. p. 114. Burm. ind. 27. t. 11. f. 13.

Habitat in India

Rami panicula simplicissimi, ut in P. malabarica, magis conferti, flores
minores, flosculi 4. nec septem L. Spec. l. c.

Culmus sesqui pedalis folia plana margine scabra vagina adpresso
pulis nonnullis varioribus. Spica 3-4 pollicibus filiformis flores
facie Synopse spicula iacti adpresso alterno brevissime pedicellata
Calyx compressione fere flosculorum 2-3-4 flori compressi Rachis tenuis

Herb. P. panicula pedata, vaginis foliorum punctato-ciliatis Thunb.
f. japonog. P.V. p. 113.
Habitat in Japonia

paniculis subtinfloris
non vidi

variegata Poa panicula oblonga contracta spiculis 3. s. 4 floris setis pilis
purpureo maculosis La Mart. T. Enc. 102.

Habitat in Alpibus Arvenis

Folia involuta

angustifolia P panícula diffusa, spiculis quadrifloris pubescentibus
culmo exuto tereti l. 1. v

Gramen præterse paniculatum majus, angustiore folio Bauh. prod.
5. per 2. Scheuchz. gram. 170.

Habitat in Europa ad agrorum vesuras &

in herbario desideratur

plani culmi P. panicula coarctata, calycibus ^{sub} quadrifloris, glumis
floralibus dorso pubescentibus culmo compresso Weber. pan. suppl.
fl. holt pag. 3

non Ed.

violacea Poa. panicula erecta striata, spiculis compressis subquadrifloris, corollae
basi hispida Bellad. app. ad fl. Pedem reg. S. Tab. 1.

Habitat in montosis Pedemontii 4

gramen cespitosum. Culmi erecti striati, striati 3-4 nodes

Folia plana vix striata ^{pub} app. ad vaginam violacea.

Panicula contracta. valvula calycinae subaequalis acuminata
violacea. corolla marginis albicante spiculis 3-4 floris Bellad.

subsimplex

non vidi

calyona
patula ^{contracta} ^{speculis linearibus}
Poa panicula ^{patula} ^{infusa}, calycibus longitude specularum foliis vaginisque

ped. fo. ^{puberulis} ^{calyona}
Festuca panicula contracta, speculis linearibus; calyce & glomerulis longior,
foliis basi barbati in Am. acad. 3. p. 400 + Spec. pl. p. 110 + L. V. p. 119.

Festuca panicula contracta speculis linearibus muticis longitudine
calycis Cest. J. 116 +

Habitat in Hispania glabri

Culmi plures erecti, digitales, filiformes; gemulis foliisque geminis
folia subulmifera stacca Culmi panum latiora. ^{erecta} pili sparsi longis prope
rim ad vaginam vaginam barbato. Panicula attenuata ^{obtusis} florente
panum pedala. Panicula ramis subsimplicibus. Speculis ^{obtusis} quadrifloris
valvula corollina lente resse extus nervosa intus basi pubescentes
semina minuta nitida pellucida

valvula
Cuius specula obtusa potius Poa quamvis facie Festuca

pelosa P. panicula patente stricta, ramificationibus primariis pelosis
P.V.
gramen paniculis elegantissimis, majus, Coenobii prope Spadweris in
fontibus Schemerke. Gram. 193.
Habitat in Italia

non vid.

Commerstonii *Panicula* coarctata glaberrima spiculis trifloris glaberrimis basi sublan-
tis, foliis pectinatis

Habitat in Thonaria Thonari

Calami glabri erecti sesquipedales folia longa glabra, panicula
5-nollucari glaberrima spiculis unda flarescentes. glumae
calycina lanceolata dorso carina tpe lenti serrata. petalum
interius bifidum.

Villarsii P. panicula contracta, speculi vertibus quadrifloris muticis

Vill. fl. Delph. 2. pag. 126

Poa bivarior Vill. loc. cit.

Habitat in montibus Delphinatibus

Pedalis folia angusta

non vidi

glomerata P. panicula spicata glomerata, spiculis quadriflori crotalis
siliatis Thunb. prodr. pag 22.
Habitat in cap. b. pei

non vid.

inermis L. ~~fulvicosa subaphylla~~ foliis bracteiformibus fannoso villosis, Fossk.
Deser. pag. 57

bohemica P. panicula inflata, spiculis alternis quadrifloris glutinosis
lanceo duplici serrata, culmo tereti glabra subprostrato. Meyer phys. ab. Ser. I.
in Wien 1. 1797. 22. tab. 1.

non vidi

Bellardi Poa. panicula patente subsimplici, spiculis ovatis compressis ^{quadri} trifloris
glabris, valvulis calycinis carinatis. carina scabra

Habitat in fit Bellardi sub nomine Poa chinensi

Culmus uti Tolicu glabra, vagino oris pilosis. Panicula spithamea.
pedunculi tres ad singulum dentem remoti, ramuli alterni simplici
simis. Spiculae stantes brevipedunculatae pallide virides, obtuse
valvula calycinae squales attenuatae, corollae dorso denticuli minuti orulo
armato videndi. valvula corollinae glabra obtusa, trinervi uti gl
me calycinae.

cilianensis P. panicula longissima ramosa, ramis erectis, flexuosis, spiculis dist.
chi quodnifloris All. fl. ped. n. 743. fig. 2 Bellard. app. ad flor.
ped. emon. pag. 8
Gramen cranthemum Tenui et parva Boiss panicula Barr.
ii. 743. obj. III. n. 1216.

Habitat in montosis Pedemontii nodis ^{glabris} ~~pediculis~~
Calmi ^{pediculis} ~~fructibus~~ ~~et nodis~~. Folia plana ~~subrepens~~
~~glabra~~ ^{glabra} una ^{folium superius} ~~ramis~~ ^{panicula} ~~erecta~~
rami ^{rami} ~~flexuosi~~ ^{erecta} ~~et~~ ³⁻⁴⁻⁵ ~~flor.~~ ^{flor.} ~~corolla~~ ^{sup.}
~~herfata~~ ~~Bellardi~~ ^{herfata} ~~valvula~~ ^{valvula} ~~calycina~~ ^{calycina} ~~et~~ ^{et} ~~corollina~~ ^{corollina} ~~intrinseca~~
nervis unico cell.

non vidi

glutinosa P. panicula patens striata, spiculis subnoveinflori hirsutis
ter glutinosi, culmo simplici foliis subpelosi Sw. prodr. pag.

Flora hort. jam. t. tab. 71. fig. 2

Filiformis P. panicula patenti spiculis 4-floris, foliis filiformibus. Thunb
prodr. pag. 21.
Habitat in Cap. b. praes.

naidi

Abyssinica Panicula capillari cetera erecta, spiculis quadrifloris
coribus linearilanceolatis, foliis glabris subconvolutis Hort.
New. t. p. 100.

Poa abyssinica Gaye. Musc. p. 364. Hb. p. 114

Taf. Ledolp. Oth. l. 1. c. 9. no. comment. p. 137.

Poa Taf. Decagnei monograph. cum fig.

Habitat in Ethiopia

Culmi tenues sesquipedales. Fo. geminis fuscescentibus
articulis 4-5. folia convoluta filiformia. Panicula
tenuissima. valvula calycina lanceolata hyalina. canna alter
brevis gluma colollata lanceolata utraque nervo unico hyalina

annual^{is} panicula diffusa angulis rectis, spiculis obtusis culmo obliquo
compresso Linn. S. V.

Gramen pratense paniculatum minus Bauh. pin. 2. Theatr. 31.

Gramen pratense minus vulgatisimum Ray. herb. 12054

15. Gramen pratense paniculatum minus rubrum Tournef. inst. 522.

Habitat in Europa ad vras O

Spicula 4-5 flora

in herbano desideratur

Littoralis Poa panicula spicata, foliis convolutis rigidis, culmo procumbente

Symb. bot. 2. pag. 19

Dactylis repens: culmo repente; ramis fasciculatis; foliis villosis, fasciculatis, rigidis; floribus spicato-capitatis secundis Desfont.

fl. Atl. pag. 29. tab. 15.

mea planta a Desfont. non differt nisi glabritie culmi et foliorum.

Petrucci gran. etc.: ad aliam plantam hinc.